

HEAVY DUTY CASTORS Series

03 Series Heavy Duty Castors

with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]		
									Code Number	
	80x36		105x80		80x60	11x9	40	120	140	03P1S80A36CEPDX4015
	100x36		105x80		80x60	11x9	40	130	180	03P1S100A36CEPDX4015
	125x50		135x110		105x80	13.5x11	50	178	250	03P1S125A36CEPDX5020
	150x50		135x110		105x80	13.5x11	53	210	350	03P1S150A50CEPDX6020
	160x50		135x110		105x80	13.5x11	53	215	400	03P1S160A50CEPDX6020
	200x50		135x110		105x80	13.5x11	55	245	500	03P1S200A50CEPDX6020
	250x50		135x110		105x80	13.5x11	67	297	600	03P1S250A50CEPDX6020

Swivel Castors
with Total Brakes



	 							Code Number
	80x36	105x80	80x60	11x9	40	120	140	03P1TB80A36CEPDX4015
	100x36	105x80	80x60	11x9	40	130	180	03P1TB100A36CEPDX4015
	125x50	135x110	105x80	13.5x11	50	178	250	03P1TB125A36CEPDX5020
	150x50	135x110	105x80	13.5x11	53	210	350	03P1TB150A50CEPDX6020
	160x50	135x110	105x80	13.5x11	53	215	400	03P1TB160A50CEPDX6020
	200x50	135x110	105x80	13.5x11	55	245	500	03P1TB200A50CEPDX6020

Fixed Castors



	 							Code Number
	80x36	105x85	80x60	11x9	—	120	140	03P1F80A36CEPDX4015
	100x36	105x85	80x60	11x9	—	130	180	03P1F100A36CEPDX4015
	125x50	135x114	105x80	13.5x11	—	178	250	03P1F125A36CEPDX5020
	150x50	135x114	105x80	13.5x11	—	210	350	03P1F150A50CEPDX6020
	160x50	135x114	105x80	13.5x11	—	215	400	03P1F160A50CEPDX6020
	200x50	135x114	105x80	13.5x11	—	245	500	03P1F200A50CEPDX6020
	250x50	135x114	105x80	13.5x11	—	297	600	03P1F250A50CEPDX6020

Castor Options



Swivel Castors
with Central Brakes

125-250MM



Swivel Castors
with Tail Brakes

125-250MM



Swivel Castors with
Directional Lock(Retro Fit)1x360°

125-250MM

03 Series Heavy Duty Castors

with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		80x38	105x80	80x60	11x9	40	120	150	03P1S80C38JEADX4015
		100x40	105x80	80x60	11x9	40	130	200	03P1S100C40JEADX4015
		125x50	135x110	105x80	13.5x11	50	178	270	03P1S125C50JEADX6020
		150x50	135x110	105x80	13.5x11	53	210	400	03P1S150C50JEADX6020
		160x50	135x110	105x80	13.5x11	53	215	400	03P1S160C50JEADX6020
		200x50	135x110	105x80	13.5x11	55	245	500	03P1S200C50JEADX6020
		250x50	135x110	105x80	13.5x11	67	297	650	03P1S250C50JEADX6020

Swivel Castors with Total Brakes



									Code Number
		80x38	105x80	80x60	11x9	40	120	150	03P1TB80C38JEADX4015
		100x40	105x80	80x60	11x9	40	130	200	03P1TB100C40JEADX4015
		125x50	135x110	105x80	13.5x11	50	178	270	03P1TB125C50JEADX6020
		150x50	135x110	105x80	13.5x11	53	210	400	03P1TB150C50JEADX6020
		160x50	135x110	105x80	13.5x11	53	215	400	03P1TB160C50JEADX6020
		200x50	135x110	105x80	13.5x11	55	245	500	03P1TB200C50JEADX6020

Fixed Castors



									Code Number
		80x38	105x85	80x60	11x9	—	120	150	03P1F80C38JEADX4015
		100x40	105x85	80x60	11x9	—	130	200	03P1F100C40JEADX4015
		125x50	135x114	105x80	13.5x11	—	178	270	03P1F125C50JEADX6020
		150x50	135x114	105x80	13.5x11	—	210	400	03P1F150C50JEADX6020
		160x50	135x114	105x80	13.5x11	—	215	400	03P1F160C50JEADX6020
		200x50	135x114	105x80	13.5x11	—	245	500	03P1F200C50JEADX6020
		250x50	135x114	105x80	13.5x11	—	297	650	03P1F250C50JEADX6020

Castor Options



Swivel Castors with Central Brakes
125-250MM



Swivel Castors with Tail Brakes
125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
125-250MM

23 Series Heavy Duty Castors

with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		125X50	135x110	105x80	13.5x11	50	170	270	23P1S125C50JEADX6020
		150X50	135x110	105x80	13.5x11	57	200	400	23P1S150C50JEADX6020
		160X50	135x110	105x80	13.5x11	57	205	400	23P1S160C50JEADX6020
		200X50	135x110	105x80	13.5x11	65	245	500	23P1S200C50JEADX6020
		250X50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	650	23P1S250C50JEADX6020

Swivel Castors with Tail Brakes



									Code Number
		125X50	135x110	105x80	13.5x11	50	170	270	23P1FB125C50JEADX6020
		150X50	135x110	105x80	13.5x11	57	200	400	23P1FB150C50JEADX6020
		160X50	135x110	105x80	13.5x11	57	205	400	23P1FB160C50JEADX6020
		200X50	135x110	105x80	13.5x11	65	245	500	23P1FB200C50JEADX6020
		250X50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	650	23P1FB250C50JEADX6020

Fixed Castors



									Code Number
		125X50	135x110	105x80	13.5x11	—	170	270	23P1F125C50JEADX6020
		150X50	135x110	105x80	13.5x11	—	200	400	23P1F150C50JEADX6020
		160X50	135x110	105x80	13.5x11	—	205	400	23P1F160C50JEADX6020
		200X50	135x110	105x80	13.5x11	—	245	500	23P1F200C50JEADX6020
		250X50	135x110 175x140	105x80 140x105	13.5x11 14	—	305	650	23P1F250C50JEADX6020

Castor Options



Swivel Castors with Directional Lock 4x90"
125-250MM

03 Series Heavy Duty Castors
with ES Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	
Icon	160x50	135x110	105x80	13.5x11	53	215	450	03P1S160C50CESDX6020
Icon	200x50	135x110	105x80	13.5x11	55	245	550	03P1S200C50CESDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	
Icon	160x50	135x110	105x80	13.5x11	53	215	450	03P1TB160C50CESDX6020
Icon	200x50	135x110	105x80	13.5x11	55	245	550	03P1TB200C50CESDX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	
Icon	160x50	135X114	105x80	13.5x11	—	215	450	03P1F160C50CESDX6020
Icon	200x50	135X114	105x80	13.5x11	—	245	550	03P1F200C50CESDX6020

Castor Options



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

23 Series Heavy Duty Castors
with ES Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	
Icon	160X50	135x110	105x80	13.5x11	57	205	450	23P1S160C50CESDX6020
Icon	200X50	135x110	105x80	13.5x11	65	245	550	23P1S200C50CESDX6020
Icon	250X80	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1000	23P1S250C80CESDX9020

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	
Icon	160X50	135x110	105x80	13.5x11	57	205	450	23P1FB160C50CESDX6020
Icon	200X50	135x110	105x80	13.5x11	65	245	550	23P1FB200C50CESDX6020
Icon	250X80	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1000	23P1FB250C80CESDX9020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	
Icon	160X50	135x110	105x80	13.5x11	—	205	450	23P1F160C50CESDX6020
Icon	200X50	135x110	105x80	13.5x11	—	245	550	23P1F200C50CESDX6020
Icon	250X80	135x110 175x140	105x80 140x105	13.5x11 14	—	305	1000	23P1F250C80CESDX9020

Castor Options



Swivel Castors with Directional Lock 4x90"

160-250MM

03 Series Heavy Duty Castors
with EI Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		160x50	135x110	105x80	13.5x11	53	215	450	03P1S160C50CEIDX6020
		200x50	135x110	105x80	13.5x11	55	245	550	03P1S200C50CEIDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		160x50	135x110	105x80	13.5x11	53	215	450	03P1TB160C50CEIDX6020
		200x50	135x110	105x80	13.5x11	55	245	550	03P1TB200C50CEIDX6020

Fixed Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		160x50	135X114	105x80	13.5x11	—	215	450	03P1F160C50CEIDX6020
		200x50	135X114	105x80	13.5x11	—	245	550	03P1F200C50CEIDX6020

Castor Options



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

23 Series Heavy Duty Castors
with EI Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		160X50	135x110	105x80	13.5x11	57	205	450	23P1S160C50CEIDX6020
		200X50	135x110	105x80	13.5x11	65	245	550	23P1S200C50CEIDX6020
		250X50	135x110	105x80	13.5x11	80	305	650	23P1S250C50CEIDX6020
		250X80	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1000	23P1S250C80CEIDX9020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		160X50	135x110	105x80	13.5x11	57	205	450	23P1FB160C50CEIDX6020
		200X50	135x110	105x80	13.5x11	65	245	550	23P1FB200C50CEIDX6020
		250X50	135x110	105x80	13.5x11	80	305	650	23P1FB250C50CEIDX6020
		250X80	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1000	23P1FB250C80CEIDX9020

Fixed Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		160X50	135x110	105x80	13.5x11	—	205	450	23P1F160C50CEIDX6020
		200X50	135x110	105x80	13.5x11	—	245	550	23P1F200C50CEIDX6020
		250X50	135x110	105x80	13.5x11	—	305	650	23P1F250C50CEIDX6020
		250X80	135x110 175x140	105x80 140x105	13.5x11 14	—	305	1000	23P1F250C80CEIDX9020

Castor Options



Swivel Castors with Directional Lock 4x90"

160-250MM

03 Series Heavy Duty Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
80X38	105x80	80x60	11x9	40	120	180	03P1S80D38BUMRX4012
100X40	105x80	80x60	11x9	40	130	300	03P1S100D40BUMRX4012
125X40	135x110	105x80	13.5x11	50	178	350	03P1S125D40BUMRX5015
160x50	135x110	105x80	13.5x11	53	215	550	03P1S160D45BUMRX6020
200x50	135x110	105x80	13.5x11	55	245	800	03P1S200D50BUMRX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
80X38	105x80	80x60	11x9	40	120	180	03P1TB80D38BUMRX4012
100X40	105x80	80x60	11x9	40	130	300	03P1TB100D40BUMRX4012
125X40	135x110	105x80	13.5x11	50	178	350	03P1TB125D40BUMRX5015
160x50	135x110	105x80	13.5x11	53	215	550	03P1TB160D45BUMRX6020
200x50	135x110	105x80	13.5x11	55	245	800	03P1TB200D50BUMRX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
80X38	105X85	80x60	11x9	—	120	180	03P1F80D38BUMRX4012
100X40	105X85	80x60	11x9	—	130	300	03P1F100D40BUMRX4012
125X40	135X114	105x80	13.5x11	—	178	350	03P1F125D40BUMRX5015
160x50	135X114	105x80	13.5x11	—	215	550	03P1F160D45BUMRX6020
200x50	135X114	105x80	13.5x11	—	245	800	03P1F200D50BUMRX6020

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

23 Series Heavy Duty Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
160X50	135x110	105x80	13.5x11	57	205	550	23P1S160D45BUMRX6020
200X50	135x110	105x80	13.5x11	65	245	800	23P1S200D50BUMRX6020

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
160X50	135x110	105x80	13.5x11	57	205	550	23P1FB160D45BUMRX6020
200X50	135x110	105x80	13.5x11	65	245	800	23P1FB200D50BUMRX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
160X50	135x110	105x80	13.5x11	57	205	550	23P1F160D45BUMRX6020
200X50	135x110	105x80	13.5x11	65	245	800	23P1F200D50BUMRX6020

Castor Options



Swivel Castor with Directional Lock 4x90"

160-200MM

03 Series Heavy Duty Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	120	200	03P1S80H38JUHDX4015
	100x40	105x80	80x60	11x9	40	130	250	03P1S100H40JUHDX4015
	125X40	135x110	105x80	13.5x11	50	178	300	03P1S125H40JUHDX5020
	125x50	135x110	105x80	13.5x11	50	178	320	03P1S125H50JUHDX6020
	150x50	135x110	105x80	13.5x11	53	210	400	03P1S150H50JUHDX6020
	160x50	135x110	105x80	13.5x11	53	215	440	03P1S160H50JUHDX6020
	180x50	135x110	105x80	13.5x11	55	240	500	03P1S180H50JUHDX6020
	200x50	135x110	105x80	13.5x11	55	245	560	03P1S200H50JUHDX6020
	250x50	135x110	105x80	13.5x11	67	297	640	03P1S250H50JUHDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x38	105x80	80x60	11x9	40	120	200	03P1TB80H38JUHDX4015
	100x40	105x80	80x60	11x9	40	130	250	03P1TB100H40JUHDX4015
	125X40	135x110	105x80	13.5x11	50	178	300	03P1TB125H40JUHDX5020
	125x50	135x110	105x80	13.5x11	50	178	320	03P1TB125H50JUHDX6020
	150x50	135x110	105x80	13.5x11	53	210	400	03P1TB150H50JUHDX6020
	160x50	135x110	105x80	13.5x11	53	215	440	03P1TB160H50JUHDX6020
	180x50	135x110	105x80	13.5x11	55	240	500	03P1TB180H50JUHDX6020
	200x50	135x110	105x80	13.5x11	55	245	560	03P1TB200H50JUHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x85	80x60	11x9	—	120	200	03P1F80H38JUHDX4015
	100x40	105x85	80x60	11x9	—	130	250	03P1F100H40JUHDX4015
	125X40	135x114	105x80	13.5x11	—	178	300	03P1F125H40JUHDX5020
	125x50	135x114	105x80	13.5x11	—	178	320	03P1F125H50JUHDX6020
	150x50	135x114	105x80	13.5x11	—	210	400	03P1F150H50JUHDX6020
	160x50	135x114	105x80	13.5x11	—	215	440	03P1F160H50JUHDX6020
	180x50	135x114	105x80	13.5x11	—	240	500	03P1F180H50JUHDX6020
	200x50	135x114	105x80	13.5x11	—	245	560	03P1F200H50JUHDX6020
	250x50	135x114	105x80	13.5x11	—	297	640	03P1F250H50JUHDX6020

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

23 Series Heavy Duty Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	320	23P1S125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	57	200	400	23P1S150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	57	205	440	23P1S160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	65	245	560	23P1S200H50JUHDX6020
	250X50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	640	23P1S250H50JUHDX6020

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	320	23P1FB125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	57	200	400	23P1FB150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	57	205	440	23P1FB160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	65	245	560	23P1FB200H50JUHDX6020
	250X50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	640	23P1FB250H50JUHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	—	170	320	23P1F125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	—	200	400	23P1F150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	—	205	440	23P1F160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	—	245	560	23P1F200H50JUHDX6020
	250X50	135x110 175x140	105x80 140x105	13.5x11 14	—	305	640	23P1F250H50JUHDX6020

Castor Options



Swivel Castors with Directional Lock 4x90"

125-250MM

03 Series Heavy Duty Castors
with UA Series Yellow Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel of width, Wheel diameter, Plate size, Plate hole center, Plate hole, Offset, Overall Height, Load Capacity, Code Number. Rows include specifications for various sizes like 100x38, 125x40, 125x50, 150x50, 160x50, 200x50, 250x60.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel of width, Wheel diameter, Plate size, Plate hole center, Plate hole, Offset, Overall Height, Load Capacity, Code Number. Rows include specifications for various sizes like 100x40, 125x40, 125x50, 150x50, 160x50, 200x50.

Fixed Castors



Table with 9 columns: Bearing, Wheel of width, Wheel diameter, Plate size, Plate hole center, Plate hole, Offset, Overall Height, Load Capacity, Code Number. Rows include specifications for various sizes like 100x40, 125x40, 125x50, 150x50, 160x50, 200x50, 250x60.

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

23 Series Heavy Duty Castors
with UA Series Yellow Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel of width, Wheel diameter, Plate size, Plate hole center, Plate hole, Offset, Overall Height, Load Capacity, Code Number. Rows include specifications for various sizes like 125X50, 150X50, 160X50, 200X50, 250X60.

Swivel Castors with Tail Brakes



Table with 9 columns: Bearing, Wheel of width, Wheel diameter, Plate size, Plate hole center, Plate hole, Offset, Overall Height, Load Capacity, Code Number. Rows include specifications for various sizes like 125X50, 150X50, 160X50, 200X50, 250X50.

Fixed Castors



Table with 9 columns: Bearing, Wheel of width, Wheel diameter, Plate size, Plate hole center, Plate hole, Offset, Overall Height, Load Capacity, Code Number. Rows include specifications for various sizes like 125X50, 150X50, 160X50, 200X50, 250X50.

Castor Options



Swivel Castors with Directional Lock 4x90"

125-250MM

03 Heavy Duty Castors

with UI Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x32	105x80	80x60	11x9	40	120	250	03P1S80E32JUIDX4015
	100x32	105x80	80x60	11x9	40	130	350	03P1S100E32JUIDX4015
	125x50	135x110	105x80	13.5x11	50	178	660	03P1S125E50JUIDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1S150E50JUIDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1S160E50JUIDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1S200E50JUIDX6020
	250x50	135x110	105x80	13.5x11	67	297	1000	03P1S250E50JUIDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x32	105x80	80x60	11x9	40	120	250	03P1TB80E32JUIDX4015
	100x32	105x80	80x60	11x9	40	130	350	03P1TB100E32JUIDX4015
	125x50	135x110	105x80	13.5x11	50	178	660	03P1TB125E50JUIDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1TB150E50JUIDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1TB160E50JUIDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1TB200E50JUIDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x32	105x85	80x60	11x9	—	120	250	03P1F80E32JUIDX4015
	100x32	105x85	80x60	11x9	—	130	350	03P1F100E32JUIDX4015
	125x50	135x114	105x80	13.5x11	—	178	660	03P1F125E50JUIDX6020
	150x50	135x114	105x80	13.5x11	—	210	800	03P1F150E50JUIDX6020
	160x50	135x114	105x80	13.5x11	—	215	800	03P1F160E50JUIDX6020
	200x50	135x114	105x80	13.5x11	—	245	800	03P1F200E50JUIDX6020
	250x50	135x114	105x80	13.5x11	—	297	1000	03P1F250E50JUIDX6020

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

23 Series Heavy Duty Castors

with UI Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	660	23P1S125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	57	200	800	23P1S150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	57	205	900	23P1S160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	65	245	1200	23P1S200E50JUIDX6020
	250X50	135x110	105x80	13.5x11	80	305	1800	23P1S250E50JUIDX6020
	250X80	175x140	140x105	14	80	305	1800	23P1S250E50JUIDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	660	23P1FB125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	57	200	800	23P1FB150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	57	205	900	23P1FB160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	65	245	1200	23P1FB200E50JUIDX6020
	250X80	135x110	105x80	13.5x11	80	305	1800	23P1FB250E50JUIDX6020
	250X80	175x140	140x105	14	80	305	1800	23P1FB250E50JUIDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	660	23P1F125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	57	200	800	23P1F150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	57	205	900	23P1F160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	65	245	1200	23P1F200E50JUIDX6020
	250X80	135x110	105x80	13.5x11	80	305	1800	23P1F250E50JUIDX6020
	250X80	175x140	140x105	14	80	—	1800	23P1F250E50JUIDX6020

Castor Options



Swivel Castors with Directional Lock 4x90"

125-250MM

03 Series Heavy Duty Castors
with PH Series Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	105x80	80x60	11x9	40	130	350	03P1S100B38BPHDX4015
	125x50	135x110	105x80	13.5x11	50	178	700	03P1S125B50BPHDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1S150B50BPHDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1S160B50BPHDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1S200B50BPHDX6020
	250x50	135x110	105x80	13.5x11	67	297	1000	03P1S250B50BPHDX7520

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	105x80	80x60	11x9	40	130	350	03P1TB100B38BPHDX4015
	125x50	135x110	105x80	13.5x11	50	178	700	03P1TB125B50BPHDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1TB150B50BPHDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1TB160B50BPHDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1TB200B50BPHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	105x85	80x60	11x9	—	130	350	03P1F100B38BPHDX4015
	125x50	135x114	105x80	13.5x11	—	178	700	03P1F125B50BPHDX6020
	150x50	135x114	105x80	13.5x11	—	210	800	03P1F150B50BPHDX6020
	160x50	135x114	105x80	13.5x11	—	215	800	03P1F160B50BPHDX6020
	200x50	135x114	105x80	13.5x11	—	245	800	03P1F200B50BPHDX6020
	250x50	135x114	105x80	13.5x11	—	297	1000	03P1F250B50BPHDX7520

Castor Options



Swivel Castors with
Central Brakes

125-250MM



Swivel Castors with
Tail Brakes

125-250MM



Swivel Castors with
Directional Lock(Retro Fit)1x360"

125-250MM

23 Series Heavy Duty Castors
with PH Series Heavy Duty Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125x50	135x110	105x80	13.5x11	50	170	700	23P1S125B50BPHDX6020
	150x50	135x110	105x80	13.5x11	57	200	800	23P1S150B50BPHDX6020
	160x50	135x110	105x80	13.5x11	57	205	850	23P1S160B50BPHDX6020
	200x50	135x110	105x80	13.5x11	65	245	1000	23P1S200B50BPHDX6020
	250x50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1500	23P1S250B50BPHDX6020

Swivel Castors
with Tail Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125x50	135x110	105x80	13.5x11	50	170	700	23P1FB125B50BPHDX6020
	150x50	135x110	105x80	13.5x11	57	200	800	23P1FB150B50BPHDX6020
	160x50	135x110	105x80	13.5x11	57	205	850	23P1FB160B50BPHDX6020
	200x50	135x110	105x80	13.5x11	65	245	1000	23P1FB200B50BPHDX6020
	250x50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1500	23P1FB250B50BPHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125x50	135x110	105x80	13.5x11	—	170	700	23P1F125B50BPHDX6020
	150x50	135x110	105x80	13.5x11	—	200	800	23P1F150B50BPHDX6020
	160x50	135x110	105x80	13.5x11	—	205	850	23P1F160B50BPHDX6020
	200x50	135x110	105x80	13.5x11	—	245	1000	23P1F200B50BPHDX6020
	250x50	135x110 175x140	105x80 140x105	13.5x11 14	—	305	1500	23P1F250B50BPHDX6020

Castor Options



Swivel Castors with Directional Lock 4x90"

125-250MM

23 Series Heavy Duty Castors
with PC Series Casting Polyamide Wheel



Swivel Castors



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									
	100x50	135x110	135x110	105x80	13.5x11	42	148	1400	23P1S100B50BPCDX6020
	125x50	135x110	135x110	105x80	13.5x11	50	170	2000	23P1S125B50BPCDX6020
	150x50	135x110	135x110	105x80	13.5x11	57	200	2000	23P1S150B50BPCDX6020
	160x50	135x110	135x110	105x80	13.5x11	57	205	2000	23P1S160B50BPCDX6020
	200x50	135x110	135x110	105x80	13.5x11	65	245	2000	23P1S200B50BPCDX6020
	250x50	135x110	135x110	105x80	13.5x11	80	305	2000	23P1S250B50BPCDX6020
		175x140	140x105	140x105	14				

Swivel Castors
with Tail Brakes



	 							Code Number
	100x50	135x110	105x80	13.5x11	42	148	1400	23P1FB100B50BPCDX6020
	125x50	135x110	105x80	13.5x11	50	170	2000	23P1FB125B50BPCDX6020
	150x50	135x110	105x80	13.5x11	57	200	2000	23P1FB150B50BPCDX6020
	160x50	135x110	105x80	13.5x11	57	205	2000	23P1FB160B50BPCDX6020
	200x50	135x110	105x80	13.5x11	65	245	2000	23P1FB200B50BPCDX6020
	250x50	135x110	105x80	13.5x11	80	305	2000	23P1FB250B50BPCDX6020
		175x140	140x105	14				

Fixed Castors



	 							Code Number
	100x50	135x110	105x80	13.5x11	—	148	1400	23P1F100B50BPCDX6020
	125x50	135x110	105x80	13.5x11	—	170	2000	23P1F125B50BPCDX6020
	150x50	135x110	105x80	13.5x11	—	200	2000	23P1F150B50BPCDX6020
	160x50	135x110	105x80	13.5x11	—	205	2000	23P1F160B50BPCDX6020
	200x50	135x110	105x80	13.5x11	—	245	2000	23P1F200B50BPCDX6020
	250x50	135x110	105x80	13.5x11	—	305	2000	23P1F250B50BPCDX6020
		175x140	140x105	14				

Castor Options



Swivel Castors with
Directional Lock 4x90°

100-250MM

STAINLESS
STEEL
CASTORS
Series