



# STAINLESS STEEL CASTORS Series

# 10 Series Stainless Steel Castors

with TR Series Grey Thermoplastic Rubber Wheel



## Swivel Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	100x32	100X80	80x60	11x9	34	125	100	100	10P4PS100D32DTRBA4208 10P4PS100D32DTRPX4012
	125x32	100X80	80x60	11x9	32.5	150	150	150	10P4PS125D32DTRBA5210 10P4PS125D32DTRPX5015
	160x40	135x110	105x80	13.5x11	52	195	200	200	10P4PS160D40DTRBA6212 10P4PS160D40DTRPX6020
	200x40	135x110	105x80	13.5x11	54	236	250	250	10P4PS200D40DTRBA6212 10P4PS200D40DTRPX6020

## Swivel Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	100x32	100X80	80x60	11x9	30	125	100	100	10P4PTB100D32DTRBA4208 10P4PTB100D32DTRPX4012
	125x32	100X80	80x60	11x9	26.5	155	150	150	10P4PTB125D32DTRBA5210 10P4PTB125D32DTRPX5015
	160x40	135x110	105x80	13.5x11	60	195	200	200	10P4PTB160D40DTRBA6212 10P4PTB160D40DTRPX6020
	200x40	135x110	105x80	13.5x11	60	236	250	250	10P4PTB200D40DTRBA6212 10P4PTB200D40DTRPX6020

## Fixed Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	100x32	100X80	80x60	11x9	—	125	100	100	10P4PF100D32DTRBA4208 10P4PF100D32DTRPX4012
	125x32	100X80	80x60	11x9	—	150	150	150	10P4PF125D32DTRBA5210 10P4PF125D32DTRPX5015
	160x40	135x114	105x80	13.5x11	—	195	200	200	10P4PF160D40DTRBA6212 10P4PF160D40DTRPX6020
	200x40	135x114	105x80	13.5x11	—	236	250	250	10P4PF200D40DTRBA6212 10P4PF200D40DTRPX6020

# 10 Series Stainless Steel Castors

with TR Series Grey Thermoplastic Rubber Wheel



## Bolt Hole Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	100x32	34	Ø13	124	100	100	10H4PS100D32DTRBA4208 10H4PS100D32DTRPX4012
	125x32	32.5	Ø13	149	150	150	10H4PS125D32DTRBA5210 10H4PS125D32DTRPX5015
	160x40	52	Ø16.8	190	200	200	10H4PS160D40DTRBA6212 10H4PS160D40DTRPX6020
	200x40	54	Ø16.8	231	250	250	10H4PS200D40DTRBA6212 10H4PS200D40DTRPX6020

## Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	100x32	30	Ø13	124	100	100	10H4PTB100D32DTRBA4208 10H4PTB100D32DTRPX4012
	125x32	26.5	Ø13	149	150	150	10H4PTB125D32DTRBA5210 10H4PTB125D32DTRPX5015
	160x40	60	Ø16.8	190	200	200	10H4PTB160D40DTRBA6212 10H4PTB160D40DTRPX6020
	200x40	60	Ø16.8	231	250	250	10H4PTB200D40DTRBA6212 10H4PTB200D40DTRPX6020

# 10 Series Stainless Steel Castors

with GP Series Grey Solid Rubber Wheel



## Swivel Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x30	100x80	80x60	11x9	36	108	50	10P4S80D30CGPPX4012	
☺	100x30	100x80	80x60	11x9	34	125	75	10P4S100D30CGPPX4012	
☺	125x37.5	100x80	80x60	11x9	32.5	150	100	10P4S125D37.5CGPPX5015	
☺	160x40	135x110	105x80	13.5x11	52	195	140	10P4S160D40CGPPX6020	
☺	200x50	135x110	105x80	13.5x11	54	236	205	10P4S200D50CGPPX6020	

## Swivel Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x30	100x80	80x60	11x9	36.5	108	50	10P4TB80D30CGPPX4012	
☺	100x30	100x80	80x60	11x9	30	125	75	10P4TB100D30CGPPX4012	
☺	125x37.5	100x80	80x60	11x9	26.5	150	100	10P4TB125D37.5CGPPX5015	
☺	160x40	135x110	105x80	13.5x11	52	195	140	10P4TB160D40CGPPX6020	
☺	200x50	135x110	105x80	13.5x11	54	236	205	10P4TB200D50CGPPX6020	

## Fixed Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x30	100x80	80x60	11x9	—	108	50	10P4F80D30CGPPX4012	
☺	100x30	100x80	80x60	11x9	—	125	75	10P4F100D30CGPPX4012	
☺	125x37.5	100x80	80x60	11x9	—	150	100	10P4F125D37.5CGPPX5015	
☺	160x40	135x114	105x80	13.5x11	—	195	140	10P4F160D40CGPPX6020	
☺	200x50	135x114	105x80	13.5x11	—	236	205	10P4F200D50CGPPX6020	

# 10 Series Stainless Steel Castors

with GP Series Grey Solid Rubber Wheel



## Bolt Hole Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	KG	
☺	80x30	36	∅13	107	50	10H4S80D30CGPPX4012	
☺	100x30	34	∅13	124	75	10H4S100D30CGPPX4012	
☺	125x37.5	32.5	∅13	149	100	10H4S125D37.5CGPPX5015	
☺	160x40	52	∅16.8	190	140	10H4S160D40CGPPX6020	
☺	200x50	54	∅16.8	231	205	10H4S200D50CGPPX6020	

## Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	KG	
☺	80x30	36.5	∅13	107	50	10H4TB80D30CGPPX4012	
☺	100x30	30	∅13	124	75	10H4TB100D30CGPPX4012	
☺	125x37.5	26.5	∅13	149	100	10H4TB125D37.5CGPPX5015	
☺	160x40	52	∅16.8	190	140	10H4TB160D40CGPPX6020	
☺	200x50	54	∅16.8	231	205	10H4TB200D50CGPPX6020	

# 10 Series Stainless Steel Castors

with ET Series Grey Elastic Rubber Wheel



## Swivel Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
									Code Number
	100x34	100x80	80x60	11x9	36	125	160	10P4S100D34DETRX4012	
	125x40	100x80	80x60	11x9	34	150	200	10P4S125D40DETRX5015	
	160x46	135x110	105x80	13.5x11	52	195	300	10P4S160D46DETRX6020	
	200x46	135x110	105x80	13.5x11	54	236	300	10P4S200D46DETRX6020	

## Swivel Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
									Code Number
	100x34	100x80	80x60	11x9	30	125	160	10P4TB100D34DETRX4012	
	125x40	100x80	80x60	11x9	26.5	150	200	10P4TB125D40DETRX5015	
	160x46	135x110	105x80	13.5x11	52	195	300	10P4TB160D46DETRX6020	
	200x46	135x110	105x80	13.5x11	54	236	300	10P4TB200D46DETRX6020	

## Fixed Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
									Code Number
	100x34	100x80	80x60	11x9	—	125	160	10P4F100D34DETRX4012	
	125x40	100x80	80x60	11x9	—	150	200	10P4F125D40DETRX5015	
	160x46	135x114	105x80	13.5x11	—	195	300	10P4F160D46DETRX6020	
	200x46	135x114	105x80	13.5x11	—	236	300	10P4F200D46DETRX6020	

# 10 Series Stainless Steel Castors

with ET Series Grey Elastic Rubber Wheel



## Bolt Hole Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
							Code Number
	100x34	36	Ø13	124	160	10H4S100D34DETRX4012	
	125x40	34	Ø13	149	200	10H4S125D40DETRX5015	
	160x46	52	Ø16.8	190	300	10H4S160D46DETRX6020	
	200x46	54	Ø16.8	231	300	10H4S200D46DETRX6020	

## Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
							Code Number
	100x34	32.5	Ø13	124	160	10H4TB100D34DETRX4012	
	125x40	26.5	Ø13	149	200	10H4TB125D40DETRX5015	
	160x46	52	Ø16.8	190	300	10H4TB160D46DETRX6020	
	200x46	54	Ø16.8	231	300	10H4TB200D46DETRX6020	

# 10 Series Stainless Steel Castors

with EP Series Grey Elastic Rubber Wheel



## Swivel Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	80X35	100X80	80x60	11x9	36	108	140	10P4S80D35CEPRX4012	
	100x36	100X80	80x60	11x9	34	125	180	10P4S100D36CEPRX4012	
	125x36	100X80	80x60	11x9	32.5	150	200	10P4S125D36CEPRX5015	
	160x48	135x110	105x80	13.5x11	52	195	300	10P4S160D48CEPRX6020	
	200X48	135x110	105x80	13.5x11	54	236	300	10P4S200D48CEPRX6020	

## Swivel Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	80X35	100X80	80x60	11x9	36.5	108	130	10P4TB80D35CEPRX4012	
	100x36	100X80	80x60	11x9	34	125	160	10P4TB100D36CEPRX4012	
	125x36	100X80	80x60	11x9	32.5	150	200	10P4TB125D36CEPRX5015	
	160x48	135x110	105x80	13.5x11	52	195	300	10P4TB160D48CEPRX6020	
	200X48	135x110	105x80	13.5x11	54	236	300	10P4TB200D48CEPRX6020	

## Fixed Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	80X35	100X80	80x60	11x9	—	108	130	10P4F80D35CEPRX4012	
	100x36	100X80	80x60	11x9	—	125	160	10P4F100D36CEPRX4012	
	125x36	100X80	80x60	11x9	—	150	200	10P4F125D36CEPRX5015	
	160x48	135x114	105x80	13.5x11	—	195	300	10P4F160D48CEPRX6020	
	200X48	135x114	105x80	13.5x11	—	236	300	10P4F200D48CEPRX6020	

# 10 Series Stainless Steel Castors

with EP Series Grey Elastic Rubber Wheel



## Bolt Hole Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	80X35	100X80	36	Ø13	107	140	10H4S80D35CEPRX4012
	100X36	100X80	34	Ø13	125	180	10H4S100D36CEPRX4012
	125X36	100X80	32.5	Ø13	149	200	10H4S125D36CEPRX5015
	160X48	135x110	52	Ø16.8	190	300	10H4S160D48CEPRX6020
	200X48	135x110	54	Ø16.8	231	300	10H4S200D48CEPRX6020

## Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
	80X35	100X80	36.5	Ø13	107	140	10H4TB80D35CEPRX4012
	100X36	100X80	30	Ø13	125	180	10H4TB100D36CEPRX4012
	125X36	100X80	26.5	Ø13	149	200	10H4TB125D36CEPRX5015
	160X48	135x110	52	Ø16.8	190	300	10H4TB160D48CEPRX6020
	200X48	135x110	54	Ø16.8	231	300	10H4TB200D48CEPRX6020

# 10 Series Stainless Steel Castors

with UP Series Red Thermoplastic Polyurethane Wheel



## Swivel Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x34	100x80	80x60	11x9	36	108	120	10P4S80F34BUPPX4012	
☺	100x34	100x80	80x60	11x9	34	125	160	10P4S100F34BUPPX4012	
☺	125x36	100x80	80x60	11x9	32.5	150	200	10P4S125F36BUPPX5015	
☺	160x40	135x110	105x80	13.5x11	52	195	300	10P4S160F40BUPPX6020	
☺	200x50	135x110	105x80	13.5x11	54	236	300	10P4S200F50BUPPX6020	

## Swivel Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x34	100x80	80x60	11x9	36.5	108	120	10P4TB80F34BUPPX4012	
☺	100x34	100x80	80x60	11x9	30	125	160	10P4TB100F34BUPPX4012	
☺	125x36	100x80	80x60	11x9	26.5	150	200	10P4TB125F36BUPPX5015	
☺	160x40	135x110	105x80	13.5x11	52	195	300	10P4TB160F40BUPPX6020	
☺	200x50	135x110	105x80	13.5x11	54	236	300	10P4TB200F50BUPPX6020	

## Fixed Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x34	100x80	80x60	11x9	—	108	120	10P4F80F34BUPPX4012	
☺	100x34	100x80	80x60	11x9	—	125	160	10P4F100F34BUPPX4012	
☺	125x36	100x80	80x60	11x9	—	150	200	10P4F125F36BUPPX5015	
☺	160x40	135x114	105x80	13.5x11	—	195	300	10P4F160F40BUPPX6020	
☺	200x50	135x114	105x80	13.5x11	—	236	300	10P4F200F50BUPPX6020	

# 10 Series Stainless Steel Castors

with UP Series Red Thermoplastic Polyurethane Wheel



## Bolt Hole Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	KG	
☺	80x34	36	∅13	107	120	10H4S80F34BUPPX4012	
☺	100x34	34	∅13	124	160	10H4S100F34BUPPX4012	
☺	125x36	26.5	∅13	149	200	10H4S125F36BUPPX5015	
☺	160x40	52	∅16.8	190	300	10H4S160F40BUPPX6020	
☺	200x50	54	∅16.8	231	300	10H4S200F50BUPPX6020	

## Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	KG	
☺	80x34	36.5	∅13	107	120	10H4TB80F34BUPPX4012	
☺	100x34	30	∅13	124	160	10H4TB100F34BUPPX4012	
☺	125x36	26.5	∅13	149	200	10H4TB125F36BUPPX5015	
☺	160x40	52	∅16.8	190	300	10H4TB160F40BUPPX6020	
☺	200x50	54	∅16.8	231	300	10H4TB200F50BUPPX6020	

# 10 Series Stainless Steel Castors

with PA Series White Polyamide Wheel



## Swivel Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x34	100x80	80x60	11x9	36.5	108	150	10P4S80B34BPAPX4012	
☺	100x36	100x80	80x60	11x9	34	125	180	10P4S100B36BPAPX4012	
☺	125x40	100x80	80x60	11x9	32.5	150	200	10P4S125B40BPAPX5015	
☺	160x40	135x110	105x80	13.5x11	52	195	300	10P4S160B40BPAPX6020	
☺	200x46	135x110	105x80	13.5x11	54	236	300	10P4S200B46BPAPX6020	

## Swivel Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x34	100x80	80x60	11x9	36.5	108	150	10P4TB80B34BPAPX4012	
☺	100x36	100x80	80x60	11x9	30	125	180	10P4TB100B36BPAPX4012	
☺	125x40	100x80	80x60	11x9	26.5	150	200	10P4TB125B40BPAPX5015	
☺	160x40	135x110	105x80	13.5x11	52	195	300	10P4TB160B40BPAPX6020	
☺	200x46	135x110	105x80	13.5x11	54	236	300	10P4TB200B46BPAPX6020	

## Fixed Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Plate size (mm)	Plate hole center (mm)	Plate hole (mm)	Offset (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	☺	☺	KG	
☺	80x34	100x80	80x60	11x9	—	108	150	10P4F80B34BPAPX4012	
☺	100x36	100x80	80x60	11x9	—	125	180	10P4F100B36BPAPX4012	
☺	125x40	100x80	80x60	11x9	—	150	200	10P4F125B40BPAPX5015	
☺	160x40	135x114	105x80	13.5x11	—	195	300	10P4F160B40BPAPX6020	
☺	200x46	135x114	105x80	13.5x11	—	236	300	10P4F200B46BPAPX6020	

# 10 Series Stainless Steel Castors

with PA Series White Polyamide Wheel



## Bolt Hole Castors



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	KG	
☺	80x34	36	∅13	107	150	10H4S80B34BPAPX4012	
☺	100x34	34	∅13	124	180	10H4S100B36BPAPX4012	
☺	125x36	32.5	∅13	149	200	10H4S125B40BPAPX5015	
☺	160x40	52	∅16.8	190	300	10H4S160B40BPAPX6020	
☺	200x50	54	∅16.8	231	300	10H4S200B46BPAPX6020	

## Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter (mm)	Wheel of width (mm)	Offset (mm)	Centre hole (mm)	Overall Height (mm)	Load Capacity (kg)	Code Number
☺	☺	☺	☺	☺	☺	KG	
☺	80x34	36.5	∅13	107	150	10H4TB80B34BPAPX4012	
☺	100x34	30	∅13	124	180	10H4TB100B36BPAPX4012	
☺	125x36	26.5	∅13	149	200	10H4TB125B40BPAPX5015	
☺	160x40	52	∅16.8	190	300	10H4TB160B40BPAPX6020	
☺	200x50	54	∅16.8	231	300	10H4TB200B46BPAPX6020	