



Taishan Castors and Wheels Co.,Ltd

E-mail
sales@taishan-cn.com

Phone
+86 17363297532

WhatsApp & WeChat
+86 17363297532

Address
yueshan Town
Kaiping City,Guangdong,China



Scan the code to obtain the
electronic version of the catalog
(www.taishan-castors.com/catalog/)



**Leading and Reliable
Castor Wheel Manufacturer**

www.taishan-castors.com



TaiShan
Castors & Wheels



Castors Series Page Navigation

Institutional Castors	001
Industrial Castors	008
Heavy Duty Castors	080
Stainless Steel Castors	099
Heat Resistant Castors	112

Not Sure About Castors? Contact Us Professional & Economical Solutions

 sales@taishan-cn.com

Taishan has been one of the industry's leading castor manufacturers and has earned a good reputation among customers.

We believe we can become one of your best suppliers of industrial, heavy-duty and stainless steel castors.

INSTITUTIONAL CASTORS SERIES

18 Series Institutional Castors
with TP Series Thermoplastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75X30	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1S75D30DTPPX3612
	75X30	105x80	80x60	10.5	30.5	103	75	
	100X32	77x67	55.7x46.5	16x8.5	40	137	100	18P1S100D32DTPPX3612
	100X32	105x80	80x60	10.5	40	137	100	
	125X32	77x67	55.7x46.5	16x8.5	43	162	100	18P1S125D32DTPPX3612
	125X32	105x80	80x60	10.5	43	162	100	

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75X30	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1TB75D30DTPPX3612
	75X30	105x80	80x60	10.5	30.5	103	75	
	100X32	77x67	55.7x46.5	16x8.5	40	137	100	18P1TB100D32DTPPX3612
	100X32	105x80	80x60	10.5	40	137	100	
	125X32	77x67	55.7x46.5	16x8.5	43	162	100	18P1TB125D32DTPPX3612
	125X32	105x80	80x60	10.5	43	162	100	

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75X30	77x67	55.7x46.5	16x8.5	—	103	75	18P1F75D30DTPPX3612
	75X30	105x80	80x60	10.5	—	103	75	
	100X32	77x67	55.7x46.5	16x8.5	—	137	100	18P1F100D32DTPPX3612
	100X32	105x80	80x60	10.5	—	137	100	
	125X32	77x67	55.7x46.5	16x8.5	—	162	100	18P1F125D32DTPPX3612
	125X32	105x80	80x60	10.5	—	162	100	

Castor Options



Electrically Conductive Version

75-125MM



Castors with Metal Pedal

75-125mm



Wheel with Big Metal Thread Guards

75-125mm

18 Series Institutional Castors
with TP Series Thermoplastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75x30	30.5	Ø13	100.5	75	18H1S75D30DTPPX3612
	100x32	40	Ø13	134.5	100	18H1S100D32DTPPX3612
	125x32	43	Ø13	159.5	100	18H1S125D32DTPPX3612

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75x30	30.5	Ø13	100.5	75	18H1TB75D30DTPPX3612
	100x32	40	Ø13	134.5	100	18H1TB100D32DTPPX3612
	125x32	43	Ø13	159.5	100	18H1TB125D32DTPPX3612

Castor Options



Electrically Conductive Version

75-125MM



Castors with Metal Pedal

75-125mm



Wheel with Big Metal Thread Guards

75-125mm

18 Series Institutional Castors
with TP Series Thermoplastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75X30	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1S75D30DTPBB3708
	75X30	105x80	80x60	10.5	30.5	103	75	
	100X32	77x67	55.7x46.5	16x8.5	40	137	100	18P1S100D32DTPBB3708
	100X32	105x80	80x60	10.5	40	137	100	
	125X32	77x67	55.7x46.5	16x8.5	43	162	100	18P1S125D32DTPBB3708
	125X32	105x80	80x60	10.5	43	162	100	

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75X30	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1TB75D30DTPBB3708
	75X30	105x80	80x60	10.5	30.5	103	75	
	100X32	77x67	55.7x46.5	16x8.5	40	137	100	18P1TB100D32DTPBB3708
	100X32	105x80	80x60	10.5	40	137	100	
	125X32	77x67	55.7x46.5	16x8.5	43	162	100	18P1TB125D32DTPBB3708
	125X32	105x80	80x60	10.5	43	162	100	

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75X30	77x67	55.7x46.5	16x8.5	—	103	75	18P1F75D30DTPBB3708
	75X30	105x80	80x60	10.5	—	103	75	
	100X32	77x67	55.7x46.5	16x8.5	—	137	100	18P1F100D32DTPBB3708
	100X32	105x80	80x60	10.5	—	137	100	
	125X32	77x67	55.7x46.5	16x8.5	—	162	100	18P1F125D32DTPBB3708
	125X32	105x80	80x60	10.5	—	162	100	

Castor Options



Electrically Conductive Version

75-125MM



Castors with Metal Pedal

75-125mm

18 Series Institutional Castors
with TP Series Thermoplastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75x30	30.5	Ø13	100.5	75	18H1S75D30DTPBB3708
	100x32	40	Ø13	134.5	100	18H1S100D32DTPBB3708
	125x32	43	Ø13	159.5	100	18H1S125D32DTPBB3708

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	75x30	30.5	Ø13	100.5	75	18H1TB75D30DTPBB3708
	100x32	40	Ø13	134.5	100	18H1TB100D32DTPBB3708
	125x32	43	Ø13	159.5	100	18H1TB125D32DTPBB3708

Castor Options



Electrically Conductive Version

75-125MM



Castors with Metal Pedal

75-125mm

18 Series Institutional Castors
with TP Series Thermoplastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	75X30	90X90	77/55X70	10.5	30.5	134.5-143.5	75	18A1S75D30DTPPD3612
==	100X32	90X90	77/55X70	10.5	40	168-177	100	18A1S100D32DTPPD3612
==	125X32	90X90	77/55X70	10.5	43	192.5-201.5	100	18A1S125D32DTPPD3612

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	75X30	90X90	77/55X70	10.5	30.5	134.5-143.5	75	18A1TB75D30DTPPD3612
==	100X32	90X90	77/55X70	10.5	40	168-177	100	18A1TB100D32DTPPD3612
==	125X32	90X90	77/55X70	10.5	43	192.5-201.5	100	18A1TB125D32DTPPD3612

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	75X30	90X90	77/55X70	10.5	—	134.5-143.5	75	18A1F75D30DTPPD3612
==	100X32	90X90	77/55X70	10.5	—	168-177	100	18A1F100D32DTPPD3612
==	125X32	90X90	77/55X70	10.5	—	192.5-201.5	100	18A1F125D32DTPPD3612

Expander



Round Expander



size [mm]	Article No
Ø19-21.5	R19-21.5
Ø21.5-24	R21.5-24
Ø24-27	R24-27
Ø27-30	R27-30
Ø32-35	R32-35
Ø36-40	R36-40

Square Expander



size [mm]	Article No
□21.5-24	S21,5-24
□24-27	S24-27
□27-30	S27-30
□32-35	S32-35
□36-40	S36-40

Thrust bearing



Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Overall Height [mm]	Load Capacity [kg]
108x80	80x60	11x9	19	500
135x110	105x80	13.5x11	28	800

INDUSTRIAL CASTORS Series

07 Series Industrial Castors

with TR Series Grey Thermoplastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1S100D32DTRBA4208 07P1S100D32DTRRX4012
									07P1S125D32DTRBA5210 07P1S125D32DTRRX5015
									07P1S160D40DTRBA6212 07P1S160D40DTRRX6020
									07P1S200D40DTRBA6212 07P1S200D40DTRRX6020

Swivel Castors
with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1TB100D32DTRBA4208 07P1TB100D32DTRRX4012
									07P1TB125D32DTRBA5210 07P1TB125D32DTRRX5015
									07P1TB160D40DTRBA6212 07P1TB160D40DTRRX6020
									07P1TB200D40DTRBA6212 07P1TB200D40DTRRX6020

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1F100D32DTRBA4208 07P1F100D32DTRRX4012
									07P1F125D32DTRBA5210 07P1F125D32DTRRX5015
									07P1F160D40DTRBA6212 07P1F160D40DTRRX6020
									07P1F200D40DTRBA6212 07P1F200D40DTRRX6020

Castor Options



Swivel Castor with Tail Brake

160-200MM



Swivel Castors with
Central Brakes

160-200MM



Swivel Castor with Directional
Lock (retro fit) 1x360°

160-200MM



Electrically conductive version

100-200MM

07 Series Industrial Castors
with TR Series Grey Thermoplastic Rubber Wheel



Bolt Hole Castors



Table with 7 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with wheel sizes 100x32, 125x32, 160x40, and 200x40.

Bolt Hole Castors with Total Brakes



Table with 7 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with Total Brakes with wheel sizes 100x32, 125x32, 160x40, and 200x40.

07 Series Industrial Castors
with TE Series Grey Thermoplastic Rubber Wheel



Swivel Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with wheel sizes 80x32, 100x32, and 125x40.

Swivel Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with Total Brakes with wheel sizes 80x32, 100x32, and 125x40.

Fixed Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Fixed Castors with wheel sizes 80x32, 100x32, and 125x40.

07 Series Industrial Castors

with TE Series Grey Thermoplastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
							07H1S80D32DTEBA4208 07H1S80D32DTERX4012
							07H1S100D32DTEBA4208 07H1S100D32DTERX4012
							07H1S125D40DTEBA5210 07H1S125D40DTERX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
							07H1TB80D32DTEBA4208 07H1TB80D32DTERX4012
							07H1TB100D32DTEBA4208 07H1TB100D32DTERX4012
							07H1TB125D40DTEBA5210 07H1TB125D40DTERX5015

07 Series Industrial Castors

with BP Series Black Solid Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
									07P1S80C30CBPRX4012
									07P1S100C30CBPRX4012
									07P1S125C37.5CBPRX5015
									07P1S160C40CBPRX6020
									07P1S200C50CBPRX6020
									07P1S250C60CBPRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
									07P1TB80C30CBPRX4012
									07P1TB100C30CBPRX4012
									07P1TB125C37.5CBPRX5015
									07P1TB160C40CBPRX6020
									07P1TB200C50CBPRX6020

Fixed Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
									07P1F80C30CBPRX4012
									07P1F100C30CBPRX4012
									07P1F125C37.5CBPRX5015
									07P1F160C40CBPRX6020
									07P1F200C50CBPRX6020
									07P1F250C60CBPRX7525

Castor Options



Swivel Castors with Tail Brakes
160-250MM



Swivel Castors with Central Brakes
160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
160-200MM



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with BP Series Black Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1S80C30CBPRX4012
	100x30	36	Ø13	124	70	07H1S100C30CBPRX4012
	125x37.5	36	Ø13	154	100	07H1S125C37.5CBPRX5015
	160x40	52	Ø16.8	185	135	07H1S160C40CBPRX6020
	200x50	54	Ø16.8	230	205	07H1S200C50CBPRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1TB80C30CBPRX4012
	100x30	40	Ø13	124	70	07H1TB100C30CBPRX4012
	125x37.5	40	Ø13	154	100	07H1TB125C37.5CBPRX5015
	160x40	60	Ø16.8	185	135	07H1TB160C40CBPRX6020
	200x50	60	Ø16.8	230	205	07H1TB200C50CBPRX6020

Castor Options



Castors with Metal Thread Guards

80-200MM

07 Series Industrial Castors
with BM Series Black Solid Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1S80C30JBMRX4012
	100x30	105x80	80x60	11x9	36	125	70	07P1S100C30JBMRX4012
	125x37.5	105x80	80x60	11x9	36	155	100	07P1S125C37.5JBMRX5015
	160x40	135x110	105x80	13.5x11	52	190	135	07P1S160C40JBMRX6020
	200x50	135x110	105x80	13.5x11	54	235	205	07P1S200C50JBMRX6020
	250x60	135x110	105x80	13.5x11	66	290	295	07P1S260C75JBMRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1TB80C30JBMRX4012
	100x30	105x80	80x60	11x9	40	125	70	07P1TB100C30JBMRX4012
	125x37.5	105x80	80x60	11x9	40	155	100	07P1TB125C37.5JBMRX5015
	160x40	135x110	105x80	13.5x11	60	190	135	07P1TB160C40JBMRX6020
	200x50	135x110	105x80	13.5x11	60	235	205	07P1TB200C50JBMRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	102x87	80x60	11x9	—	100	50	07P1F80C30JBMRX4012
	100x30	102x87	80x60	11x9	—	125	70	07P1F100C30JBMRX4012
	125x37.5	102x87	80x60	11x9	—	155	100	07P1F125C37.5JBMRX5015
	160x40	135x114	105x80	13.5x11	—	190	135	07P1F160C40JBMRX6020
	200x50	135x114	105x80	13.5x11	—	235	205	07P1F200C50JBMRX6020
	250x60	135x114	105x80	13.5x11	—	290	295	07P1F260C75JBMRX7525

Castor Options



Swivel Castors with Tail Brakes

160-250MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM



Castors with Metal Thread Guards

80-200MM



Electrically Conductive Version

80-250MM

07 Series Industrial Castors

with BM Series Black Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1S80C30JBMRX4012
	100x30	36	Ø13	124	70	07H1S100C30JBMRX4012
	125x37.5	36	Ø13	154	100	07H1S125C37.5JBMRX5015
	160x40	52	Ø16.8	185	135	07H1S160C40JBMRX6020
	200x50	54	Ø16.8	230	205	07H1S200C50JBMRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1TB80C30JBMRX4012
	100x30	40	Ø13	124	70	07H1TB100C30JBMRX4012
	125x37.5	40	Ø13	154	100	07H1TB125C37.5JBMRX5015
	160x40	60	Ø16.8	185	135	07H1TB160C40JBMRX6020
	200x50	60	Ø16.8	230	205	07H1TB200C50JBMRX6020

Castor Options



Castors with Metal Thread Guards

80-200MM

07 Series Industrial Castors

with GP Series Grey Solid Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1S80D30CGPRX4012
	100x30	105x80	80x60	11x9	36	125	70	07P1S100D30CGPRX4012
	125x37.5	105x80	80x60	11x9	36	155	100	07P1S125D37.5CGPRX5015
	160x40	135x110	105x80	13.5x11	52	190	135	07P1S160D40CGPRX6020
	200x50	135x110	105x80	13.5x11	54	235	205	07P1S200D50CGPRX6020
	250x60	135x110	105x80	13.5x11	66	290	295	07P1S250D60CGPRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1TB80D30CGPRX4012
	100x30	105x80	80x60	11x9	40	125	70	07P1TB100D30CGPRX4012
	125x37.5	105x80	80x60	11x9	40	155	100	07P1TB125D37.5CGPRX5015
	160x40	135x110	105x80	13.5x11	60	190	135	07P1TB160D40CGPRX6020
	200x50	135x110	105x80	13.5x11	60	235	205	07P1TB200D50CGPRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	102X87	80x60	11x9	—	100	50	07P1F80D30CGPRX4012
	100x30	102X87	80x60	11x9	—	125	70	07P1F100D30CGPRX4012
	125x37.5	102X87	80x60	11x9	—	155	100	07P1F125D37.5CGPRX5015
	160x40	135x114	105x80	13.5x11	—	190	135	07P1F160D40CGPRX6020
	200x50	135x114	105x80	13.5x11	—	235	205	07P1F200D50CGPRX6020
	250x60	135x114	105x80	13.5x11	—	290	295	07P1F250D60CGPRX7525

Castor Options



Swivel Castors with Tail Brakes

160-250MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM



Castors with Metal Thread Guards

80-200MM

07 Series Industrial Castors
with GP Series Grey Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1S80D30CGPRX4012
	100x30	36	Ø13	124	70	07H1S100D30CGPRX4012
	125x37.5	36	Ø13	154	100	07H1S125D37.5CGPRX5015
	160x40	52	Ø16.8	185	135	07H1S160D40CGPRX6020
	200x50	54	Ø16.8	230	205	07H1S200D50CGPRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1TB80D30CGPRX4012
	100x30	40	Ø13	124	70	07H1TB100D30CGPRX4012
	125x37.5	40	Ø13	154	100	07H1TB125D37.5CGPRX5015
	160x40	60	Ø16.8	185	135	07H1TB160D40CGPRX6020
	200x50	60	Ø16.8	230	205	07H1TB200D50CGPRX6020

Castor Options



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with GM Series Grey Solid Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1S80D30JGMRX4012
	100x30	105x80	80x60	11x9	36	125	70	07P1S100D30JGMRX4012
	125x37.5	105x80	80x60	11x9	36	155	100	07P1S125D37.5JGMRX5015
	160x40	135x110	105x80	13.5x11	52	190	135	07P1S160D40JGMRX6020
	200x50	135x110	105x80	13.5x11	54	235	205	07P1S200D50JGMRX6020
	250x60	135x110	105x80	13.5x11	66	290	295	07P1S260D75JGMRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1TB80D30JGMRX4012
	100x30	105x80	80x60	11x9	40	125	70	07P1TB100D30JGMRX4012
	125x37.5	105x80	80x60	11x9	40	155	100	07P1TB125D37.5JGMRX5015
	160x40	135x110	105x80	13.5x11	60	190	135	07P1TB160D40JGMRX6020
	200x50	135x110	105x80	13.5x11	60	235	205	07P1TB200D50JGMRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	102X87	80x60	11x9	—	100	50	07P1F80D30JGMRX4012
	100x30	102X87	80x60	11x9	—	125	70	07P1F100D30JGMRX4012
	125x37.5	102X87	80x60	11x9	—	155	100	07P1F125D37.5JGMRX5015
	160x40	135x114	105x80	13.5x11	—	190	135	07P1F160D40JGMRX6020
	200x50	135x114	105x80	13.5x11	—	235	205	07P1F200D50JGMRX6020
	250x60	135x114	105x80	13.5x11	—	290	295	07P1F260D75JGMRX7525

Castor Options



Swivel Castor with Tail Brake
160-250MM



Swivel Castors with Central Brakes
160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
160-200MM



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with GM Series Grey Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1S80D30JGMRX4012
	100x30	36	Ø13	124	70	07H1S100D30JGMRX4012
	125x37.5	36	Ø13	154	100	07H1S125D37.5JGMRX5015
	160x40	52	Ø16.8	185	135	07H1S160D40JGMRX6020
	200x50	54	Ø16.8	230	205	07H1S200D50JGMRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1TB80D30JGMRX4012
	100x30	40	Ø13	124	70	07H1TB100D30JGMRX4012
	125x37.5	40	Ø13	154	100	07H1TB125D37.5JGMRX5015
	160x40	60	Ø16.8	185	135	07H1TB160D40JGMRX6020
	200x50	60	Ø16.8	230	205	07H1TB200D50JGMRX6020

Castor Options



Castors with Metal Thread Guards

80-200MM

07 Series Industrial Castors
with PP Series White Polypropylene Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	80	07P1S80B34BPPPX4012 07P1S80B34BPPRX4012
	100x36	105x80	80x60	11x9	36	125	120	07P1S100B36BPPPX4012 07P1S100B36BPPRX4012
	125x40	105x80	80x60	11x9	36	155	150	07P1S125B40BPPPX5015 07P1S125B40BPPRX5015
	160x40	135x110	105x80	13.5x11	52	190	250	07P1S160B46BPPPX6020 07P1S160B46BPPRX6020
	200x46	135x110	105x80	13.5x11	54	235	300	07P1S200B46BPPPX6020 07P1S200B46BPPRX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	80	07P1TB80B34BPPPX4012 07P1TB80B34BPPRX4012
	100x36	105x80	80x60	11x9	40	125	120	07P1TB100B36BPPPX4012 07P1TB100B36BPPRX4012
	125x40	105x80	80x60	11x9	40	155	150	07P1TB125B40BPPPX5015 07P1TB125B40BPPRX5015
	160x40	135x110	105x80	13.5x11	60	190	250	07P1TB160B46BPPPX6020 07P1TB160B46BPPRX6020
	200x46	135x110	105x80	13.5x11	60	235	300	07P1TB200B46BPPPX6020 07P1TB200B46BPPRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	102X87	80x60	11x9	—	100	80	07P1F80B34BPPPX4012 07P1F80B34BPPRX4012
	100x36	102X87	80x60	11x9	—	125	120	07P1F100B36BPPPX4012 07P1F100B36BPPRX4012
	125x40	135x114	105x80	13.5x11	—	155	150	07P1F125B40BPPPX5015 07P1F125B40BPPRX5015
	160x40	135x114	105x80	13.5x11	—	190	250	07P1F160B46BPPPX6020 07P1F160B46BPPRX6020
	200x46	135x114	105x80	13.5x11	—	235	300	07P1F200B46BPPPX6020 07P1F200B46BPPRX6020

Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

150-200MM



Electrically Conductive Version, Black Clour

80-200MM

07 Series Industrial Castors
with PP Series White Polypropylene Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	36	Ø13	99	80	07H1S80B34BPPPX4012 07H1S80B34BPPRX4012
	100x36	36	Ø13	124	120	07H1S100B36BPPPX4012 07H1S100B36BPPRX4012
	125x40	36	Ø13	154	150	07H1S125B40BPPPX5015 07H1S125B40BPPRX5015
	160x40	52	Ø16.8	185	250	07H1S160B46BPPPX6020 07H1S160B46BPPRX6020
	200x46	54	Ø16.8	230	300	07H1S200B46BPPPX6020 07H1S200B46BPPRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	36	Ø13	99	80	07H1TB80B34BPPPX4012 07H1TB80B34BPPRX4012
	100x36	40	Ø13	124	120	07H1TB100B36BPPPX4012 07H1TB100B36BPPRX4012
	125x40	40	Ø13	154	150	07H1TB125B40BPPPX5015 07H1TB125B40BPPRX5015
	160x40	60	Ø16.8	185	250	07H1TB160B46BPPPX6020 07H1TB160B46BPPRX6020
	200x46	60	Ø16.8	230	300	07H1TB200B46BPPPX6020 07H1TB200B46BPPRX6020

07 Series Industrial Castors
with PP Series White Polypropylene Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	80	07P1S80B34BPPBA4208
	100x36	105x80	80x60	11x9	36	125	120	07P1S100B36BPPBA4208
	125x40	105x80	80x60	11x9	40	155	150	07P1S125B40BPPBA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	80	07P1TB80B34BPPBA4208
	100x36	105x80	80x60	11x9	36	125	120	07P1TB100B36BPPBA4208
	125x40	105x80	80x60	11x9	40	155	150	07P1TB125B40BPPBA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	102X87	80x60	11x9	—	100	80	07P1F80B34BPPBA4208
	100x36	102X87	80x60	11x9	—	125	120	07P1F100B36BPPBA4208
	125x40	102X87	80x60	11x9	—	155	150	07P1F125B40BPPBA5210

07 Series Industrial Castors

with PP Series White Polypropylene Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	36	Ø13	99	80	07H1S80B34BPPBA4208
	100X36	36	Ø13	124	120	07H1S100B36BPPBA4208
	125X40	36	Ø13	154	150	07H1S125B40BPPBA5210

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	36	Ø13	99	80	07H1TB80B34BPPBA4208
	100X36	40	Ø13	124	120	07H1TB100B36BPPBA4208
	125X40	40	Ø13	154	150	07H1TB125B40BPPBA5210

07 Series Industrial Castors

with PP Series White Polypropylene Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X36	135x110	105x80	13.5x11	45	128	120	06P1S100B36BPPPX5012 06P1S100B36BPPRX5012 06P1S100B36BPPBA5208
	125X40	135x110	105x80	13.5x11	48	155	150	06P1S125B40BPPPX5015 06P1S125B40BPPRX5015 06P1S125B40BPPBA5210

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X36	135x110	105x80	13.5x11	42	128	120	06P1TB100B36BPPPX5012 06P1TB100B36BPPRX5012 06P1TB100B36BPPBA5208
	125X40	135x110	105x80	13.5x11	48	155	150	06P1TB125B40BPPPX5015 06P1TB125B40BPPRX5015 06P1TB125B40BPPBA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X36	135x114	105x80	13.5x11	—	128	120	06P1F100B36BPPPX5012 06P1F100B36BPPRX5012 06P1F100B36BPPBA5208
	125X40	135x114	105x80	13.5x11	—	155	150	06P1F125B40BPPPX5015 06P1F125B40BPPRX5015 06P1F125B40BPPBA5210

Castor Options



Swivel Castors with
Directional Lock(Retro Fit)1x360°

125MM



Swivel Castors with
the Hole of Directional Lock

125MM

07 Series Industrial Castors

with RE Series Grey Polypropylene Sandwich Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1S100D36DREBA4208
									07P1S100D36DRERX4012

									07P1S125D36DREBA5210
									07P1S125D36DRERX5015

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1TB100D36DREBA4208
									07P1TB100D36DRERX4012

									07P1TB125D36DREBA5210
									07P1TB125D36DRERX5015

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1F100D36DREBA4208
									07P1F100D36DRERX4012

									07P1F125D36DREBA5210
									07P1F125D36DRERX5015

07 Series Industrial Castors

with RE Series Grey Polypropylene Sandwich Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
							07H1S100D36DREBA4208
							07H1S100D36DRERX4012

							07H1S125D36DREBA5210
							07H1S125D36DRERX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
							07H1TB100D36DREBA4208
							07H1TB100D36DRERX4012

							07H1TB125D36DREBA5210
							07H1TB125D36DRERX5015

07 Series Industrial Castors

with ET Series Grey Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									
	100X34		105x80	80x60	11x9	36	125	160	07P1S100D34DETRX4012
	125X40		105x80	80x60	11x9	36	155	200	07P1S125D40DETRX5015
	160X46		135x110	105x80	13.5x11	52	190	300	07P1S160D46DETRX6020
	200X46		135x110	105x80	13.5x11	54	235	300	07P1S200D46DETRX6020

Swivel Castors with Total Brakes



	 							Code Number
	100X34	105x80	80x60	11x9	40	125	160	07P1TB100D34DETRX4012
	125X40	105x80	80x60	11x9	40	155	200	07P1TB125D40DETRX5015
	160X46	135x110	105x80	13.5x11	60	190	300	07P1TB160D46DETRX6020
	200X46	135x110	105x80	13.5x11	60	235	300	07P1TB200D46DETRX6020

Fixed Castors



										Code Number
	100X34	102X87	80x60	11x9	—	125	160	07P1F100D34DETRX4012		
	125X40	102X87	80x60	11x9	—	155	200	07P1F125D40DETRX5015		
	160X46	135x114	105x80	13.5x11	—	190	300	07P1F160D46DETRX6020		
	200X46	135x114	105x80	13.5x11	—	235	300	07P1F200D46DETRX6020		

07 Series Industrial Castors

with ET Series Grey Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	 					
	100X34	36	Ø13	124	160	07H1S100D34DETRX4012
	125X40	36	Ø13	154	200	07H1S125D40DETRX5015
	160X46	52	Ø16.8	185	300	07H1S160D46DETRX6020
	200X46	54	Ø16.8	230	300	07H1S200D46DETRX6020

Bolt Hole Castors with Total Brakes



	 					Code Number
	100X34	40	Ø13	124	160	07H1TB100D34DETRX4012
	125X40	40	Ø13	154	200	07H1TB125D40DETRX5015
	160X46	60	Ø16.8	185	300	07H1TB160D46DETRX6020
	200X46	60	Ø16.8	230	300	07H1TB200D46DETRX6020

Castor Options



Wheel with Blue Tyre

100-200MM



Wheel with Black Tyre

100-200MM

07 Series Industrial Castors

with ET Series Grey Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	105x80	80x60	11x9	36	125	160	07P1S100D34DETBA4208
	125X40	105x80	80x60	11x9	36	155	200	07P1S125D40DETBA5210
	160X46	135x110	105x80	13.5x11	52	190	300	07P1S160D46DETD6212
	200X46	135x110	105x80	13.5x11	54	235	300	07P1S200D46DETD6212

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	105x80	80x60	11x9	40	125	160	07P1TB100D34DETBA4208
	125X40	105x80	80x60	11x9	40	155	200	07P1TB125D40DETBA5210
	160X46	135x110	105x80	13.5x11	60	190	300	07P1TB160D46DETD6212
	200X46	135x110	105x80	13.5x11	60	235	300	07P1TB200D46DETD6212

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	102X87	80x60	11x9	—	125	160	07P1F100D34DETBA4208
	125X40	102X87	80x60	11x9	—	155	200	07P1F125D40DETBA5210
	160X46	135x114	105x80	13.5x11	—	190	300	07P1F160D46DETD6212
	200X46	135x114	105x80	13.5x11	—	235	300	07P1F200D46DETD6212

Castor Options



Wheel with Blue Tyre

100-200MM



Wheel with Black Tyre

100-200MM

07 Series Industrial Castors

with ET Series Grey Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	36	Ø13	124	150	07H1S100D34DETBA4208
	125X40	36	Ø13	154	200	07H1S125D40DETBA5210
	160X46	52	Ø16.8	185	300	07H1S160D46DETD6212
	200X46	54	Ø16.8	230	300	07H1S200D46DETD6212

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	40	Ø13	124	150	07H1TB100D34DETBA4208
	125X40	40	Ø13	154	200	07H1TB125D40DETBA5210
	160X46	60	Ø16.8	185	300	07H1TB160D46DETD6212
	200X46	60	Ø16.8	230	300	07H1TB200D46DETD6212

07 Series Industrial Castors

with ET series Grey Elastic Rubber wheel



Swivel Castor
with Central Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X34	105x80	80x60	11x9	36	128	160	07P1CB100D34DETRX4012
	125X40	105x80	80x60	11x9	36	155	200	07P1CB125D40DETRX5015

Fixed Castor



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X34	102X87	80x60	11x9	—	128	160	07P1F100D34DETRX4012
	125X40	102X87	80x60	11x9	—	155	200	07P1F125D40DETRX5015

07 Series Industrial Castors

with ET series Grey Elastic Rubber wheel



Swivel Castor
with Central Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	160X46	135X110	105X80	13.5X11	53	200	300	07P1CB160D46DETRX6020
	160X46	135X110	105X80	13.5X11	53	200	300	07P1CB160D46DETBA6212

Swivel Castor
with Central Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	200X46	105x80	80x60	11x9	54	240	300	07P1CB200D46DETRX6020
	200X46	105x80	80x60	11x9	54	240	300	07P1CB200D46DETBA6212

Fixed Castor



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	160X46	135X110	105X80	13.5X11	53	200	300	07P1F160D46DETRX6020
	160X46	135X110	105X80	13.5X11	53	200	300	07P1F160D46DETBA6212

Fixed Castor



07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

Swivel Castors with Total Brakes



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

Fixed Castors



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

Castor Options



Swivel Castors with Tail Brakes

160-250MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

150-200MM



Wheel with Black Tyre

80-250MM



Wheel with Non-marking Grey Tyre

80-250MM

07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

Bolt Hole Castors with Total Brakes



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

Castor Options



Wheel with Black Tyre

80-200MM



Wheel with Non-marking Grey Tyre

80-200MM

07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X36	105x80	80x60	11x9	36	100	140	07P1S80A36CEPBA4208
	100X36	105x80	80x60	11x9	36	125	180	07P1S100A36CEPBA4208
	125X38	105x80	80x60	11x9	36	155	200	07P1S125A38CEPBA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X36	105x80	80x60	11x9	36	100	140	07P1TB80A36CEPBA4208
	100X36	105x80	80x60	11x9	40	125	180	07P1TB100A36CEPBA4208
	125X38	105x80	80x60	11x9	40	155	200	07P1TB125A38CEPBA5210

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X35	102X87	80x60	11x9	—	100	140	07P1F80A36CEPBA4208
	100X36	102X87	80x60	11x9	—	125	180	07P1F100A36CEPBA4208
	125X36	102X87	80x60	11x9	—	155	200	07P1F125A38CEPBA5210

Castor Options



Wheels with Black Tyre

80-125MM



Wheels with Non-marking Grey Tyre

80-125MM

07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x36	36	Ø13	99	140	07H1S80A36CEPBA4208
	100x36	36	Ø13	124	180	07H1S100A36CEPBA4208
	125X38	36	Ø13	154	200	07H1S125A38CEPBA5210

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x36	36	Ø13	99	140	07H1TB80A36CEPBA4208
	100x36	40	Ø13	124	180	07H1TB100A36CEPBA4208
	125X38	40	Ø13	154	200	07H1TB125A38CEPBA5210

09 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

06 Series Industrial Castors
with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X38	135x110	105x80	13.5x11	48	155	250
							06P1S125A38CEPBA5210
							06P1S125A38CEPRX5015

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X38	135x110	105x80	13.5x11	48	155	250
							06P1TB125A38CEPBA5210
							06P1TB125A38CEPRX5015

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X38	135x114	105x80	13.5x11	—	155	250
							06P1F125A38CEPBA5210
							06P1F125A38CEPRX5015

Castor Options



Swivel Castors with Directional Lock(Retro Fit)1x360"

125MM



Swivel Castors with the Hole of Directional Lock

125MM

07 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	105x80	80x60	11x9	36	100	150
	100X40	105x80	80x60	11x9	36	125	180
	125X40	105x80	80x60	11x9	36	155	200
	160X50	135x110	105x80	13.5x11	52	190	300
	200X50	135x110	105x80	13.5x11	54	235	300
	250X50	135x110	105x80	13.5x11	66	290	400
							07P1S80C38JEADX4015
							07P1S100C40JEADX4015
							07P1S125C40JEADX5015
							07P1S160C50JEADX6020
							07P1S200C50JEADX6020
							07P1S250C50JEADX6025

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	105x80	80x60	11x9	36	100	150
	100X40	105x80	80x60	11x9	40	125	180
	125X40	105x80	80x60	11x9	40	155	200
	160X50	135x110	105x80	13.5x11	60	190	300
	200X50	135x110	105x80	13.5x11	60	235	300
							07P1TB80C38JEADX4015
							07P1TB100C40JEADX4015
							07P1TB125C40JEADX5015
							07P1TB160C50JEADX6020
							07P1TB200C50JEADX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	102X87	80x60	11x9	—	100	150
	100X40	102X87	80x60	11x9	—	125	180
	125X40	102X87	80x60	11x9	—	155	200
	160X50	135x114	105x80	13.5x11	—	190	300
	200X50	135x114	105x80	13.5x11	—	235	300
	250X50	135x114	105x80	13.5x11	—	290	400
							07P1F80C38JEADX4015
							07P1F100C40JEADX4015
							07P1F125C40JEADX5015
							07P1F160C50JEADX6020
							07P1F200C50JEADX6020
							07P1F250C50JEADX6025

Castor Options



Swivel Castors with Tail Brakes

160-250MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM



Wheel with Non-marking Grey Tyre

80-250MM



Electrically Conductive Version, Black Tyre

80-200MM

07 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	36	Ø13	99	150	07H1S80C38JEADX4015
	100X40	36	Ø13	124	180	07H1S100C40JEADX4015
	125X40	36	Ø13	154	200	07H1S125C40JEADX5015
	160X50	52	Ø16.8	185	300	07H1S160C50JEADX6020
	200X50	54	Ø16.8	230	300	07H1S200C50JEADX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	36	Ø13	99	150	07H1TB80C38JEADX4015
	100X40	40	Ø13	124	180	07H1TB100C40JEADX4015
	125X40	40	Ø13	154	200	07H1TB125C40JEADX5015
	160X50	60	Ø16.8	185	300	07H1TB160C50JEADX6020
	200X50	60	Ø16.8	230	300	07H1TB200C50JEADX6020

09 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	150	09P1S80C38JEADX4015
	100X40	105x80	80x60	11x9	40	132	200	09P1S100C40JEADX4015
	125X40	105x80	80x60	11x9	40	155	250	09P1S125C40JEADX5015
	150X50	135x110	105x80	13.5x11	52	195	400	09P1S150C50JEADX6020
	160X50	135x110	105x80	13.5x11	52	200	400	09P1S160C50JEADX6020
	200X50	135x110	105x80	13.5x11	54	245	500	09P1S200C50JEADX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	150	09P1TB80C38JEADX4015
	100X40	105x80	80x60	11x9	40	132	200	09P1TB100C40JEADX4015
	125X40	105x80	80x60	11x9	40	155	250	09P1TB125C40JEADX5015
	150X50	135x110	105x80	13.5x11	60	195	400	09P1TB150C50JEADX6020
	160X50	135x110	105x80	13.5x11	60	200	400	09P1TB160C50JEADX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200C50JEADX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	103x90	80x60	11x9	—	108	150	09P1F80C38JEADX4015
	100X40	103x90	80x60	11x9	—	132	200	09P1F100C40JEADX4015
	125X40	103x90	80x60	11x9	—	155	250	09P1F125C40JEADX5015
	150X50	135x114	105x80	13.5x11	—	195	400	09P1F150C50JEADX6020
	160X50	135x114	105x80	13.5x11	—	200	400	09P1F160C50JEADX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200C50JEADX6020

Castor Options



Swivel Castors with Tail Brakes

150-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

150-200MM

09 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	40	Ø13	107	150	09H1S80C38JEADX4015
	100X40	40	Ø13	131	200	09H1S100C40JEADX4015
	125X40	40	Ø13	154	250	09H1S125C40JEADX5015

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	40	Ø13	107	150	09H1TB80C38JEADX4015
	100X40	40	Ø13	131	200	09H1TB100C40JEADX4015
	125X40	40	Ø13	154	250	09H1TB125C40JEADX5015

06 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X40	135x110	105x80	13.5x11	45	128	200	06P1S100C40JEADX4515
	125X40	135x110	105x80	13.5x11	48	155	250	06P1S125C40JEADX5015

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X40	135x110	105x80	13.5x11	42	128	200	06P1TB100C40JEADX4515
	125X40	135x110	105x80	13.5x11	48	155	250	06P1TB125C40JEADX5015

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X40	135x114	105x80	13.5x11	—	128	200	06P1F100C40JEADX4515
	125X40	135x114	105x80	13.5x11	—	155	250	06P1F125C40JEADX5015

Castor Options



Swivel Castors with
Directional Lock(Retro Fit)1x360"
125MM



Swivel Castors with
Directional Lock 4x90"
100MM



Swivel Castors with
the Hole of Directional Lock
125MM

06 Series Industrial Castors
with EA series Black Elastic Rubber wheel



Swivel Castor with the hole of directional lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	
								Code Number
	125X40	135x110	105x80	13.5x11	48	155	250	06P1S125C40JEADX5015-S

Swivel Castor with 90 Degree Directional Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	
								Code Number
	100X40	135x110	105x80	13.5x11	45	128	200	06P1DB100C40JEADX4515-90D

Swivel Castor with 180 Degree Directional Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	
								Code Number
	125X40	135x110	105x80	13.5x11	48	155	250	06P1DB125C40JEADX4515-180D

07 Series Industrial Castors
with EA series Black Elastic Rubber wheel



Swivel Castor



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	
								Code Number
	140X40	125x125	100x100	11	52	172	270	07P1S140C40JEADX6020

Swivel Castor with Directional Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	
								Code Number
	140x40	125x125	100x100	11	52	172	270	07P1DB140C40JEADX6020

09 Series Industrial Castors

with ES Series Black Elastic Rubber Wheel



Swivel Castors



Code Number								
Load Capacity [kg]	Overall Height [mm]	Offset [mm]	Plate hole [mm]	Plate hole center [mm]	Plate size [mm]	Wheel of width [mm]	Wheel diameter [mm]	Bearing
 450	 200	 52	 13.5x11	 105x80	 135x110	 160X50		

	200X50	135x110	105x80	13.5x11	54	245	500	09P1S200C50CESDX6020
--	--------	---------	--------	---------	----	-----	-----	----------------------

Swivel Castors with Total Brakes



									Code Number
	160X50	135x110	105x80	13.5x11	60	200	450	09P1TB160C50CESDX6020	

	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200C50CESDX6020
--	--------	---------	--------	---------	----	-----	-----	-----------------------

Fixed Castors



									Code Number
	160X50	135x114	105x80	13.5x11	—	200	450	09P1F160C50CESDX6020	

	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200C50CESDX6020
--	--------	---------	--------	---------	---	-----	-----	----------------------

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

09 Series Industrial Castors

with EI Series Black Elastic Rubber Wheel



Swivel Castors



Code Number									
Load Capacity [kg]		450	09P1S160C50CEIDX6020						
Overall Height [mm]		200							
Offset [mm]		52							
Plate hole [mm]		13.5x11							
Plate hole center [mm]		105x80							
Plate size [mm]		135x110							
Wheel of width [mm]		160X50							
Wheel diameter [mm]									
Bearing									

	200X50	135x110	105x80	13.5x11	54	245	500	09P1S200C50CEIDX6020
--	--------	---------	--------	---------	----	-----	-----	----------------------

Swivel Castors with Total Brakes



									Code Number
	160X50	135x110	105x80	13.5x11	60	200	450	09P1TB160C50CEIDX6020	

	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200C50CEIDX6020
--	--------	---------	--------	---------	----	-----	-----	-----------------------

Fixed Castors



									Code Number
	160X50	135x114	105x80	13.5x11	—	200	450	09P1F160C50CEIDX6020	

	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200C50CEIDX6020
--	--------	---------	--------	---------	---	-----	-----	----------------------

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

07/08 Series Industrial Castors

with BM(SH) Series Black Super Elastc Rubber Wheel



Swivel Castors



Swivel Castors with Total Brakes



Fixed Castors



Swivel Castors with Tail Brakes

Castor Options



Wheel with Non-marking Grey Tyre

125-260mm

Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	
	 							Code Number	
	125X37.5	105x80	80x60	11x9	36	155	120	07P1S125C37.5JBM(SH)RX5015	
	160X40	135x110	105x80	13.5x11	52	190	225	07P1S160C40JBM(SH)RX6020	
	200X50	135x110	105x80	13.5x11	54	235	350	07P1S200C50JBM(SH)RX6020	
	250X60	135x110	105x80	13.5x11	66	290	400	07P1S250C60JBM(SH)RX7525	
	260X85	175X175	140X140	15X15	70	295	400	08P1S260C85JBM(SH)RX7525	
	 							Code Number	
	125X37.5	105x80	80x60	11x9	40	155	120	07P1TB125C37.5JBM(SH)RX5015	
	160X40	135x110	105x80	13.5x11	60	190	225	07P1TB160C40JBM(SH)RX6020	
	200X50	135x110	105x80	13.5x11	60	235	350	07P1TB200C50JBM(SH)RX6020	
	 							Code Number	
	125X37.5	102X87	80x60	11x9	—	155	120	07P1F125C37.5JBM(SH)RX5015	
	160X40	135x114	105x80	13.5x11	—	190	225	07P1F160C40JBM(SH)RX6020	
	200X50	135x114	105x80	13.5x11	—	235	350	07P1F200C50JBM(SH)RX6020	
	250X60	135x114	105x80	13.5x11	—	290	400	07P1F250C60JBM(SH)RX7525	
	260X85	230X130	190X75	14.5X14.5	—	295	400	08P1F260C85JBM(SH)RX7525	
	 							Code Number	
	160X40	135x110	105x80	13.5x11	52	190	120	07P1FB160C40JBM(SH)RX6020	
	200X50	135x110	105x80	13.5x11	54	235	225	07P1FB200C50JBM(SH)RX6020	
	250X60	135x110	105x80	13.5x11	66	290	350	07P1FB250C60JBM(SH)RX7525	
	260X85	175X175	140X140	15X15	70	295	400	08P1FB260C85JBM(SH)RX7525	

07 Series Industrial Castors
with UP Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	105x80	80x60	11x9	36	100	120	07P1S80D34BUPRX4012 07P1S80D34BUPBA4208
	100X34	105x80	80x60	11x9	36	125	160	07P1S100D34BUPRX4012 07P1S100D34BUPBA4208
	125X36	105x80	80x60	11x9	40	155	200	07P1S125D36BUPRX5015 07P1S125D36BUPBA5210
	160X40	135x110	105x80	13.5x11	52	190	300	07P1S160D40BUPRX6020 07P1S160D40BUPDA6212
	200X50	135x110	105x80	13.5x11	54	235	300	07P1S200D50BUPRX6020 07P1S200D50BUPDA6212

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	105x80	80x60	11x9	36	100	120	07P1TB80D34BUPRX4012 07P1TB80D34BUPBA4208
	100X34	105x80	80x60	11x9	40	125	160	07P1TB100D34BUPRX4012 07P1TB100D34BUPBA4208
	125X36	105x80	80x60	11x9	40	155	200	07P1TB125D36BUPRX5015 07P1TB125D36BUPBA5210
	160X40	135x110	105x80	13.5x11	60	190	300	07P1TB160D40BUPRX6020 07P1TB160D40BUPDA6212
	200X50	135x110	105x80	13.5x11	60	235	300	07P1TB200D50BUPRX6020 07P1TB200D50BUPDA6212

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	102x87	80x60	11x9	—	100	120	07P1F80D34BUPRX4012 07P1F80D34BUPBA4208
	100X34	102x87	80x60	11x9	—	125	160	07P1F100D34BUPRX4012 07P1F100D34BUPBA4208
	125X36	102x87	80x60	11x9	—	155	200	07P1F125D36BUPRX5015 07P1F125D36BUPBA5210
	160X40	135x114	105x80	13.5x11	—	190	300	07P1F160D40BUPRX6020 07P1F160D40BUPDA6212
	200X50	135x114	105x80	13.5x11	—	235	300	07P1F200D50BUPRX6020 07P1F200D50BUPDA6212

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

07 Series Industrial Castors
with UP Series Grey Thermoplastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	36	Ø13	99	120	07H1S80D34BUPRX4012 07H1S80D34BUPBA4208
	100X34	36	Ø13	124	160	07H1S100D34BUPRX4012 07H1S100D34BUPBA4208
	125X36	36	Ø13	154	200	07H1S125D36BUPRX5015 07H1S125D36BUPBA5210
	160X40	52	Ø16.8	185	300	07H1S160D40BUPRX6020 07H1S160D40BUPDA6212
	200X50	54	Ø16.8	230	300	07H1S200D50BUPRX6020 07H1S200D50BUPDA6212

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	36	Ø13	99	120	07H1TB80D34BUPRX4012 07H1TB80D34BUPBA4208
	100X34	40	Ø13	124	160	07H1TB100D34BUPRX4012 07H1TB100D34BUPBA4208
	125X36	40	Ø13	154	200	07H1TB125D36BUPRX5015 07H1TB125D36BUPBA5210
	160X40	60	Ø16.8	185	300	07H1TB160D40BUPRX6020 07H1TB160D40BUPDA6212
	200X50	60	Ø16.8	230	300	07H1TB200D50BUPRX6020 07H1TB200D50BUPDA6212

06 Series Industrial Castors
with UP Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	 							
	100X34	135x110	105x80	13.5x11	45	128	160	06P1S100D34BUPBA5208
	125X36	135x110	105x80	13.5x11	48	155	250	06P1S125D36BUPRX5015
	125X36	135x110	105x80	13.5x11	48	155	250	06P1S125D36BUPBA5210

Swivel Castors with Total Brakes



												Code Number
	100X34	135x110	105x80	13.5x11	42	128	160	06P1TB100D34BUPBA5208				
	125X36	135x110	105x80	13.5x11	48	155	250	06P1TB125D36BUPRX5015				
	125X36	135x110	105x80	13.5x11	48	155	250	06P1TB125D36BUPBA5210				

Fixed Castors



								Code Number
	100X34	135x114	105x80	13.5x11	—	128	160	06P1F100D34BUPBA5208
	125X36	135x114	105x80	13.5x11	—	155	250	06P1F125D36BUPRX5015
	125X36	135x114	105x80	13.5x11	—	155	250	06P1F125D36BUPBA5210

Castor Options



Swivel Castors with Directional Lock(Retro Fit)1x360°

125MM



Swivel Castors with the Hole of Directional Lock

125MM

09 Series Industrial Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Load Capacity [kg]	Overall Height [mm]	Offset [mm]	Plate hole [mm]	Plate hole center [mm]	Plate size [mm]	Wheel of width [mm]	Wheel diameter [mm]	Bearing
								
180	108	40	11x9	80x60	105x80	80X38		09P1S80D38BUMRX4012
300	132	40	11x9	80x60	105x80	100X40		09P1S100D40BUMRX4012
350	155	40	11x9	80x60	105x80	125X40		09P1S125D40BUMRX5015
500	200	52	13.5x11	105x80	135x110	160X45		09P1S160D45BUMRX6020
500	245	52	13.5x11	105x80	135x110	200X50		09P1S200D45BUMRX6020

Swivel Castors with Total Brakes



									Code Number
	80X38	105x80	80x60	11x9	40	108	180	09P1TB80D38BUMRX4012	
	100X40	105x80	80x60	11x9	40	132	300	09P1TB100D40BUMRX4012	
	125X40	105x80	80x60	11x9	40	155	350	09P1TB125D40BUMRX5015	
	160X45	135x110	105x80	13.5x11	60	200	500	09P1TB160D45BUMRX6020	
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200D45BUMRX6020	

Fixed Castors



									Code Number
	80X38	103x90	80x60	11x9	—	108	180	09P1F80D38BUMRX4012	
	100X40	103x90	80x60	11x9	—	132	300	09P1F100D40BUMRX4012	
	125X40	103x90	80x60	11x9	—	155	350	09P1F125D40BUMRX5015	
	160X45	135x114	105x80	13.5x11	—	200	500	09P1F160D45BUMRX6020	
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200D45BUMRX6020	

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360°

160-200MM

09 Series Industrial Castors

with UM Series Grey Thermoplastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	 						
	80X38	40	Ø 13	107	180	09H1S80D38BUMRX4012	
	100X40	40	Ø 13	131	300	09H1S100D40BUMRX4012	
	125X40	40	Ø 13	154	350	09H1S125D40BUMRX5015	

Bolt Hole Castors with Total Brakes



							Code Number
	80X38	40	Ø13	107	180		09H1TB80D38BUMRX4012
	100X40	40	Ø13	131	300		09H1TB100D40BUMRX4012
	125X40	40	Ø13	154	350		09H1TB125D40BUMRX5015

06 Series Industrial Castors

with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



06P1S100D40BUMRX5012									
Code Number									
Load Capacity [kg]									
300									
Overall Height [mm]									
128									
Offset [mm]									
45									
Plate hole [mm]									
13.5x11									
Plate hole center [mm]									
105x80									
Plate size [mm]									
135x110									
Wheel of width [mm]									
100X40									
Wheel diameter [mm]									
125X40									
Bearing									
									

Swivel Castors with Total Brakes



	 							Code Number
	100X40	135x110	105x80	13.5x11	42	128	300	06P1TB100D40BUMRX5012
	125X40	135x110	105x80	13.5x11	48	155	350	06P1TB125D40BUMRX5015

Fixed Castors



	 							Code Number
	100X40	135x114	105x80	13.5x11	—	128	300	06P1F100D40BUMRX5012
	125X40	135x114	105x80	13.5x11	—	155	350	06P1F125D40BUMRX5015

Swivel Castor with the hole of directional Lock



	 							Code Number
	125X40	135x110	105x80	13.5x11	48	155	350	06P1S125D40BUMRX5015-S

Swivel Castor with 180 Degree Directional Lock



	 							Code Number
	125X40	135x110	105x80	13.5x11	48	155	350	06P1DB125D40BUMRX5015-180D

07 Series Industrial Castors

with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	105x80	80x60	11x9	36	125	180	07P1S100H40JUHDX4015

		125X40	105x80	80x60	11x9	40	155	200	07P1S125H40JUHDX5015
--	--	--------	--------	-------	------	----	-----	-----	----------------------

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	105x80	80x60	11x9	40	125	180	07P1TB100H40JUHDX4015

		125X40	105x80	80x60	11x9	40	155	200	07P1TB125H40JUHDX5015
--	--	--------	--------	-------	------	----	-----	-----	-----------------------

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	102x87	80x60	11x9	—	125	180	07P1F100H40JUHDX4015

		125X40	102x87	80x60	11x9	—	155	200	07P1F125H40JUHDX5015
--	--	--------	--------	-------	------	---	-----	-----	----------------------

Castor Options



Antistatic Version,
Non-marking Grey

100-125MM

07 Series Industrial Castors

with UH Series Green Elastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	36	Ø13	124	180	07H1S100H40JUHDX4015

		125X40	36	Ø13	154	200	07H1S125H40JUHDX5015
--	--	--------	----	-----	-----	-----	----------------------

Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	40	Ø13	124	180	07H1TB100H40JUHDX4015

		125X40	40	Ø13	154	200	07H1TB125H40JUHDX5015
--	--	--------	----	-----	-----	-----	-----------------------

09 Series Industrial Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	200	09P1S80H38JUHDX4015
	100X40	105x80	80x60	11x9	40	132	250	09P1S100H40JUHDX4015
	125X40	105x80	80x60	11x9	40	155	300	09P1S125H40JUHDX5015
	125X50	135x110	105x80	13.5x11	48	155	320	09P1S125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	52	195	400	09P1S150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	52	200	440	09P1S160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	52	245	500	09P1S200H50JUHDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	200	09P1TB80H38JUHDX4015
	100X40	105x80	80x60	11x9	40	132	250	09P1TB100H40JUHDX4015
	125X40	105x80	80x60	11x9	40	155	300	09P1TB125H40JUHDX5015
	125X50	135x110	105x80	13.5x11	48	155	320	09P1TB125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	60	195	400	09P1TB150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	60	200	440	09P1TB160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200H50JUHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	103x90	80x60	11x9	—	108	200	09P1F80H38JUHDX4015
	100X40	103x90	80x60	11x9	—	132	250	09P1F100H40JUHDX4015
	125X40	103x90	80x60	11x9	—	155	300	09P1F125H40JUHDX5015
	125X50	135x114	105x80	13.5x11	—	155	320	09P1F125H50JUHDX6020
	150X50	135x114	105x80	13.5x11	—	195	400	09P1F150H50JUHDX6020
	160X50	135x114	105x80	13.5x11	—	200	440	09P1F160H50JUHDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200H50JUHDX6020

Castor Options



Swivel Castors with Tail Brakes
150-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
150-200MM



Antistatic Version, Non-marking Grey
80-200MM

09 Series Industrial Castors
with UH Series Green Elastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	200	09H1S80H38JUHDX4015
	100x40	40	Ø13	131	250	09H1S100H40JUHDX4015
	125x40	40	Ø13	154	300	09H1S125H40JUHDX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	200	09H1TB80H38JUHDX4015
	100x40	40	Ø13	131	250	09H1TB100H40JUHDX4015
	125x40	40	Ø13	154	300	09H1TB125H40JUHDX5015

06 Series Industrial Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models for swivel castors with green wheels.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models for swivel castors with green wheels and total brakes.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models for fixed castors with green wheels.

Castor Options



Antistatic Version, Non-marking Grey

100-125MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125MM



Swivel Castors with Directional Lock 4x90"

100MM



Swivel Castors with the Hole of Directional Lock

125MM

07 Series Industrial Castors
with UA Series Yellow Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models for swivel castors with yellow wheels.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models for swivel castors with yellow wheels and total brakes.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models for fixed castors with yellow wheels.

Castor Options



Antistatic Version, Non-marking Grey

100-125MM

07 Series Industrial Castors
with UA Series Yellow Polyurethane Wheel



Bolt Hole Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists two models: 07H1S100E38JUADX4015 and 07H1S125E38JUADX5015.

Bolt Hole Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists two models: 07H1TB100E38JUADX4015 and 07H1TB125E38JUADX5015.

09 Series Industrial Castors
with UA/UH Series Yellow Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists eight models ranging from 80X38 to 200X50.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists eight models ranging from 80X38 to 200X50.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists eight models ranging from 80X38 to 200X50.

Castor Options



Swivel Castor with Tail Brake

150-200MM



Swivel Castor with Directional Lock(retro fit)1x360"

150-200MM



Antistatic version, Non-marking grey

80-200MM

09 Series Industrial Castors
with UA/UH Series Yellow Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	40	Ø13	107	250	09H1S80E38JUHDX4015
	100x38	40	Ø13	131	300	09H1S100E38JUADX4015
	125x38	40	Ø13	154	350	09H1S125E38JUADX5015

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	40	Ø13	107	250	09H1TB80E38JUHDX4015
	100x38	40	Ø13	131	300	09H1TB100E38JUADX4015
	125x38	40	Ø13	154	350	09H1TB125E38JUADX5015

06 Series Industrial Castors
with UA Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel diameter [mm] Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100x38	135x110	105x80	13.5x11	45	128	300	06P1S100E38JUADX4515
	125x38	135x110	105x80	13.5x11	48	155	350	06P1S125E38JUADX5015

Swivel Castors
with Total Brakes



Bearing	Wheel diameter [mm] Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X38	135x110	105x80	13.5x11	42	128	300	06P1TB100E38JUADX4515
	125X38	135x110	105x80	13.5x11	48	155	350	06P1TB125E38JUADX5015

Fixed Castors



Bearing	Wheel diameter [mm] Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X38	135x114	105x80	13.5x11	—	128	300	06P1F100E38JUADX4515
	125X38	135x114	105x80	13.5x11	—	155	350	06P1F125E38JUADX5015

Castor Options



Antistatic Version,
Non-marking Grey
100-125MM

Swivel Castors with
Directional Lock(Retro Fit)1x360"
125MM

Swivel Castors with
Directional Lock 4x90"
100M

Swivel Castors with
the Hole of Directional Lock
125MM

09 Series Industrial Castors
with UI Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	105x80	80x60	11x9	40	108	250	09P1S80E32JUIDX4015
	100X32	105x80	80x60	11x9	40	132	350	09P1S100E32JUIDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1S125E38JUIDX4515
	125X50	135x110	105x80	13.5x11	48	155	500	09P1S125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	52	195	500	09P1S150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	52	200	500	09P1S160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	52	245	500	09P1S200E50JUIDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	105x80	80x60	11x9	40	108	250	09P1TB80E32JUIDX4015
	100X32	105x80	80x60	11x9	40	132	350	09P1TB100E32JUIDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1TB125E38JUIDX4515
	125X50	135x110	105x80	13.5x11	48	155	500	09P1TB125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	60	195	500	09P1TB150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	60	200	500	09P1TB160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200E50JUIDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	103x90	80x60	11x9	—	108	250	09P1F80E32JUIDX4015
	100X32	103x90	80x60	11x9	—	132	350	09P1F100E32JUIDX4015
	125X38	103x90	80x60	11x9	—	155	350	09P1F125E38JUIDX4515
	125X50	135x114	105x80	13.5x11	—	155	500	09P1F125E50JUIDX6020
	150X50	135x114	105x80	13.5x11	—	195	500	09P1F150E50JUIDX6020
	160X50	135x114	105x80	13.5x11	—	200	500	09P1F160E50JUIDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200E50JUIDX6020

Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

150-200MM



Antistatic Version, Non-marking Grey

80-200MM

09 Series Industrial Castors
with UI Series Yellow Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	40	Ø13	107	250	09H1S80E32JUIDX4015
	100X32	40	Ø13	131	350	09H1S100E32JUIDX4015
	125X38	40	Ø13	154	350	09H1S125E38JUIDX4515

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	40	Ø13	107	250	09H1TB80E32JUIDX4015
	100X32	40	Ø13	131	350	09H1TB100E32JUIDX4015
	125X38	40	Ø13	154	350	09H1TB125E38JUIDX4515

06 Series Industrial Castors
with UI Series Yellow Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models of swivel castors with their specifications.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models of swivel castors with total brakes.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models of fixed castors.

Castor Options



Antistatic Version, Non-marking Grey

100-125MM



Swivel Castors with Directional Lock(Retro Fit)1x360°

125MM



Swivel Castors with Directional Lock 4x90°

100MM



Swivel Castors with the Hole of Directional Lock

125MM

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists five models of swivel castors with their specifications.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists five models of swivel castors with total brakes.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists five models of fixed castors.

Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360°

160-200MM



Electrically Conductive Version, Black

80-200mm

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	36	Ø13	99	150	07H1S80B34BPAPX4012 07H1S80B34BPARX4012
	100x36	36	Ø13	124	180	07H1S100B36BPAPX4012 07H1S100B36BPARX4012
	125x40	36	Ø13	154	200	07H1S125B40BPAPX5015 07H1S125B40BPARX5015
	160x40	52	Ø16.8	185	300	07H1S160B40BPAPX6020 07H1S160B40BPARX6020
	200x46	54	Ø16.8	230	300	07H1S200B40BPAPX6020 07H1S200B46BPARX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	36	Ø13	99	150	07H1TB80B34BPAPX4012 07H1TB80B34BPARX4012
	100x36	40	Ø13	124	180	07H1TB100B36BPAPX4012 07H1TB100B36BPARX4012
	125x40	40	Ø13	154	200	07H1TB125B40BPAPX5015 07H1TB125B40BPARX5015
	160x40	60	Ø16.8	185	300	07H1TB160B40BPAPX6020 07H1TB160B40BPARX6020
	200x46	60	Ø16.8	230	300	07H1TB200B40BPAPX6020 07H1TB200B46BPARX6020

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	150	07P1S80B34BPABA4208
	100X36	105x80	80x60	11x9	36	125	180	07P1S100B36BPABA4208
	125x40	105x80	80x60	11x9	40	155	200	07P1S125B40BPABA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	150	07P1TB80B34BPABA4208
	100X36	105x80	80x60	11x9	36	125	180	07P1TB100B36BPABA4208
	125x40	105x80	80x60	11x9	40	155	200	07P1TB125B40BPABA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	102X87	80x60	11x9	—	100	150	07P1F80B34BPABA4208
	100X36	102X87	80x60	11x9	—	125	180	07P1F100B36BPABA4208
	125x40	102X87	80x60	11x9	—	155	200	07P1F125B40BPABA5210

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X34	36	Ø13	99	150	07H1S80B34BPABA4208
	100x36	36	Ø13	124	180	07H1S100B36BPABA4208
	125X40	36	Ø13	154	200	07H1S125B40BPABA5210

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X34	36	Ø13	99	150	07H1TB80B34BPABA4208
	100x36	40	Ø13	124	180	07H1TB100B36BPABA4208
	125X40	40	Ø13	154	200	07H1TB125B40BPABA5210

06 Series Industrial Castors
with PA Series White Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	135x110	105x80	13.5x11	45	128	200	06P1S100B36BPAPX5012
								06P1S100B36BPARX5012
								06P1S100B36BPABA5208
	125X40	135x110	105x80	13.5x11	48	155	300	06P1S125B40BPAPX5015
								06P1S125B40BPARX5015
								06P1S125B40BPABA5210

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	135x110	105x80	13.5x11	42	128	200	06P1TB100B36BPAPX5012
								06P1TB100B36BPARX5012
								06P1TB100B36BPABA5208
	125X40	135x110	105x80	13.5x11	48	155	300	06P1TB125B40BPAPX5015
								06P1TB125B40BPARX5015
								06P1TB125B40BPABA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	135x114	105x80	13.5x11	—	128	200	06P1F100B36BPAPX5012
								06P1F100B36BPARX5012
								06P1F100B36BPABA5208
	125X40	135x114	105x80	13.5x11	—	155	300	06P1F125B40BPAPX5015
								06P1F125B40BPARX5015
								06P1F125B40BPABA5210

Castor Options



Swivel Castors with
Directional Lock(Retro Fit)1x360"
125MM



Swivel Castors with
the Hole of Directional Lock
125MM

09 Series Industrial Castors
with PH Series White Polyamide Wheel



Swivel Castors



Swivel Castors with Total Brakes



Fixed Castors



Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360°

150-200MM

Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	300	09P1S80B38BPHDX4015
	100X38	105x80	80x60	11x9	40	132	350	09P1S100B38BPHDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1S125B38BPHDX5015
	125X50	135x110	105x80	13.5x11	48	155	500	09P1S125B50BPHDX6020
	150X50	135x110	105x80	13.5x11	52	195	500	09P1S150B50BPHDX6020
	160X50	135x110	105x80	13.5x11	52	200	500	09P1S160B50BPHDX6020
	200X50	135x110	105x80	13.5x11	54	245	500	09P1S200B50BPHDX6020
								Code Number
	80X38	105x80	80x60	11x9	40	108	300	09P1TB80B38BPHDX4015
	100X38	105x80	80x60	11x9	40	132	350	09P1TB100B38BPHDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1TB125B38BPHDX5015
	125X50	135x110	105x80	13.5x11	48	155	500	09P1TB125B50BPHDX6020
	150X50	135x110	105x80	13.5x11	60	195	500	09P1TB150B50BPHDX6020
	160X50	135x110	105x80	13.5x11	60	200	500	09P1TB160B50BPHDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200B50BPHDX6020
								Code Number
	80X38	103x90	80x60	11x9	—	108	300	09P1F80B38BPHDX4015
	100X38	103x90	80x60	11x9	—	132	350	09P1F100B38BPHDX4015
	125X38	103x90	80x60	11x9	—	155	350	09P1F125B38BPHDX5015
	125X50	135x114	105x80	13.5x11	—	155	500	09P1F125B50BPHDX6020
	150X50	135x114	105x80	13.5x11	—	195	500	09P1F150B50BPHDX6020
	160X50	135x114	105x80	13.5x11	—	200	500	09P1F160B50BPHDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200B50BPHDX6020

09 Series Industrial Castors
with PH Series White Polyamide Wheel



Bolt Hole Castors



Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X38	40	Ø13	131	350	09H1S100B38BPHDX4015
	125X38	40	Ø13	154	350	09H1S125B38BPHDX5015
						Code Number
	100X38	40	Ø13	131	350	09H1TB100B38BPHDX4015
	125X38	40	Ø13	154	350	09H1TB125B38BPHDX5015

06 Series Industrial Castors
with PH Series White Polyamide Wheel



Swivel Castors



Code Number								
Load Capacity [kg]	Overall Height [mm]	Offset [mm]	Plate hole [mm]	Plate hole center [mm]	Plate size [mm]	Wheel of width [mm]	Wheel diameter [mm]	Bearing
								
350	128	45	13.5x11	105x80	135x110	100X38		

Swivel Castors with Total Brakes



									Code Number
	100X38	135x110	105x80	13.5x11	42	128	350	06P1TB100B38BPHDX5015	

Fixed Castors



								Code Number
	100X38	135x114	105x80	13.5x11	—	128	350	06P1F100B38BPHDX5015

Swivel Castor with The hole of directional Lock



									Code Number
	125X38	135x110	105x80	13.5x11	48	155	350	06P1S125B38BPHDX5015-S	

Swivel Castor with Directional Lock



									Code Number
	125X38	135x110	105x80	13.5x11	48	155	350	06P1DB125B38BPHDX5015-180D	

07 Series Industrial Castors
with RA Series Grey Polyamide Sandwich Wheel



Swivel Castors



								Code Number
Load Capacity [kg]	Overall Height [mm]	Offset [mm]	Plate hole [mm]	Plate hole center [mm]	Plate size [mm]	Wheel of width [mm]	Wheel diameter [mm]	Bearing
								
160	125	36	11x9	80x60	105x80	100X36		
								
								07P1S100D36DRABA4208
								07P1S100D36DRARA4012

Swivel Castors with Total Brakes



	 							Code Number
	100X36	105x80	80x60	11x9	40	125	160	07P1TB100D36DRABA4208
								07P1TB100D36DRARA4012

Fixed Castors



									Code Number
	100X36	102X87	80x60	11x9	—	125	160		07P1F100D36DRABA4208
									07P1F100D36DRARA4012

07 Series Industrial Castors
with RA Series Grey Polyamide Sandwich Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
							07H1S100D36DRABA4208
							07H1S100D36DRARA4012

							07H1S125D36DRABA5210
							07H1S125D36DRARA5015

Bolt Hole Castors
with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
							07H1TB100D36DRABA4208
							07H1TB100D36DRARA4012

							07H1TB125D36DRABA5210
							07H1TB125D36DRARA5015

06 Series Industrial Castors
with RA Series Grey Polyamide Sandwich Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
									06P1S125D36DRARA5015

									06P1S125D36DRABA5210
--	--	--	--	--	--	--	--	--	----------------------

Swivel Castors
with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
									06P1TB125D36DRARA5015

									06P1TB125D36DRABA5210
--	--	--	--	--	--	--	--	--	-----------------------

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
									06P1F125D36DRARA5015

									06P1F125D36DRABA5210
--	--	--	--	--	--	--	--	--	----------------------

Castor Options



Swivel Castors with
Directional Lock(Retro Fit)1x360°

125MM



Swivel Castors with
the Hole of Directional Lock

125MM

07/08 Series Industrial Castors
with FP Series Black Pneumatic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
Icon	200X50	135x110	105x80	54	235	75	07P1S200C50FFPRX5820
Icon	260X85	135x110	105x80	66	295	150	07P1S260C85FFPRX7520
Icon	260X85	135x110	105x80	66	295	150	07P1S260C85FFPDX7520
Icon	260X85	175X175	140X140	70	295	150	08P1S250C60FFPRX7520
Icon	260X85	175X175	140X140	70	295	150	08P1S250C60FFPDX7520

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
Icon	200X50	135x114	105x80	—	235	75	07P1F200C50FFPRX5820
Icon	260x85	135x114	105x80	—	295	150	07P1F260C85FFPRX7520
Icon	260x85	135x114	105x80	—	295	150	07P1F260C85FFPDX7520
Icon	260X85	230X130	190X75	—	295	150	08P1F250C60FFPRX7520
Icon	260X85	230X130	190X75	—	295	150	08P1F250C60FFPDX7520

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
Icon	200X50	135x110	105x80	54	235	75	07P1FB200C50FFPRX5820
Icon	260x85	135x110	105x80	66	295	150	07P1FB260C85FFPRX7520
Icon	260X85	135x110	105x80	66	295	150	07P1FB260C85FFPDX7520
Icon	260X85	175X175	140X140	70	295	150	08P1FB250C60FFPRX7520
Icon	260X85	175X175	140X140	70	295	150	08P1FB250C60FFPDX7520

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
Icon	200X50	135x110	105x80	60	235	75	07P1TB200C50FFPRX5820

07/08 Series Industrial Castors
with FS series Black Pneumatic Rubber wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
Icon	260X85	135x110	105x80	66	295	150	07P1S260C85JFSRX7520
Icon	260X85	135x110	105x80	66	295	150	07P1S260C85JFSDX7520
Icon	260X85	175X175	140X140	70	295	150	08P1S260C85JFSRX7520
Icon	260X85	175X175	140X140	70	295	150	08P1S260C85JFSDX7520

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
Icon	260X85	230X130	190X75	—	295	150	08P1F260C85JFSRX7520
Icon	260X85	230X130	190X75	—	295	150	08P1F260C85JFSDX7520

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
Icon	260X85	175X175	140X140	70	295	150	08P1FB260C85JFSRX7520
Icon	260X85	175X175	140X140	70	295	150	08P1FB260C85JFSDX7520

HEAVY DUTY CASTORS Series

03 Series Heavy Duty Castors

with EP Series Blue Elastic Rubber Wheel

Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		80x36	105x80	80x60	11x9	40	120	140	03P1S80A36CEPDX4015
		100x36	105x80	80x60	11x9	40	130	180	03P1S100A36CEPDX4015
		125x50	135x110	105x80	13.5x11	50	178	250	03P1S125A36CEPDX5020
		150x50	135x110	105x80	13.5x11	53	210	350	03P1S150A50CEPDX6020
		160x50	135x110	105x80	13.5x11	53	215	400	03P1S160A50CEPDX6020
		200x50	135x110	105x80	13.5x11	55	245	500	03P1S200A50CEPDX6020
		250x50	135x110	105x80	13.5x11	67	297	600	03P1S250A50CEPDX6020

Swivel Castors with Total Brakes



									Code Number
		80x36	105x80	80x60	11x9	40	120	140	03P1TB80A36CEPDX4015
		100x36	105x80	80x60	11x9	40	130	180	03P1TB100A36CEPDX4015
		125x50	135x110	105x80	13.5x11	50	178	250	03P1TB125A36CEPDX5020
		150x50	135x110	105x80	13.5x11	53	210	350	03P1TB150A50CEPDX6020
		160x50	135x110	105x80	13.5x11	53	215	400	03P1TB160A50CEPDX6020
		200x50	135x110	105x80	13.5x11	55	245	500	03P1TB200A50CEPDX6020

Fixed Castors



									Code Number
		80x36	105x85	80x60	11x9	—	120	140	03P1F80A36CEPDX4015
		100x36	105x85	80x60	11x9	—	130	180	03P1F100A36CEPDX4015
		125x50	135x114	105x80	13.5x11	—	178	250	03P1F125A36CEPDX5020
		150x50	135x114	105x80	13.5x11	—	210	350	03P1F150A50CEPDX6020
		160x50	135x114	105x80	13.5x11	—	215	400	03P1F160A50CEPDX6020
		200x50	135x114	105x80	13.5x11	—	245	500	03P1F200A50CEPDX6020
		250x50	135x114	105x80	13.5x11	—	297	600	03P1F250A50CEPDX6020

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock (Retro Fit)

1x360°

03 Series Heavy Duty Castors

with EP Series Blue Elastic Rubber Wheel



Swivel Castor with Central lock



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		125X50	135x110	105x80	13.5x11	50	177.5	250	03P1CB125A50CEPDX6020
		160x50	135x110	105x80	13.5x11	53	215	400	03P1CB160A50CEPDX6020
		200x50	135x110	105x80	13.5x11	55	255	500	03P1CB200A50CEPDX6020
		250x50	135x110	105x80	13.5x11	60	320	600	03P1CB250A50CEPDX6020

Fixed Castor



									Code Number
		125X50	135X114	105x80	13.5x11	—	177.5	250	03P1F125A50CEPDX6020
		160x50	135X114	105x80	13.5x11	—	215	400	03P1F160A50CEPDX6020
		200x50	135X114	105x80	13.5x11	—	255	500	03P1F200A50CEPDX6020
		250x50	135X114	105x80	13.5x11	—	320	600	03P1F250A50CEPDX6020

03 Series Heavy Duty Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x38	105x80	80x60	11x9	40	120	150	03P1S80C38JEADX4015
	100x40	105x80	80x60	11x9	40	130	200	03P1S100C40JEADX4015
	125x50	135x110	105x80	13.5x11	50	178	270	03P1S125C50JEADX6020
	150x50	135x110	105x80	13.5x11	53	210	400	03P1S150C50JEADX6020
	160x50	135x110	105x80	13.5x11	53	215	400	03P1S160C50JEADX6020
	200x50	135x110	105x80	13.5x11	55	245	500	03P1S200C50JEADX6020
	250x50	135x110	105x80	13.5x11	67	297	650	03P1S250C50JEADX6020

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x38	105x80	80x60	11x9	40	120	150	03P1TB80C38JEADX4015
	100x40	105x80	80x60	11x9	40	130	200	03P1TB100C40JEADX4015
	125x50	135x110	105x80	13.5x11	50	178	270	03P1TB125C50JEADX6020
	150x50	135x110	105x80	13.5x11	53	210	400	03P1TB150C50JEADX6020
	160x50	135x110	105x80	13.5x11	53	215	400	03P1TB160C50JEADX6020
	200x50	135x110	105x80	13.5x11	55	245	500	03P1TB200C50JEADX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x38	105x85	80x60	11x9	—	120	150	03P1F80C38JEADX4015
	100x40	105x85	80x60	11x9	—	130	200	03P1F100C40JEADX4015
	125x50	135x114	105x80	13.5x11	—	178	270	03P1F125C50JEADX6020
	150x50	135x114	105x80	13.5x11	—	210	400	03P1F150C50JEADX6020
	160x50	135x114	105x80	13.5x11	—	215	400	03P1F160C50JEADX6020
	200x50	135x114	105x80	13.5x11	—	245	500	03P1F200C50JEADX6020
	250x50	135x114	105x80	13.5x11	—	297	650	03P1F250C50JEADX6020

Castor Options



Swivel Castors with
Central Brakes
125-250MM



Swivel Castors with Tail Brakes
125-250MM



Swivel Castors with
Directional Lock(Retro Fit)1x360"
125-250MM

23 Series Heavy Duty Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	270	23P1S125C50JEADX6020
	150X50	135x110	105x80	13.5x11	57	200	400	23P1S150C50JEADX6020
	160X50	135x110	105x80	13.5x11	57	205	400	23P1S160C50JEADX6020
	200X50	135x110	105x80	13.5x11	65	245	500	23P1S200C50JEADX6020
	250X50	135x110	105x80	13.5x11	80	305	650	23P1S250C50JEADX6020

Swivel Castors
with Tail Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	270	23P1FB125C50JEADX6020
	150X50	135x110	105x80	13.5x11	57	200	400	23P1FB150C50JEADX6020
	160X50	135x110	105x80	13.5x11	57	205	400	23P1FB160C50JEADX6020
	200X50	135x110	105x80	13.5x11	65	245	500	23P1FB200C50JEADX6020
	250X50	135x110	105x80	13.5x11	80	305	650	23P1FB250C50JEADX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	—	170	270	23P1F125C50JEADX6020
	150X50	135x110	105x80	13.5x11	—	200	400	23P1F150C50JEADX6020
	160X50	135x110	105x80	13.5x11	—	205	400	23P1F160C50JEADX6020
	200X50	135x110	105x80	13.5x11	—	245	500	23P1F200C50JEADX6020
	250X50	135x110	105x80	13.5x11	—	305	650	23P1F250C50JEADX6020

Castor Options



Swivel Castors with
Directional Lock 4x90"
125-250MM

03 Series Heavy Duty Castors

with ES Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		160x50	135x110	105x80	13.5x11	53	215	450	03P1S160C50CESDX6020
		200x50	135x110	105x80	13.5x11	55	245	550	03P1S200C50CESDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		160x50	135x110	105x80	13.5x11	53	215	450	03P1TB160C50CESDX6020
		200x50	135x110	105x80	13.5x11	55	245	550	03P1TB200C50CESDX6020

Fixed Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		160x50	135X114	105x80	13.5x11	—	215	450	03P1F160C50CESDX6020
		200x50	135X114	105x80	13.5x11	—	245	550	03P1F200C50CESDX6020

Castor Options



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

23 Series Heavy Duty Castors

with ES Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		160X50	135x110	105x80	13.5x11	57	205	450	23P1S160C50CESDX6020
		200X50	135x110	105x80	13.5x11	65	245	550	23P1S200C50CESDX6020

		250X80	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1000	23P1S250C80CESDX9020
--	--	--------	--------------------	-------------------	---------------	----	-----	------	----------------------

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		160X50	135x110	105x80	13.5x11	57	205	450	23P1FB160C50CESDX6020
		200X50	135x110	105x80	13.5x11	65	245	550	23P1FB200C50CESDX6020

		250X80	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1000	23P1FB250C80CESDX9020
--	--	--------	--------------------	-------------------	---------------	----	-----	------	-----------------------

Fixed Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		160X50	135x110	105x80	13.5x11	—	205	450	23P1F160C50CESDX6020
		200X50	135x110	105x80	13.5x11	—	245	550	23P1F200C50CESDX6020

		250X80	135x110 175x140	105x80 140x105	13.5x11 14	—	305	1000	23P1F250C80CESDX9020
--	--	--------	--------------------	-------------------	---------------	---	-----	------	----------------------

Castor Options



Swivel Castors with Directional Lock 4x90"

160-250MM

03 Series Heavy Duty Castors
with EI Series Black Elastic Rubber Wheel



Swivel Castors



Code Number								
Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]
								
	160x50	135x110	105x80	13.5x11	53	215	450	03P1S160C50CEIDX6020

Swivel Castors with Total Brakes



																																																																																																																																																																																																																																																																														
---	---	---	---	---	---	---	---	--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Fixed Castors



									Code Number
	160x50	135X114	105x80	13.5x11	—	215	450	03P1F160C50CEIDX6020	

Castor Options



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

23 Series Heavy Duty Castors
with EI Series Black Elastic Rubber Wheel



Swivel Castors



Load Capacity [kg]	Overall Height [mm]	Offset [mm]	Plate hole [mm]	Plate hole center [mm]	Plate size [mm]	Wheel of width [mm]	Wheel diameter [mm]	Bearing

Swivel Castors with Total Brakes



	 							Code Number
	160X50	135x110	105x80	13.5x11	57	205	450	23P1FB160C50CEIDX6020
	200X50	135x110	105x80	13.5x11	65	245	550	23P1FB200C50CEIDX6020
	250X50	135x110	105x80	13.5x11	80	305	650	23P1FB250C50CEIDX6020
	250X80	135x110 175x140	105x80 140x105	13.5x11 14	80	305	1000	23P1FB250C80CEIDX9020

Fixed Castors



	 							Code Number
 	160X50	135x110	105x80	13.5x11	—	205	450	23P1F160C50CEIDX6020
 	200X50	135x110	105x80	13.5x11	—	245	550	23P1F200C50CEIDX6020
 	250X50	135x110	105x80	13.5x11	—	305	650	23P1F250C50CEIDX6020
 	250X80	135x110 175x140	105x80 140x105	13.5x11 14	—	305	1000	23P1F250C80CEIDX9020

Castor Options



Swivel Castors with Directional Lock 4x90"

160-250MM

03 Series Heavy Duty Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
80X38	105x80	80x60	11x9	40	120	180	03P1S80D38BUMRX4012
100X40	105x80	80x60	11x9	40	130	300	03P1S100D40BUMRX4012
125X40	135x110	105x80	13.5x11	50	178	350	03P1S125D40BUMRX5015
160x50	135x110	105x80	13.5x11	53	215	550	03P1S160D45BUMRX6020
200x50	135x110	105x80	13.5x11	55	245	800	03P1S200D50BUMRX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
80X38	105x80	80x60	11x9	40	120	180	03P1TB80D38BUMRX4012
100X40	105x80	80x60	11x9	40	130	300	03P1TB100D40BUMRX4012
125X40	135x110	105x80	13.5x11	50	178	350	03P1TB125D40BUMRX5015
160x50	135x110	105x80	13.5x11	53	215	550	03P1TB160D45BUMRX6020
200x50	135x110	105x80	13.5x11	55	245	800	03P1TB200D50BUMRX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
80X38	105X85	80x60	11x9	—	120	180	03P1F80D38BUMRX4012
100X40	105X85	80x60	11x9	—	130	300	03P1F100D40BUMRX4012
125X40	135X114	105x80	13.5x11	—	178	350	03P1F125D40BUMRX5015
160x50	135X114	105x80	13.5x11	—	215	550	03P1F160D45BUMRX6020
200x50	135X114	105x80	13.5x11	—	245	800	03P1F200D50BUMRX6020

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

23 Series Heavy Duty Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
160X50	135x110	105x80	13.5x11	57	205	550	23P1S160D45BUMRX6020
200X50	135x110	105x80	13.5x11	65	245	800	23P1S200D50BUMRX6020

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
160X50	135x110	105x80	13.5x11	57	205	550	23P1FB160D45BUMRX6020
200X50	135x110	105x80	13.5x11	65	245	800	23P1FB200D50BUMRX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
160X50	135x110	105x80	13.5x11	57	205	550	23P1F160D45BUMRX6020
200X50	135x110	105x80	13.5x11	65	245	800	23P1F200D50BUMRX6020

Castor Options



Swivel Castor with Directional Lock 4x90"

160-200MM

03 Series Heavy Duty Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	120	200	03P1S80H38JUHDX4015
	100x40	105x80	80x60	11x9	40	130	250	03P1S100H40JUHDX4015
	125X40	135x110	105x80	13.5x11	50	178	300	03P1S125H40JUHDX5020
	125x50	135x110	105x80	13.5x11	50	178	320	03P1S125H50JUHDX6020
	150x50	135x110	105x80	13.5x11	53	210	400	03P1S150H50JUHDX6020
	160x50	135x110	105x80	13.5x11	53	215	440	03P1S160H50JUHDX6020
	180x50	135x110	105x80	13.5x11	55	240	500	03P1S180H50JUHDX6020
	200x50	135x110	105x80	13.5x11	55	245	560	03P1S200H50JUHDX6020
	250x50	135x110	105x80	13.5x11	67	297	640	03P1S250H50JUHDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x38	105x80	80x60	11x9	40	120	200	03P1TB80H38JUHDX4015
	100x40	105x80	80x60	11x9	40	130	250	03P1TB100H40JUHDX4015
	125X40	135x110	105x80	13.5x11	50	178	300	03P1TB125H40JUHDX5020
	125x50	135x110	105x80	13.5x11	50	178	320	03P1TB125H50JUHDX6020
	150x50	135x110	105x80	13.5x11	53	210	400	03P1TB150H50JUHDX6020
	160x50	135x110	105x80	13.5x11	53	215	440	03P1TB160H50JUHDX6020
	180x50	135x110	105x80	13.5x11	55	240	500	03P1TB180H50JUHDX6020
	200x50	135x110	105x80	13.5x11	55	245	560	03P1TB200H50JUHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x85	80x60	11x9	—	120	200	03P1F80H38JUHDX4015
	100x40	105x85	80x60	11x9	—	130	250	03P1F100H40JUHDX4015
	125X40	135x114	105x80	13.5x11	—	178	300	03P1F125H40JUHDX5020
	125x50	135x114	105x80	13.5x11	—	178	320	03P1F125H50JUHDX6020
	150x50	135x114	105x80	13.5x11	—	210	400	03P1F150H50JUHDX6020
	160x50	135x114	105x80	13.5x11	—	215	440	03P1F160H50JUHDX6020
	180x50	135x114	105x80	13.5x11	—	240	500	03P1F180H50JUHDX6020
	200x50	135x114	105x80	13.5x11	—	245	560	03P1F200H50JUHDX6020
	250x50	135x114	105x80	13.5x11	—	297	640	03P1F250H50JUHDX6020

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

03 Series Heavy Duty Castors
with UH series Green Elastic PU wheel



Swivel Castor with Central lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	177.5	320	03P1CB125H50JUHDX6020
	160x50	135x110	105x80	13.5x11	53	215	440	03P1CB160H50JUHDX6020
	200x50	135x110	105x80	13.5x11	55	255	560	03P1CB200H50JUHDX6020
	250x50	135x110	105x80	13.5x11	60	320	640	03P1CB250H50JUHDX6020

Fixed Castor



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125x50	135x114	105x80	13.5x11	—	177.5	320	03P1F125A50CEPDX6020
	160x50	135x114	105x80	13.5x11	—	215	440	03P1F160A50CEPDX6020
	200x50	135x114	105x80	13.5x11	—	255	560	03P1F200A50CEPDX6020
	250x50	135x114	105x80	13.5x11	—	320	640	03P1F250A50CEPDX6020

23 Series Heavy Duty Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	320	23P1S125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	57	200	400	23P1S150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	57	205	440	23P1S160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	65	245	560	23P1S200H50JUHDX6020
	250X50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	640	23P1S250H50JUHDX6020

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	320	23P1FB125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	57	200	400	23P1FB150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	57	205	440	23P1FB160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	65	245	560	23P1FB200H50JUHDX6020
	250X50	135x110 175x140	105x80 140x105	13.5x11 14	80	305	640	23P1FB250H50JUHDX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	—	170	320	23P1F125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	—	200	400	23P1F150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	—	205	440	23P1F160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	—	245	560	23P1F200H50JUHDX6020
	250X50	135x110 175x140	105x80 140x105	13.5x11 14	—	305	640	23P1F250H50JUHDX6020

Castor Options



Swivel Castors with Directional Lock 4x90"

125-250MM

03 Series Heavy Duty Castors
with UA Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	105x80	80x60	11x9	40	130	300	03P1S100E38JUADX4015
	125x40	135x110	105x80	13.5x11	50	178	450	03P1S125E40JUADX5020
	125x50	135x110	105x80	13.5x11	50	178	500	03P1S125E50JUADX6020
	150x50	135x110	105x80	13.5x11	53	210	650	03P1S150E50JUADX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1S160E50JUADX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1S200E50JUADX6020
	250x60	135x110	105x80	13.5x11	67	297	1000	03PSP250E60JUADX7520

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x40	105x80	80x60	11x9	40	130	300	03P1TB100E38JUADX4015
	125x40	135x110	105x80	13.5x11	50	178	450	03P1TB125E40JUADX5020
	125x50	135x110	105x80	13.5x11	50	178	500	03P1TB125E50JUADX6020
	150x50	135x110	105x80	13.5x11	53	210	650	03P1TB150E50JUADX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1TB160E50JUADX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1TB200E50JUADX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x40	105x85	80x60	11x9	—	130	300	03P1F100E38JUADX4015
	125x40	135x114	105x80	13.5x11	—	178	450	03P1F125E40JUADX5020
	125x50	135x114	105x80	13.5x11	—	178	500	03P1F125E50JUADX6020
	150x50	135x114	105x80	13.5x11	—	210	650	03P1F150E50JUADX6020
	160x50	135x114	105x80	13.5x11	—	215	800	03P1F160E50JUADX6020
	200x50	135x114	105x80	13.5x11	—	245	800	03P1F200E50JUADX6020
	250x60	135x114	105x80	13.5x11	—	297	1000	03PSF250E60JUADX7520

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

03 Series Heavy duty Castors
with UA series Green Elastic PU wheel



Swivel Castor
with Central lock



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

Fixed Castor



									Code Number

23 Series Heavy Duty Castors
with UA Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

Swivel Castors
with Tail Brakes



									Code Number

Fixed Castors



									Code Number

Castor Options



Swivel Castors with Directional Lock 4x90"

125-250MM

03 Heavy Duty Castors

with UI Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x32	105x80	80x60	11x9	40	120	250	03P1S80E32JUIDX4015
	100x32	105x80	80x60	11x9	40	130	350	03P1S100E32JUIDX4015
	125x50	135x110	105x80	13.5x11	50	178	660	03P1S125E50JUIDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1S150E50JUIDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1S160E50JUIDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1S200E50JUIDX6020
	250x50	135x110	105x80	13.5x11	67	297	1000	03P1S250E50JUIDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x32	105x80	80x60	11x9	40	120	250	03P1TB80E32JUIDX4015
	100x32	105x80	80x60	11x9	40	130	350	03P1TB100E32JUIDX4015
	125x50	135x110	105x80	13.5x11	50	178	660	03P1TB125E50JUIDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1TB150E50JUIDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1TB160E50JUIDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1TB200E50JUIDX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x32	105x85	80x60	11x9	—	120	250	03P1F80E32JUIDX4015
	100x32	105x85	80x60	11x9	—	130	350	03P1F100E32JUIDX4015
	125x50	135x114	105x80	13.5x11	—	178	660	03P1F125E50JUIDX6020
	150x50	135x114	105x80	13.5x11	—	210	800	03P1F150E50JUIDX6020
	160x50	135x114	105x80	13.5x11	—	215	800	03P1F160E50JUIDX6020
	200x50	135x114	105x80	13.5x11	—	245	800	03P1F200E50JUIDX6020
	250x50	135x114	105x80	13.5x11	—	297	1000	03P1F250E50JUIDX6020

Castor Options



Swivel Castors with Central Brakes

125-250MM



Swivel Castors with Tail Brakes

125-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125-250MM

23 Series Heavy Duty Castors

with UI Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	660	23P1S125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	57	200	800	23P1S150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	57	205	900	23P1S160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	65	245	1200	23P1S200E50JUIDX6020
	200X80	175x140	140x105	14	65	245	1600	23P1S200E80JUIDX9030
	250X50	135x110	105x80	13.5x11	80	305	1440	23P1S250E50JUIDX6020
	250X80	175x140	140x105	14	80	305	1800	23P1S250E80JUIDX9035

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	660	23P1FB125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	57	200	800	23P1FB150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	57	205	900	23P1FB160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	65	245	1200	23P1FB200E50JUIDX6020
	200x80	175x140	140x105	14	65	245	1600	23P1FB200E80JUIDX9030
	250X50	135x110	105x80	13.5x11	80	305	1440	23P1FB250E50JUIDX6020
	250X80	175x140	140x105	14	80	305	1800	23P1FB250E80JUIDX9035

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	—	170	660	23P1F125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	—	200	800	23P1F150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	—	205	900	23P1F160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	—	245	1200	23P1F200E50JUIDX6020
	200X80	175x140	140x105	14	—	245	1600	23P1F200E80JUIDX9030
	250X50	135x110	105x80	13.5x11	—	305	1440	23P1F250E50JUIDX6020
	250X80	175x140	140x105	14	—	305	1800	23P1F250E80JUIDX9035

Castor Options



Swivel Castors with Directional Lock 4x90"

125-250MM

03 Series Heavy Duty Castors
with PH Series Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	105x80	80x60	11x9	40	130	350	03P1S100B38BPHDX4015
	125x50	135x110	105x80	13.5x11	50	178	700	03P1S125B50BPHDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1S150B50BPHDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1S160B50BPHDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1S200B50BPHDX6020
	250x50	135x110	105x80	13.5x11	67	297	1000	03P1S250B50BPHDX7520

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	105x80	80x60	11x9	40	130	350	03P1TB100B38BPHDX4015
	125x50	135x110	105x80	13.5x11	50	178	700	03P1TB125B50BPHDX6020
	150x50	135x110	105x80	13.5x11	53	210	800	03P1TB150B50BPHDX6020
	160x50	135x110	105x80	13.5x11	53	215	800	03P1TB160B50BPHDX6020
	200x50	135x110	105x80	13.5x11	55	245	800	03P1TB200B50BPHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	105x85	80x60	11x9	—	130	350	03P1F100B38BPHDX4015
	125x50	135x114	105x80	13.5x11	—	178	700	03P1F125B50BPHDX6020
	150x50	135x114	105x80	13.5x11	—	210	800	03P1F150B50BPHDX6020
	160x50	135x114	105x80	13.5x11	—	215	800	03P1F160B50BPHDX6020
	200x50	135x114	105x80	13.5x11	—	245	800	03P1F200B50BPHDX6020
	250x50	135x114	105x80	13.5x11	—	297	1000	03P1F250B50BPHDX7520

Castor Options



Swivel Castors with
Central Brakes

125-250MM



Swivel Castors with
Tail Brakes

125-250MM



Swivel Castors with
Directional Lock (Retro Fit) 1x360°

125-250MM

23 Series Heavy Duty Castors
with PH Series Heavy Duty Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	700	23P1S125B50BPHDX6020
	150X50	135x110	105x80	13.5x11	57	200	800	23P1S150B50BPHDX6020
	160X50	135x110	105x80	13.5x11	57	205	850	23P1S160B50BPHDX6020
	200X50	135x110	105x80	13.5x11	65	245	1000	23P1S200B50BPHDX6020
	250X50	135x110	105x80	13.5x11	80	305	1500	23P1S250B50BPHDX6020

Swivel Castors
with Tail Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	50	170	700	23P1FB125B50BPHDX6020
	150X50	135x110	105x80	13.5x11	57	200	800	23P1FB150B50BPHDX6020
	160X50	135x110	105x80	13.5x11	57	205	850	23P1FB160B50BPHDX6020
	200X50	135x110	105x80	13.5x11	65	245	1000	23P1FB200B50BPHDX6020
	250X50	135x110	105x80	13.5x11	80	305	1500	23P1FB250B50BPHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X50	135x110	105x80	13.5x11	—	170	700	23P1F125B50BPHDX6020
	150X50	135x110	105x80	13.5x11	—	200	800	23P1F150B50BPHDX6020
	160X50	135x110	105x80	13.5x11	—	205	850	23P1F160B50BPHDX6020
	200X50	135x110	105x80	13.5x11	—	245	1000	23P1F200B50BPHDX6020
	250X50	135x110	105x80	13.5x11	—	305	1500	23P1F250B50BPHDX6020

Castor Options



Swivel Castors with Directional Lock 4x90°

125-250MM

23 Series Heavy Duty Castors

with PC Series Casting Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x50	135x110	105x80	13.5x11	42	148	1400	23P1S100B50BPCDX6020
	125x50	135x110	105x80	13.5x11	50	170	2000	23P1S125B50BPCDX6020
	150x50	135x110	105x80	13.5x11	57	200	2000	23P1S150B50BPCDX6020
	160x50	135x110	105x80	13.5x11	57	205	2000	23P1S160B50BPCDX6020
	160X80	175x140	140x105	14	57	205	2000	23P1S160B80BPCDX9020
	200X50	135x110	105x80	13.5x11	65	245	2000	23P1S200B50BPCDX6020
	200X80	175x140	140x105	14	65	245	2000	23P1S200B80BPCDX9020
	250X50	135x110	105x80	13.5x11	80	305	2000	23P1S250B50BPCDX6020
	250X80	175x140	140x105	14	80	305	2000	23P1S250B80BPCDX9020

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x50	135x110	105x80	13.5x11	42	148	1400	23P1FB100B50BPCDX6020
	125x50	135x110	105x80	13.5x11	50	170	2000	23P1FB125B50BPCDX6020
	150x50	135x110	105x80	13.5x11	57	200	2000	23P1FB150B50BPCDX6020
	160x50	135x110	105x80	13.5x11	57	205	2000	23P1FB160B50BPCDX6020
	160X80	175x140	140x105	14	57	205	2000	23P1FB160B80BPCDX6020
	200X50	135x110	105x80	13.5x11	65	245	2000	23P1FB200B50BPCDX6020
	200X80	175x140	140x105	14	65	245	2000	23P1FB200B80BPCDX9020
	250X50	135x110	105x80	13.5x11	80	305	2000	23P1FB250B50BPCDX6020
	250X80	175x140	140x105	14	80	305	2000	23P1FB250B80BPCDX9020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x50	135x110	105x80	13.5x11	—	148	1400	23P1F100B50BPCDX6020
	125x50	135x110	105x80	13.5x11	—	170	2000	23P1F125B50BPCDX6020
	150x50	135x110	105x80	13.5x11	—	200	2000	23P1F150B50BPCDX6020
	160x50	135x110	105x80	13.5x11	—	205	2000	23P1F160B50BPCDX6020
	160X80	175x140	140x105	14	—	205	2000	23P1F160B80BPCDX6020
	200X50	135x110	105x80	13.5x11	—	245	2000	23P1F200B50BPCDX6020
	200X80	175x140	140x105	14	—	245	2000	23P1F200B80BPCDX9020
	250X50	135x110	105x80	13.5x11	—	305	2000	23P1F250B50BPCDX6020
	250X80	175x140	140x105	14	—	305	2000	23P1F250B80BPCDX9020

Castor Options



Swivel Castors with Directional Lock 4x90"

100-250MM

STAINLESS STEEL CASTORS Series

10 Series Stainless Steel Castors
with TR Series Grey Thermoplastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x32		100X80	80x60	11x9	34	125	100	10P4PS100D32DTRBA4208 10P4PS100D32DTRPX4012
	125x32		100X80	80x60	11x9	32.5	150	150	10P4PS125D32DTRBA5210 10P4PS125D32DTRPX5015
	160x40		135x110	105x80	13.5x11	52	195	200	10P4PS160D40DTRBA6212 10P4PS160D40DTRPX6020
	200x40		135x110	105x80	13.5x11	54	236	250	10P4PS200D40DTRBA6212 10P4PS200D40DTRPX6020

Swivel Castors with
Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x32		100X80	80x60	11x9	30	125	100	10P4PTB100D32DTRBA4208 10P4PTB100D32DTRPX4012
	125x32		100X80	80x60	11x9	26.5	155	150	10P4PTB125D32DTRBA5210 10P4PTB125D32DTRPX5015
	160x40		135x110	105x80	13.5x11	60	195	200	10P4PTB160D40DTRBA6212 10P4PTB160D40DTRPX6020
	200x40		135x110	105x80	13.5x11	60	236	250	10P4PTB200D40DTRBA6212 10P4PTB200D40DTRPX6020

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x32		100X80	80x60	11x9	—	125	100	10P4PF100D32DTRBA4208 10P4PF100D32DTRPX4012
	125x32		100X80	80x60	11x9	—	150	150	10P4PF125D32DTRBA5210 10P4PF125D32DTRPX5015
	160x40		135x114	105x80	13.5x11	—	195	200	10P4PF160D40DTRBA6212 10P4PF160D40DTRPX6020
	200x40		135x114	105x80	13.5x11	—	236	250	10P4PF200D40DTRBA6212 10P4PF200D40DTRPX6020

10 Series Stainless Steel Castors
with TR Series Grey Thermoplastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x32		34	Ø13	124	100	10H4PS100D32DTRBA4208 10H4PS100D32DTRPX4012
	125x32		32.5	Ø13	149	150	10H4PS125D32DTRBA5210 10H4PS125D32DTRPX5015
	160x40		52	Ø16.8	190	200	10H4PS160D40DTRBA6212 10H4PS160D40DTRPX6020
	200x40		54	Ø16.8	231	250	10H4PS200D40DTRBA6212 10H4PS200D40DTRPX6020

Bolt Hole Castors with
Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x32		30	Ø13	124	100	10H4PTB100D32DTRBA4208 10H4PTB100D32DTRPX4012
	125x32		26.5	Ø13	149	150	10H4PTB125D32DTRBA5210 10H4PTB125D32DTRPX5015
	160x40		60	Ø16.8	190	200	10H4PTB160D40DTRBA6212 10H4PTB160D40DTRPX6020
	200x40		60	Ø16.8	231	250	10H4PTB200D40DTRBA6212 10H4PTB200D40DTRPX6020

10 Series Stainless Steel Castors
with GP Series Grey Soild Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x30	100X80	80x60	11x9	36	108	50	10P4S80D30CGPPX4012
==	100x30	100X80	80x60	11x9	34	125	75	10P4S100D30CGPPX4012
==	125x37.5	100X80	80x60	11x9	32.5	150	100	10P4S125D37.5CGPPX5015
==	160x40	135x110	105x80	13.5x11	52	195	140	10P4S160D40CGPPX6020
==	200x50	135x110	105x80	13.5x11	54	236	205	10P4S200D50CGPPX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x30	100X80	80x60	11x9	36.5	108	50	10P4TB80D30CGPPX4012
==	100x30	100X80	80x60	11x9	30	125	75	10P4TB100D30CGPPX4012
==	125x37.5	100X80	80x60	11x9	26.5	150	100	10P4TB125D37.5CGPPX5015
==	160x40	135x110	105x80	13.5x11	52	195	140	10P4TB160D40CGPPX6020
==	200x50	135x110	105x80	13.5x11	54	236	205	10P4TB200D50CGPPX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x30	100X80	80x60	11x9	—	108	50	10P4F80D30CGPPX4012
==	100x30	100X80	80x60	11x9	—	125	75	10P4F100D30CGPPX4012
==	125x37.5	100X80	80x60	11x9	—	150	100	10P4F125D37.5CGPPX5015
==	160x40	135x114	105x80	13.5x11	—	195	140	10P4F160D40CGPPX6020
==	200x50	135x114	105x80	13.5x11	—	236	205	10P4F200D50CGPPX6020

10 Series Stainless Steel Castors
with GP Series Grey Soild Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x30	36	Ø13	107	50	10H4S80D30CGPPX4012
==	100x30	34	Ø13	124	75	10H4S100D30CGPPX4012
==	125x37.5	32.5	Ø13	149	100	10H4S125D37.5CGPPX5015
==	160x40	52	Ø16.8	190	140	10H4S160D40CGPPX6020
==	200x50	54	Ø16.8	231	205	10H4S200D50CGPPX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x30	36.5	Ø13	107	50	10H4TB80D30CGPPX4012
==	100x30	30	Ø13	124	75	10H4TB100D30CGPPX4012
==	125x37.5	26.5	Ø13	149	100	10H4TB125D37.5CGPPX5015
==	160x40	52	Ø16.8	190	140	10H4TB160D40CGPPX6020
==	200x50	54	Ø16.8	231	205	10H4TB200D50CGPPX6020

10 Series Stainless Steel Castors
with ET Series Grey Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

10 Series Stainless Steel Castors
with EP Series Grey Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	100X80	80x60	11x9	36	108	140	10P4S80D35CEPRX4012
	100x36	100X80	80x60	11x9	34	125	180	10P4S100D36CEPRX4012
	125x36	100X80	80x60	11x9	32.5	150	200	10P4S125D36CEPRX5015
	160x48	135x110	105x80	13.5x11	52	195	300	10P4S160D48CEPRX6020
	200X48	135x110	105x80	13.5x11	54	236	300	10P4S200D48CEPRX6020

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	100X80	80x60	11x9	36.5	108	130	10P4TB80D35CEPRX4012
	100x36	100X80	80x60	11x9	34	125	160	10P4TB100D36CEPRX4012
	125x36	100X80	80x60	11x9	32.5	150	200	10P4TB125D36CEPRX5015
	160x48	135x110	105x80	13.5x11	52	195	300	10P4TB160D48CEPRX6020
	200X48	135x110	105x80	13.5x11	54	236	300	10P4TB200D48CEPRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	100X80	80x60	11x9	—	108	130	10P4F80D35CEPRX4012
	100x36	100X80	80x60	11x9	—	125	160	10P4F100D36CEPRX4012
	125x36	100X80	80x60	11x9	—	150	200	10P4F125D36CEPRX5015
	160x48	135x114	105x80	13.5x11	—	195	300	10P4F160D48CEPRX6020
	200X48	135x114	105x80	13.5x11	—	236	300	10P4F200D48CEPRX6020

10 Series Stainless Steel Castors
with EP Series Grey Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	36	Ø13	107	140	10H4S80D35CEPRX4012
	100X36	34	Ø13	125	180	10H4S100D36CEPRX4012
	125X36	32.5	Ø13	149	200	10H4S125D36CEPRX5015
	160X48	52	Ø16.8	190	300	10H4S160D48CEPRX6020
	200X48	54	Ø16.8	231	300	10H4S200D48CEPRX6020

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	36.5	Ø13	107	140	10H4TB80D35CEPRX4012
	100X36	30	Ø13	125	180	10H4TB100D36CEPRX4012
	125X36	26.5	Ø13	149	200	10H4TB125D36CEPRX5015
	160X48	52	Ø16.8	190	300	10H4TB160D48CEPRX6020
	200X48	54	Ø16.8	231	300	10H4TB200D48CEPRX6020

10 Series Stainless Steel Castors
with UP Series Red Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80X34	100X80	80x60	11x9	36	108	120	10P4S80F34BUPPX4012
==	100x34	100X80	80x60	11x9	34	125	160	10P4S100F34BUPPX4012
==	125x36	100X80	80x60	11x9	32.5	150	200	10P4S125F36BUPPX5015
==	160x40	135x110	105x80	13.5x11	52	195	300	10P4S160F40BUPPX6020
==	200x50	135x110	105x80	13.5x11	54	236	300	10P4S200F50BUPPX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80X34	100X80	80x60	11x9	36.5	108	120	10P4TB80F34BUPPX4012
==	100x34	100X80	80x60	11x9	30	125	160	10P4TB100F34BUPPX4012
==	125x36	100X80	80x60	11x9	26.5	150	200	10P4TB125F36BUPPX5015
==	160x40	135x110	105x80	13.5x11	52	195	300	10P4TB160F40BUPPX6020
==	200x50	135x110	105x80	13.5x11	54	236	300	10P4TB200F50BUPPX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x34	100X80	80x60	11x9	—	108	120	10P4F80F34BUPPX4012
==	100x34	100X80	80x60	11x9	—	125	160	10P4F100F34BUPPX4012
==	125x36	100X80	80x60	11x9	—	150	200	10P4F125F36BUPPX5015
==	160x40	135x114	105x80	13.5x11	—	195	300	10P4F160F40BUPPX6020
==	200x50	135x114	105x80	13.5x11	—	236	300	10P4F200F50BUPPX6020

10 Series Stainless Steel Castors
with UP Series Red Thermoplastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x34	36	Ø13	107	120	10H4S80F34BUPPX4012
==	100x34	34	Ø13	124	160	10H4S100F34BUPPX4012
==	125x36	26.5	Ø13	149	200	10H4S125F36BUPPX5015
==	160x40	52	Ø16.8	190	300	10H4S160F40BUPPX6020
==	200x50	54	Ø16.8	231	300	10H4S200F50BUPPX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x34	36.5	Ø13	107	120	10H4TB80F34BUPPX4012
==	100x34	30	Ø13	124	160	10H4TB100F34BUPPX4012
==	125x36	26.5	Ø13	149	200	10H4TB125F36BUPPX5015
==	160x40	52	Ø16.8	190	300	10H4TB160F40BUPPX6020
==	200x50	54	Ø16.8	231	300	10H4TB200F50BUPPX6020

10 Series Stainless Steel Castors
with PA Series White Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80X34	100x80	80x60	11x9	36.5	108	150	10P4S80B34BPAPX4012
==	100x36	100x80	80x60	11x9	34	125	180	10P4S100B36BPAPX4012
==	125x40	100x80	80x60	11x9	32.5	150	200	10P4S125B40BPAPX5015
==	160x40	135x110	105x80	13.5x11	52	195	300	10P4S160B40BPAPX6020
==	200x46	135x110	105x80	13.5x11	54	236	300	10P4S200B46BPAPX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80X34	100x80	80x60	11x9	36.5	108	150	10P4TB80B34BPAPX4012
==	100x36	100x80	80x60	11x9	30	125	180	10P4TB100B36BPAPX4012
==	125x40	100x80	80x60	11x9	26.5	150	200	10P4TB125B40BPAPX5015
==	160x40	135x110	105x80	13.5x11	52	195	300	10P4TB160B40BPAPX6020
==	200x46	135x110	105x80	13.5x11	54	236	300	10P4TB200B46BPAPX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x34	100x80	80x60	11x9	—	108	150	10P4F80B34BPAPX4012
==	100x36	100x80	80x60	11x9	—	125	180	10P4F100B36BPAPX4012
==	125x40	100x80	80x60	11x9	—	150	200	10P4F125B40BPAPX5015
==	160x40	135x114	105x80	13.5x11	—	195	300	10P4F160B40BPAPX6020
==	200x46	135x114	105x80	13.5x11	—	236	300	10P4F200B46BPAPX6020

10 Series Stainless Steel Castors
with PA Series White Polyamide Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x34	36	Ø13	107	150	10H4S80B34BPAPX4012
==	100x34	34	Ø13	124	180	10H4S100B36BPAPX4012
==	125x36	32.5	Ø13	149	200	10H4S125B40BPAPX5015
==	160x40	52	Ø16.8	190	300	10H4S160B40BPAPX6020
==	200X50	54	Ø16.8	231	300	10H4S200B46BPAPX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x34	36.5	Ø13	107	150	10H4TB80B34BPAPX4012
==	100x34	30	Ø13	124	180	10H4TB100B36BPAPX4012
==	125x36	26.5	Ø13	149	200	10H4TB125B40BPAPX5015
==	160x40	52	Ø16.8	190	300	10H4TB160B40BPAPX6020
==	200x50	54	Ø16.8	231	300	10H4TB200B46BPAPX6020

HEAT
RESISTANT
CASTORS
Series

07 Series Heat-Resistant Castors
with BM(HR) Series Black Heat Resistant Solid Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	 -20°C to +200°C	Code Number
										
	80x30		105x80	80x60	11x9	36	100	40		07P1S80C30JBM(HR)RX4012
	100x30		105x80	80x60	11x9	36	125	65		07P1S100C30JBM(HR)RX4012
	125x37.5		105x80	80x60	11x9	36	155	90		07P1S125C37.5JBM(HR)RX5015
	160x40		135x110	105x80	13.5x11	52	190	120		07P1S160C40JBM(HR)RX6020
	200x50		135x110	105x80	13.5x11	54	235	180		07P1S200C50JBM(HR)RX6020

Swivel Castors
with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									
	80x30		105x80	80x60	11x9	36	100	40	07P1TB80C30JBM(HR)RX4012
	100x30		105x80	80x60	11x9	40	125	65	07P1TB100C30JBM(HR)RX4012
	125x37.5		105x80	80x60	11x9	40	155	90	07P1TB125C37.5JBM(HR)RX5015
	160x40		135x110	105x80	13.5x11	60	190	120	07P1TB160C40JBM(HR)RX6020
	200x50		135x110	105x80	13.5x11	60	235	180	07P1TB200C50JBM(HR)RX6020

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									
	80x30		102x87	80x60	11x9	—	100	40	07P1F80C30JBM(HR)RX4012
	100x30		102x87	80x60	11x9	—	125	65	07P1F100C30JBM(HR)RX4012
	125x37.5		102x87	80x60	11x9	—	155	90	07P1F125C37.5JBM(HR)RX5015
	160x40		135x114	105x80	13.5x11	—	190	120	07P1F160C40JBM(HR)RX6020
	200x50		135x114	105x80	13.5x11	—	235	180	07P1F200C50JBM(HR)RX6020

07 Series Heat-Resistant Castors
with BM(HR) Series Black Heat Resistant Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
≡	80x30	36	Ø13	99	40	07H1S80C30JBM(HR)RX4012
≡	100x30	36	Ø13	124	65	07H1S100C30JBM(HR)RX4012
≡	125x37.5	36	Ø13	154	90	07H1S125C37.5JBM(HR)RX5015
≡	160x40	52	Ø16.8	185	120	07H1S160C40JBM(HR)RX6020
≡	200x50	54	Ø16.8	230	180	07H1S200C50JBM(HR)RX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
≡	80x30	36	Ø13	99	40	07H1TB80C30JBM(HR)RX4012
≡	100x30	40	Ø13	124	65	07H1TB100C30JBM(HR)RX4012
≡	125x37.5	40	Ø13	154	90	07H1TB125C37.5JBM(HR)RX5015
≡	160x40	60	Ø16.8	185	120	07H1TB160C40JBM(HR)RX6020
≡	200x50	60	Ø16.8	230	180	07H1TB200C50JBM(HR)RX6020

07 Series Heat-Resistant Castors
with EP(HR) Series Black Heat Resistant Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
≡	80x35	105x80	80x60	11x9	36	100	80	07P1S80C35CEP(HR)PX4012
≡	100x36	105x80	80x60	11x9	36	125	80	07P1S100C36CEP(HR)PX4012

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
≡	80x35	105x80	80x60	11x9	36	100	80	07P1TB80C35CEP(HR)PX4012
≡	100x36	105x80	80x60	11x9	40	125	80	07P1TB100C36CEP(HR)PX4012

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
≡	80x35	102x87	80x60	11x9	—	100	80	07P1F80C35CEP(HR)PX4012
≡	100x36	102x87	80x60	11x9	—	125	80	07P1F100C36CEP(HR)PX4012

07 Series Heat-Resistant Castors
with EP(HR) Series Black Heat Resistant Rubber Wheel



-20°C to +250°C

Bolt Hole Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. Row 1: Bolt Hole Castor, 80x35, 36, Ø13, 99, 80, 07H1S80C35CEP(HR)PX4012.

Bolt Hole Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. Row 1: Bolt Hole Castor with Total Brakes, 80x35, 36, Ø13, 99, 80, 07H1TB80C35CEP(HR)PX4012.

07 Series Heat-Resistant Castors
with PA(HR) Series Black Heat-Resistant Polyamide Wheel



-20°C to +250°C

Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows 1-6: Swivel Castors with various sizes (80x34 to 200x46) and capacities (150 to 300 kg).

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows 1-6: Swivel Castors with Total Brakes with various sizes and capacities.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows 1-6: Fixed Castors with various sizes and capacities.

07 Series Heat-Resistant Castors
with PA(HR) Series Black Heat-Resistant Polyamide Wheel



Bolt Hole Castors




Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x34	36	Ø13	99	150	07H1S80C34CPA(HR)PX4012
==	100x36	36	Ø13	124	180	07H1S100C36CPA(HR)PX4012
==	125x40	36	Ø13	154	200	07H1S125C40CPA(HR)PX5015
==	150x40	52	Ø13	180	300	07H1S150C40CPA(HR)PX6020
==	160x40	52	Ø16.8	185	300	07H1S160C40CPA(HR)PX6020
==	200x46	54	Ø16.8	230	300	07H1S200C46CPA(HR)PX6020
						Code Number
==	80x34	36	Ø13	99	150	07H1TB80C34CPA(HR)PX4012
==	100x36	40	Ø13	124	180	07H1TB100C36CPA(HR)PX4012
==	125x40	40	Ø13	154	200	07H1TB125C40CPA(HR)PX5015
==	150x40	60	Ø13	180	300	07H1TB150C40CPA(HR)PX6020
==	160x40	60	Ø16.8	185	300	07H1TB160C40CPA(HR)PX6020
==	200x46	60	Ø16.8	230	300	07H1TB200C46CPA(HR)PX6020

07 Series Heat-Resistant Castors
with HP Series Black Heat-Resistant Phenolic Resin Wheel



Swivel Castors



Swivel Castors with Total Brakes



Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x35	105x80	80x60	11x9	36	100	150	07P1S80C35CHPPX4012
==	100x35	105x80	80x60	11x9	36	125	180	07P1S100C35CHPPX4012
==	125x38	105x80	80x60	11x9	36	155	200	07P1S125C38CHPPX5015
==	150x50	135x110	105x80	13.5x11	52	185	300	07P1S150C50CHPPX6020
==	200x50	135x110	105x80	13.5x11	54	235	300	07P1S200C50CHPPX6020
								Code Number
==	80x35	105x80	80x60	11x9	36	100	150	07P1TB80C35CHPPX4012
==	100x35	105x80	80x60	11x9	40	125	180	07P1TB100C35CHPPX4012
==	125x38	105x80	80x60	11x9	40	155	200	07P1TB125C38CHPPX5015
==	150x50	135x110	105x80	13.5x11	60	185	300	07P1TB150C50CHPPX6020
==	200x50	135x110	105x80	13.5x11	60	235	300	07P1TB200C50CHPPX6020
								Code Number
==	80x35	102x87	80x60	11x9	—	100	150	07P1F80C35CHPPX4012
==	100x35	102x87	80x60	11x9	—	125	180	07P1F100C35CHPPX4012
==	125x38	135x114	105x80	13.5x11	—	155	200	07P1F125C38CHPPX5015
==	150x50	135x114	105x80	13.5x11	—	185	300	07P1F150C50CHPPX6020
==	200x50	135x114	105x80	13.5x11	—	235	300	07P1F200C50CHPPX6020

07 Series Heat-Resistant Castors

with HP Series Black Heat-Resistant Phenolic Resin Wheel



-20°C to +260°C

Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x35	36	Ø13	99	150	07P1S80C35CHPPX4012
==	100x35	36	Ø13	124	180	07P1S100C35CHPPX4012
==	125x38	36	Ø13	154	200	07P1S125C38CHPPX5015
==	150x50	52	Ø13	180	300	07P1S150C50CHPPX6020
==	200x50	54	Ø16.8	230	300	07P1S200C50CHPPX6020

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x35	36	Ø13	99	150	07H1TB80C35CHPPX4012
==	100x35	40	Ø13	124	180	07H1TB100C35CHPPX4012
==	125x38	40	Ø13	154	200	07H1TB125C38CHPPX5015
==	150x50	60	Ø13	180	300	07H1TB150C50CHPPX6020
==	200x50	60	Ø16.8	230	300	07H1TB200C50CHPPX6020

09 Series Heat-Resistant Castors

with II Series Black Heat-Resistant Casting Iron Wheel



-40°C to +500°C

Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x26	105x80	80x60	11x9	40	108	200	09P1S80C26CIIPX4012
==	100x28	105x80	80x60	11x9	40	132	250	09P1S100C28CIIPX4012
==	125x32	105x80	80x60	11x9	40	155	300	09P1S125C32CIIPX5015
==	150x45	135x110	105x80	13.5x11	52	195	400	09P1S150C45CIIPX6020
==	200x45	135x110	105x80	13.5x11	54	245	500	09P1S200C45CIIPX6020

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x26	105x80	80x60	11x9	40	108	200	09P1TB80C26CIIPX4012
==	100x28	105x80	80x60	11x9	40	132	250	09P1TB100C28CIIPX4012
==	125x32	105x80	80x60	11x9	40	155	300	09P1TB125C32CIIPX5015
==	150x45	135x110	105x80	13.5x11	60	195	400	09P1TB150C45CIIPX6020
==	200x45	135x110	105x80	13.5x11	60	245	500	09P1TB200C45CIIPX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
==	80x26	102x87	80x60	11x9	—	108	200	09P1F80C26CIIPX4012
==	100x28	102x87	80x60	11x9	—	132	250	09P1F100C28CIIPX4012
==	125x32	135x114	105x80	13.5x11	—	155	300	09P1F125C32CIIPX5015
==	150x45	135x114	105x80	13.5x11	—	195	400	09P1F150C45CIIPX6020
==	200x45	135x114	105x80	13.5x11	—	245	500	09P1F200C45CIIPX6020

09 Series Heat-resistant Castors
with HA series Heat-resistant Casting Aluminium wheel



Swivel Castor



Product Information									
Code Number									
09P1S100J35JHAPX4012									
Load Capacity [kg]									
125									
Overall Height [mm]									
132									
Offset [mm]									
40									
Plate hole [mm]									
11x9									
Plate hole center [mm]									
80x60									
Plate size [mm]									
105x80									
Wheel of width [mm]									
100x35									
Wheel diameter [mm]									
100									
Bearing									
==									

Swivel Castor with Total Lock



==	100x35	105x80	80x60	11x9	40	132	125	09P1TB100J35JHAPX4012
----	--------	--------	-------	------	----	-----	-----	-----------------------

Fixed Castor



==	100x35	102X87	80x60	11x9	-	132	125	09P1F100J35JHAPX4012
----	--------	--------	-------	------	---	-----	-----	----------------------

06 Series Heat-resistant Castors
with HA series Heat-resistant Casting Aluminium wheel



Swivel Castor



 -40°C to +280°C Code Number								
06P1S100J35JHAPX5012	125	128	45	13.5x11	105x80	135x110	100X35	==
Load Capacity [kg]	Overall Height [mm]	Offset [mm]	Plate hole [mm]	Plate hole center [mm]	Plate size [mm]	Wheel of width [mm]	Wheel diameter [mm]	Bearing
						 		

Swivel Castor with Total Lock



==	100X35	135x110	105x80	13.5x11	42	128	125	06P1TB100J35JHAPX5012
----	--------	---------	--------	---------	----	-----	-----	-----------------------

Fixed Castor



==	100X35	135x114	105x80	13.5x11	-	128	125	06P1F100J35JHAPX5012
----	--------	---------	--------	---------	---	-----	-----	----------------------