



**Leading and Reliable
Castor Wheel Manufacturer**

www.taishancastors.com



Taishan Castors and Wheels Co.,Ltd

E-mail
sales@taishan-cn.com

Phone
+86 17363297532

WhatsApp & WeChat
+86 17363297532

Address
**yueshan Town
Kaiping City,Guangdong,China**



Scan the code to obtain the
electronic version of the catalog
(www.taishancastors.com/catalog/)

INDUSTRIAL
CASTORS
SERIES

07 Series Industrial Castors
with TR Series Grey Thermoplastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1S100D32DTRBA4208 07P1S100D32DTRRX4012
									07P1S125D32DTRBA5210 07P1S125D32DTRRX5015
									07P1S160D40DTRBA6212 07P1S160D40DTRRX6020
									07P1S200D40DTRBA6212 07P1S200D40DTRRX6020

Swivel Castors
with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1TB100D32DTRBA4208 07P1TB100D32DTRRX4012
									07P1TB125D32DTRBA5210 07P1TB125D32DTRRX5015
									07P1TB160D40DTRBA6212 07P1TB160D40DTRRX6020
									07P1TB200D40DTRBA6212 07P1TB200D40DTRRX6020

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1F100D32DTRBA4208 07P1F100D32DTRRX4012
									07P1F125D32DTRBA5210 07P1F125D32DTRRX5015
									07P1F160D40DTRBA6212 07P1F160D40DTRRX6020
									07P1F200D40DTRBA6212 07P1F200D40DTRRX6020

Castor Options



Swivel Castor with Tail Brake

160-200MM



Swivel Castors with
Central Brakes

160-200MM



Swivel Castor with Directional
Lock(retro fit)1x360°

160-200MM



Electrically conductive version

100-200MM

07 Series Industrial Castors
with TR Series Grey Thermoplastic Rubber Wheel



Bolt Hole Castors



Table with 7 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with wheel sizes 100x32, 125x32, 160x40, and 200x40.

Bolt Hole Castors with Total Brakes



Table with 7 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with Total Brakes with wheel sizes 100x32, 125x32, 160x40, and 200x40.

07 Series Industrial Castors
with TE Series Grey Thermoplastic Rubber Wheel



Swivel Castors



Table with 7 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with wheel sizes 80x32, 100x32, and 125x40.

Swivel Castors with Total Brakes



Table with 7 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with Total Brakes with wheel sizes 80x32, 100x32, and 125x40.

Fixed Castors



Table with 7 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Fixed Castors with wheel sizes 80x32, 100x32, and 125x40.

07 Series Industrial Castors
with TE Series Grey Thermoplastic Rubber Wheel



Bolt Hole Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with TE Series Grey Thermoplastic Rubber Wheel.

Bolt Hole Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with Total Brakes and TE Series Grey Thermoplastic Rubber Wheel.

07 Series Industrial Castors
with BP Series Black Solid Rubber Wheel



Swivel Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with BP Series Black Solid Rubber Wheel.

Swivel Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with Total Brakes and BP Series Black Solid Rubber Wheel.

Fixed Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Fixed Castors with BP Series Black Solid Rubber Wheel.

Castor Options



Swivel Castors with Tail Brakes
160-250MM



Swivel Castors with Central Brakes
160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
160-200MM



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with BP Series Black Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1S80C30CBPRX4012
	100x30	36	Ø13	124	70	07H1S100C30CBPRX4012
	125x37.5	36	Ø13	154	100	07H1S125C37.5CBPRX5015
	160x40	52	Ø16.8	185	135	07H1S160C40CBPRX6020
	200x50	54	Ø16.8	230	205	07H1S200C50CBPRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1TB80C30CBPRX4012
	100x30	40	Ø13	124	70	07H1TB100C30CBPRX4012
	125x37.5	40	Ø13	154	100	07H1TB125C37.5CBPRX5015
	160x40	60	Ø16.8	185	135	07H1TB160C40CBPRX6020
	200x50	60	Ø16.8	230	205	07H1TB200C50CBPRX6020

Castor Options



Castors with Metal Thread Guards

80-200MM

07 Series Industrial Castors
with BM Series Black Solid Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1S80C30JBMRX4012
	100x30	105x80	80x60	11x9	36	125	70	07P1S100C30JBMRX4012
	125x37.5	105x80	80x60	11x9	36	155	100	07P1S125C37.5JBMRX5015
	160x40	135x110	105x80	13.5x11	52	190	135	07P1S160C40JBMRX6020
	200x50	135x110	105x80	13.5x11	54	235	205	07P1S200C50JBMRX6020
	250x60	135x110	105x80	13.5x11	66	290	295	07P1S260C75JBMRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1TB80C30JBMRX4012
	100x30	105x80	80x60	11x9	40	125	70	07P1TB100C30JBMRX4012
	125x37.5	105x80	80x60	11x9	40	155	100	07P1TB125C37.5JBMRX5015
	160x40	135x110	105x80	13.5x11	60	190	135	07P1TB160C40JBMRX6020
	200x50	135x110	105x80	13.5x11	60	235	205	07P1TB200C50JBMRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	102x87	80x60	11x9	—	100	50	07P1F80C30JBMRX4012
	100x30	102x87	80x60	11x9	—	125	70	07P1F100C30JBMRX4012
	125x37.5	102x87	80x60	11x9	—	155	100	07P1F125C37.5JBMRX5015
	160x40	135x114	105x80	13.5x11	—	190	135	07P1F160C40JBMRX6020
	200x50	135x114	105x80	13.5x11	—	235	205	07P1F200C50JBMRX6020
	250x60	135x114	105x80	13.5x11	—	290	295	07P1F260C75JBMRX7525

Castor Options



Swivel Castors with Tail Brakes

160-250MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM



Castors with Metal Thread Guards

80-200MM



Electrically Conductive Version

80-250MM

07 Series Industrial Castors
with BM Series Black Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1S80C30JBMRX4012
	100x30	36	Ø13	124	70	07H1S100C30JBMRX4012
	125x37.5	36	Ø13	154	100	07H1S125C37.5JBMRX5015
	160x40	52	Ø16.8	185	135	07H1S160C40JBMRX6020
	200x50	54	Ø16.8	230	205	07H1S200C50JBMRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1TB80C30JBMRX4012
	100x30	40	Ø13	124	70	07H1TB100C30JBMRX4012
	125x37.5	40	Ø13	154	100	07H1TB125C37.5JBMRX5015
	160x40	60	Ø16.8	185	135	07H1TB160C40JBMRX6020
	200x50	60	Ø16.8	230	205	07H1TB200C50JBMRX6020

Castor Options



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with GP Series Grey Solid Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1S80D30CGPRX4012
	100x30	105x80	80x60	11x9	36	125	70	07P1S100D30CGPRX4012
	125x37.5	105x80	80x60	11x9	36	155	100	07P1S125D37.5CGPRX5015
	160x40	135x110	105x80	13.5x11	52	190	135	07P1S160D40CGPRX6020
	200x50	135x110	105x80	13.5x11	54	235	205	07P1S200D50CGPRX6020
	250x60	135x110	105x80	13.5x11	66	290	295	07P1S250D60CGPRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1TB80D30CGPRX4012
	100x30	105x80	80x60	11x9	40	125	70	07P1TB100D30CGPRX4012
	125x37.5	105x80	80x60	11x9	40	155	100	07P1TB125D37.5CGPRX5015
	160x40	135x110	105x80	13.5x11	60	190	135	07P1TB160D40CGPRX6020
	200x50	135x110	105x80	13.5x11	60	235	205	07P1TB200D50CGPRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	102X87	80x60	11x9	—	100	50	07P1F80D30CGPRX4012
	100x30	102X87	80x60	11x9	—	125	70	07P1F100D30CGPRX4012
	125x37.5	102X87	80x60	11x9	—	155	100	07P1F125D37.5CGPRX5015
	160x40	135x114	105x80	13.5x11	—	190	135	07P1F160D40CGPRX6020
	200x50	135x114	105x80	13.5x11	—	235	205	07P1F200D50CGPRX6020
	250x60	135x114	105x80	13.5x11	—	290	295	07P1F250D60CGPRX7525

Castor Options



Swivel Castors with Tail Brakes
160-250MM



Swivel Castors with Central Brakes
160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
160-200MM



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with GP Series Grey Solid Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1S80D30CGPRX4012
	100x30	36	Ø13	124	70	07H1S100D30CGPRX4012
	125x37.5	36	Ø13	154	100	07H1S125D37.5CGPRX5015
	160x40	52	Ø16.8	185	135	07H1S160D40CGPRX6020
	200x50	54	Ø16.8	230	205	07H1S200D50CGPRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	36	Ø13	99	50	07H1TB80D30CGPRX4012
	100x30	40	Ø13	124	70	07H1TB100D30CGPRX4012
	125x37.5	40	Ø13	154	100	07H1TB125D37.5CGPRX5015
	160x40	60	Ø16.8	185	135	07H1TB160D40CGPRX6020
	200x50	60	Ø16.8	230	205	07H1TB200D50CGPRX6020

Castor Options



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with GM Series Grey Solid Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1S80D30JGMRX4012
	100x30	105x80	80x60	11x9	36	125	70	07P1S100D30JGMRX4012
	125x37.5	105x80	80x60	11x9	36	155	100	07P1S125D37.5JGMRX5015
	160x40	135x110	105x80	13.5x11	52	190	135	07P1S160D40JGMRX6020
	200x50	135x110	105x80	13.5x11	54	235	205	07P1S200D50JGMRX6020
	250x60	135x110	105x80	13.5x11	66	290	295	07P1S260D75JGMRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	105x80	80x60	11x9	36	100	50	07P1TB80D30JGMRX4012
	100x30	105x80	80x60	11x9	40	125	70	07P1TB100D30JGMRX4012
	125x37.5	105x80	80x60	11x9	40	155	100	07P1TB125D37.5JGMRX5015
	160x40	135x110	105x80	13.5x11	60	190	135	07P1TB160D40JGMRX6020
	200x50	135x110	105x80	13.5x11	60	235	205	07P1TB200D50JGMRX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x30	102X87	80x60	11x9	—	100	50	07P1F80D30JGMRX4012
	100x30	102X87	80x60	11x9	—	125	70	07P1F100D30JGMRX4012
	125x37.5	102X87	80x60	11x9	—	155	100	07P1F125D37.5JGMRX5015
	160x40	135x114	105x80	13.5x11	—	190	135	07P1F160D40JGMRX6020
	200x50	135x114	105x80	13.5x11	—	235	205	07P1F200D50JGMRX6020
	250x60	135x114	105x80	13.5x11	—	290	295	07P1F260D75JGMRX7525

Castor Options



Swivel Castor with Tail Brake
160-250MM



Swivel Castors with Central Brakes
160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
160-200MM



Castors with Metal Thread Guards
80-200MM

07 Series Industrial Castors
with GM Series Grey Solid Rubber Wheel



Bolt Hole Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with GM Series Grey Solid Rubber Wheel.

Bolt Hole Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Bolt Hole Castors with Total Brakes and GM Series Grey Solid Rubber Wheel.

Castor Options



Castors with Metal Thread Guards

80-200MM

07 Series Industrial Castors
with PP Series White Polypropylene Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with PP Series White Polypropylene Wheel.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Swivel Castors with Total Brakes and PP Series White Polypropylene Wheel.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists specifications for Fixed Castors with PP Series White Polypropylene Wheel.

Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

150-200MM



Electrically Conductive Version, Black Clour

80-200MM

07 Series Industrial Castors
with PP Series White Polypropylene Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	36	Ø13	99	80	07H1S80B34BPPPX4012 07H1S80B34BPPRX4012
	100x36	36	Ø13	124	120	07H1S100B36BPPPX4012 07H1S100B36BPPRX4012
	125x40	36	Ø13	154	150	07H1S125B40BPPPX5015 07H1S125B40BPPRX5015
	160x40	52	Ø16.8	185	250	07H1S160B46BPPPX6020 07H1S160B46BPPRX6020
	200x46	54	Ø16.8	230	300	07H1S200B46BPPPX6020 07H1S200B46BPPRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	36	Ø13	99	80	07H1TB80B34BPPPX4012 07H1TB80B34BPPRX4012
	100x36	40	Ø13	124	120	07H1TB100B36BPPPX4012 07H1TB100B36BPPRX4012
	125x40	40	Ø13	154	150	07H1TB125B40BPPPX5015 07H1TB125B40BPPRX5015
	160x40	60	Ø16.8	185	250	07H1TB160B46BPPPX6020 07H1TB160B46BPPRX6020
	200x46	60	Ø16.8	230	300	07H1TB200B46BPPPX6020 07H1TB200B46BPPRX6020

07 Series Industrial Castors
with PP Series White Polypropylene Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	80	07P1S80B34BPPBA4208
	100x36	105x80	80x60	11x9	36	125	120	07P1S100B36BPPBA4208
	125x40	105x80	80x60	11x9	40	155	150	07P1S125B40BPPBA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	80	07P1TB80B34BPPBA4208
	100x36	105x80	80x60	11x9	36	125	120	07P1TB100B36BPPBA4208
	125x40	105x80	80x60	11x9	40	155	150	07P1TB125B40BPPBA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80x34	102X87	80x60	11x9	—	100	80	07P1F80B34BPPBA4208
	100x36	102X87	80x60	11x9	—	125	120	07P1F100B36BPPBA4208
	125x40	102X87	80x60	11x9	—	155	150	07P1F125B40BPPBA5210

07 Series Industrial Castors

with PP Series White Polypropylene Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	36	Ø13	99	80	07H1S80B34BPPBA4208
	100X36	36	Ø13	124	120	07H1S100B36BPPBA4208
	125X40	36	Ø13	154	150	07H1S125B40BPPBA5210

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X34	36	Ø13	99	80	07H1TB80B34BPPBA4208
	100X36	40	Ø13	124	120	07H1TB100B36BPPBA4208
	125X40	40	Ø13	154	150	07H1TB125B40BPPBA5210

07 Series Industrial Castors

with PP Series White Polypropylene Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X36	135x110	105x80	13.5x11	45	128	120	06P1S100B36BPPX5012 06P1S100B36BPPRX5012 06P1S100B36BPPBA5208
	125X40	135x110	105x80	13.5x11	48	155	150	06P1S125B40BPPX5015 06P1S125B40BPPRX5015 06P1S125B40BPPBA5210

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X36	135x110	105x80	13.5x11	42	128	120	06P1TB100B36BPPX5012 06P1TB100B36BPPRX5012 06P1TB100B36BPPBA5208
	125X40	135x110	105x80	13.5x11	48	155	150	06P1TB125B40BPPX5015 06P1TB125B40BPPRX5015 06P1TB125B40BPPBA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X36	135x114	105x80	13.5x11	—	128	120	06P1F100B36BPPX5012 06P1F100B36BPPRX5012 06P1F100B36BPPBA5208
	125X40	135x114	105x80	13.5x11	—	155	150	06P1F125B40BPPX5015 06P1F125B40BPPRX5015 06P1F125B40BPPBA5210

Castor Options



Swivel Castors with
Directional Lock(Retro Fit)1x360°

125MM



Swivel Castors with
the Hole of Directional Lock

125MM

07 Series Industrial Castors

with RE Series Grey Polypropylene Sandwich Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1S100D36DREBA4208
									07P1S100D36DRERX4012

									07P1S125D36DREBA5210
									07P1S125D36DRERX5015

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1TB100D36DREBA4208
									07P1TB100D36DRERX4012

									07P1TB125D36DREBA5210
									07P1TB125D36DRERX5015

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
									07P1F100D36DREBA4208
									07P1F100D36DRERX4012

									07P1F125D36DREBA5210
									07P1F125D36DRERX5015

07 Series Industrial Castors

with RE Series Grey Polypropylene Sandwich Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
							07H1S100D36DREBA4208
							07H1S100D36DRERX4012

							07H1S125D36DREBA5210
							07H1S125D36DRERX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
							07H1TB100D36DREBA4208
							07H1TB100D36DRERX4012

							07H1TB125D36DREBA5210
							07H1TB125D36DRERX5015

07 Series Industrial Castors

with ET Series Grey Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number

07 Series Industrial Castors

with ET Series Grey Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	105x80	80x60	11x9	36	125	160	07P1S100D34DETBA4208
	125X40	105x80	80x60	11x9	36	155	200	07P1S125D40DETBA5210
	160X46	135x110	105x80	13.5x11	52	190	300	07P1S160D46DETD6212
	200X46	135x110	105x80	13.5x11	54	235	300	07P1S200D46DETD6212

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	105x80	80x60	11x9	40	125	160	07P1TB100D34DETBA4208
	125X40	105x80	80x60	11x9	40	155	200	07P1TB125D40DETBA5210
	160X46	135x110	105x80	13.5x11	60	190	300	07P1TB160D46DETD6212
	200X46	135x110	105x80	13.5x11	60	235	300	07P1TB200D46DETD6212

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	102X87	80x60	11x9	—	125	160	07P1F100D34DETBA4208
	125X40	102X87	80x60	11x9	—	155	200	07P1F125D40DETBA5210
	160X46	135x114	105x80	13.5x11	—	190	300	07P1F160D46DETD6212
	200X46	135x114	105x80	13.5x11	—	235	300	07P1F200D46DETD6212

Castor Options



Wheel with Blue Tyre

100-200MM



Wheel with Black Tyre

100-200MM

07 Series Industrial Castors

with ET Series Grey Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	36	Ø13	124	150	07H1S100D34DETBA4208
	125X40	36	Ø13	154	200	07H1S125D40DETBA5210
	160X46	52	Ø16.8	185	300	07H1S160D46DETD6212
	200X46	54	Ø16.8	230	300	07H1S200D46DETD6212

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X34	40	Ø13	124	150	07H1TB100D34DETBA4208
	125X40	40	Ø13	154	200	07H1TB125D40DETBA5210
	160X46	60	Ø16.8	185	300	07H1TB160D46DETD6212
	200X46	60	Ø16.8	230	300	07H1TB200D46DETD6212

07 Series Industrial Castors

with ET series Grey Elastic Rubber wheel



Swivel Castor
with Central Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X34	105x80	80x60	11x9	36	128	160	07P1CB100D34DETRX4012
	125X40	105x80	80x60	11x9	36	155	200	07P1CB125D40DETRX5015

Fixed Castor



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X34	102X87	80x60	11x9	—	128	160	07P1F100D34DETRX4012
	125X40	102X87	80x60	11x9	—	155	200	07P1F125D40DETRX5015

07 Series Industrial Castors

with ET series Grey Elastic Rubber wheel



Swivel Castor
with Central Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	160X46	135X110	105X80	13.5X11	53	200	300	07P1CB160D46DETRX6020
	160X46	135X110	105X80	13.5X11	53	200	300	07P1CB160D46DETBA6212

Fixed Castor



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	160X46	135X110	105X80	13.5X11	53	200	300	07P1F160D46DETRX6020
	160X46	135X110	105X80	13.5X11	53	200	300	07P1F160D46DETBA6212
	200X46	105x80	80x60	11x9	54	240	300	07P1F200D46DETRX6020
	200X46	105x80	80x60	11x9	54	240	300	07P1F200D46DETBA6212

07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	105x80	80x60	11x9	36	100	140	07P1S80A35CEPRX4012
	100X36	105x80	80x60	11x9	36	125	180	07P1S100A36CEPRX4012
	125X36	105x80	80x60	11x9	36	155	200	07P1S125A36CEPRX5015
	160X48	135x110	105x80	13.5x11	52	190	300	07P1S160A48CEPRX6020
	200X48	135x110	105x80	13.5x11	54	235	300	07P1S200A48CEPRX6020
	250X50	135x110	105x80	13.5x11	66	290	400	07P1S250A48CEPRX7525

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	105x80	80x60	11x9	36	100	140	07P1TB80A35CEPRX4012
	100X36	105x80	80x60	11x9	40	125	180	07P1TB100A36CEPRX4012
	125X36	105x80	80x60	11x9	40	155	200	07P1TB125A36CEPRX5015
	160X48	135x110	105x80	13.5x11	60	190	300	07P1TB160A48CEPRX6020
	200X48	135x110	105x80	13.5x11	60	235	300	07P1TB200A48CEPRX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	102X87	80x60	11x9	—	100	140	07P1F80A35CEPRX4012
	100X36	102X87	80x60	11x9	—	125	180	07P1F100A36CEPRX4012
	125X36	102X87	80x60	11x9	—	155	200	07P1F125A36CEPRX5015
	160X48	135x114	105x80	13.5x11	—	190	300	07P1F160A48CEPRX6020
	200X48	135x114	105x80	13.5x11	—	235	300	07P1F200A48CEPRX6020
	250X50	135x114	105x80	13.5x11	—	290	400	07P1F250A48CEPRX7525

Castor Options



Swivel Castors with Tail Brakes

160-250MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

150-200MM



Wheel with Black Tyre

80-250MM



Wheel with Non-marking Grey Tyre

80-250MM

07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x35	36	Ø13	99	140	07H1S80A35CEPRX4012
	100X36	36	Ø13	124	180	07H1S100A36CEPRX4012
	125X36	36	Ø13	154	200	07H1S125A36CEPRX5015
	160X48	52	Ø16.8	185	300	07H1S160A48CEPRX6020
	200X48	54	Ø16.8	230	300	07H1S200A48CEPRX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x35	36	Ø13	99	140	07H1TB80A35CEPRX4012
	100X36	40	Ø13	124	180	07H1TB100A36CEPRX4012
	125X36	40	Ø13	154	200	07H1TB125A36CEPRX5015
	160X48	60	Ø16.8	185	300	07H1TB160A48CEPRX6020
	200X48	60	Ø16.8	230	300	07H1TB200A48CEPRX6020

Castor Options



Wheel with Black Tyre

80-200MM



Wheel with Non-marking Grey Tyre

80-200MM

07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X36	105x80	80x60	11x9	36	100	140	07P1S80A36CEPBA4208
	100X36	105x80	80x60	11x9	36	125	180	07P1S100A36CEPBA4208
	125X38	105x80	80x60	11x9	36	155	200	07P1S125A38CEPBA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X36	105x80	80x60	11x9	36	100	140	07P1TB80A36CEPBA4208
	100X36	105x80	80x60	11x9	40	125	180	07P1TB100A36CEPBA4208
	125X38	105x80	80x60	11x9	40	155	200	07P1TB125A38CEPBA5210

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X35	102X87	80x60	11x9	—	100	140	07P1F80A36CEPBA4208
	100X36	102X87	80x60	11x9	—	125	180	07P1F100A36CEPBA4208
	125X36	102X87	80x60	11x9	—	155	200	07P1F125A38CEPBA5210

Castor Options



Wheels with Black Tyre

80-125MM



Wheels with Non-marking Grey Tyre

80-125MM

07 Series Industrial Castors

with EP Series Blue Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x36	36	Ø13	99	140	07H1S80A36CEPBA4208
	100x36	36	Ø13	124	180	07H1S100A36CEPBA4208
	125X38	36	Ø13	154	200	07H1S125A38CEPBA5210

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x36	36	Ø13	99	140	07H1TB80A36CEPBA4208
	100x36	40	Ø13	124	180	07H1TB100A36CEPBA4208
	125X38	40	Ø13	154	200	07H1TB125A38CEPBA5210

09 Series Industrial Castors
with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		80X35	105x80	80x60	11x9	40	108	140	09P1S80A35CEPRX4012
		100X36	105x80	80x60	11x9	40	132	180	09P1S100A36CEPRX4012
		125X36	105x80	80x60	11x9	40	155	230	09P1S125A36CEPRX5015
		160X50	135x110	105x80	13.5x11	52	200	400	09P1S160A50CEPDx6020
		200X50	135x110	105x80	13.5x11	54	245	500	09P1S200A50CEPDx6020

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		80X35	105x80	80x60	11x9	40	108	140	09P1TB80A35CEPRX4012
		100X36	105x80	80x60	11x9	40	132	180	09P1TB100A36CEPRX4012
		125X36	105x80	80x60	11x9	40	155	230	09P1TB125A36CEPRX5015
		160X50	135x110	105x80	13.5x11	60	200	400	09P1TB160A50CEPDx6020
		200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200A50CEPDx6020

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		80X35	103x90	80x60	11x9	—	108	140	09P1F80A35CEPRX4012
		100X36	103x90	80x60	11x9	—	132	180	09P1F100A36CEPRX4012
		125X36	103x90	80x60	11x9	—	155	230	09P1F125A36CEPRX5015
		160X50	135x114	105x80	13.5x11	—	200	400	09P1F160A50CEPDx6020
		200X50	135x114	105x80	13.5x11	—	245	500	09P1F200A50CEPDx6020

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

09 Series Industrial Castors
with EP Series Blue Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		80x35	40	Ø13	107	140	09H1S80A35CEPRX4012
		100x36	40	Ø13	131	180	09H1S100A36CEPRX4012
		125x36	40	Ø13	154	230	09H1S125A36CEPRX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
		80x35	40	Ø13	107	140	09H1TB80A35CEPRX4012
		100x36	40	Ø13	131	180	09H1TB100A36CEPRX4012
		125x36	40	Ø13	154	230	09H1TB125A36CEPRX5015

06 Series Industrial Castors
with EP Series Blue Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X38	135x110	105x80	13.5x11	48	155	250
							06P1S125A38CEPBA5210
							06P1S125A38CEPRX5015

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X38	135x110	105x80	13.5x11	48	155	250
							06P1TB125A38CEPBA5210
							06P1TB125A38CEPRX5015

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X38	135x114	105x80	13.5x11	—	155	250
							06P1F125A38CEPBA5210
							06P1F125A38CEPRX5015

Castor Options



Swivel Castors with Directional Lock(Retro Fit)1x360"

125MM



Swivel Castors with the Hole of Directional Lock

125MM

07 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	105x80	80x60	11x9	36	100	150
	100X40	105x80	80x60	11x9	36	125	180
	125X40	105x80	80x60	11x9	36	155	200
	160X50	135x110	105x80	13.5x11	52	190	300
	200X50	135x110	105x80	13.5x11	54	235	300
	250X50	135x110	105x80	13.5x11	66	290	400
							07P1S80C38JEADX4015
							07P1S100C40JEADX4015
							07P1S125C40JEADX5015
							07P1S160C50JEADX6020
							07P1S200C50JEADX6020
							07P1S250C50JEADX6025

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	105x80	80x60	11x9	36	100	150
	100X40	105x80	80x60	11x9	40	125	180
	125X40	105x80	80x60	11x9	40	155	200
	160X50	135x110	105x80	13.5x11	60	190	300
	200X50	135x110	105x80	13.5x11	60	235	300
							07P1TB80C38JEADX4015
							07P1TB100C40JEADX4015
							07P1TB125C40JEADX5015
							07P1TB160C50JEADX6020
							07P1TB200C50JEADX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	102X87	80x60	11x9	—	100	150
	100X40	102X87	80x60	11x9	—	125	180
	125X40	102X87	80x60	11x9	—	155	200
	160X50	135x114	105x80	13.5x11	—	190	300
	200X50	135x114	105x80	13.5x11	—	235	300
	250X50	135x114	105x80	13.5x11	—	290	400
							07P1F80C38JEADX4015
							07P1F100C40JEADX4015
							07P1F125C40JEADX5015
							07P1F160C50JEADX6020
							07P1F200C50JEADX6020
							07P1F250C50JEADX6025

Castor Options



Swivel Castors with Tail Brakes

160-250MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM



Wheel with Non-marking Grey Tyre

80-250MM



Electrically Conductive Version, Black Tyre

80-200MM

07 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Bolt Hole Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows include specifications for 80X38, 100X40, 125X40, 160X50, and 200X50 models.

Bolt Hole Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows include specifications for 80X38, 100X40, 125X40, 160X50, and 200X50 models with total brakes.

09 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows include specifications for 80X38, 100X40, 125X40, 150X50, 160X50, and 200X50 models.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows include specifications for 80X38, 100X40, 125X40, 150X50, 160X50, and 200X50 models with total brakes.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. Rows include specifications for 80X38, 100X40, 125X40, 150X50, 160X50, and 200X50 models.

Castor Options



Swivel Castors with Tail Brakes
150-250MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
150-200MM

09 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	150	09H1S80C38JEADX4015
	100X40	40	Ø13	131	200	09H1S100C40JEADX4015
	125X40	40	Ø13	154	250	09H1S125C40JEADX5015

Bolt Hole Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	150	09H1TB80C38JEADX4015
	100X40	40	Ø13	131	200	09H1TB100C40JEADX4015
	125X40	40	Ø13	154	250	09H1TB125C40JEADX5015

06 Series Industrial Castors
with EA Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X40	135x110	105x80	13.5x11	45	128	200	06P1S100C40JEADX4515
	125X40	135x110	105x80	13.5x11	48	155	250	06P1S125C40JEADX5015

Swivel Castors
with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X40	135x110	105x80	13.5x11	42	128	200	06P1TB100C40JEADX4515
	125X40	135x110	105x80	13.5x11	48	155	250	06P1TB125C40JEADX5015

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X40	135x114	105x80	13.5x11	—	128	200	06P1F100C40JEADX4515
	125X40	135x114	105x80	13.5x11	—	155	250	06P1F125C40JEADX5015

Castor Options



Swivel Castors with
Directional Lock(Retro Fit)1x360"
125MM



Swivel Castors with
Directional Lock 4x90"
100MM



Swivel Castors with
the Hole of Directional Lock
125MM

06 Series Industrial Castors
with EA series Black Elastic Rubber wheel



Swivel Castor with the
hole of directional lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X40	135x110	105x80	13.5x11	48	155	250	06P1S125C40JEADX5015-S

Swivel Castor with 90
Degree Directional Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X40	135x110	105x80	13.5x11	45	128	200	06P1DB100C40JEADX4515-90D

Swivel Castor with 180
Degree Directional Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X40	135x110	105x80	13.5x11	48	155	250	06P1DB125C40JEADX4515-180D

07 Series Industrial Castors
with EA series Black Elastic Rubber wheel



Swivel Castor



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	140X40	125x125	100x100	11	52	172	270	07P1S140C40JEADX6020

Swivel Castor with
Directional Lock



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	140x40	125x125	100x100	11	52	172	270	07P1DB140C40JEADX6020

09 Series Industrial Castors

with ES Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	160X50	135x110	105x80	13.5x11	52	200	450	09P1S160C50CESDX6020
	200X50	135x110	105x80	13.5x11	54	245	500	09P1S200C50CESDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	160X50	135x110	105x80	13.5x11	60	200	450	09P1TB160C50CESDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200C50CESDX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	160X50	135x114	105x80	13.5x11	—	200	450	09P1F160C50CESDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200C50CESDX6020

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

09 Series Industrial Castors

with EI Series Black Elastic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	160X50	135x110	105x80	13.5x11	52	200	450	09P1S160C50CEIDX6020
	200X50	135x110	105x80	13.5x11	54	245	500	09P1S200C50CEIDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	160X50	135x110	105x80	13.5x11	60	200	450	09P1TB160C50CEIDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200C50CEIDX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	160X50	135x114	105x80	13.5x11	—	200	450	09P1F160C50CEIDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200C50CEIDX6020

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

07/08 Series Industrial Castors

with BM(SH) Series Black Super Elastc Rubber Wheel



Swivel Castors



Swivel Castors with Total Brakes



Fixed Castors



Swivel Castors with Tail Brakes

Castor Options



Wheel with Non-marking Grey Tyre

125-260mm

Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	125X37.5	105x80	80x60	11x9	36	155	120	07P1S125C37.5JBM(SH)RX5015
	160X40	135x110	105x80	13.5x11	52	190	225	07P1S160C40JBM(SH)RX6020
	200X50	135x110	105x80	13.5x11	54	235	350	07P1S200C50JBM(SH)RX6020
	250X60	135x110	105x80	13.5x11	66	290	400	07P1S250C60JBM(SH)RX7525
	260X85	175X175	140X140	15X15	70	295	400	08P1S260C85JBM(SH)RX7525
								Code Number
	125X37.5	105x80	80x60	11x9	40	155	120	07P1TB125C37.5JBM(SH)RX5015
	160X40	135x110	105x80	13.5x11	60	190	225	07P1TB160C40JBM(SH)RX6020
	200X50	135x110	105x80	13.5x11	60	235	350	07P1TB200C50JBM(SH)RX6020
								Code Number
	125X37.5	102X87	80x60	11x9	—	155	120	07P1F125C37.5JBM(SH)RX5015
	160X40	135x114	105x80	13.5x11	—	190	225	07P1F160C40JBM(SH)RX6020
	200X50	135x114	105x80	13.5x11	—	235	350	07P1F200C50JBM(SH)RX6020
	250X60	135x114	105x80	13.5x11	—	290	400	07P1F250C60JBM(SH)RX7525
	260X85	230X130	190X75	14.5X14.5	—	295	400	08P1F260C85JBM(SH)RX7525
								Code Number
	160X40	135x110	105x80	13.5x11	52	190	120	07P1FB160C40JBM(SH)RX6020
	200X50	135x110	105x80	13.5x11	54	235	225	07P1FB200C50JBM(SH)RX6020
	250X60	135x110	105x80	13.5x11	66	290	350	07P1FB250C60JBM(SH)RX7525
	260X85	175X175	140X140	15X15	70	295	400	08P1FB260C85JBM(SH)RX7525

08 Series Industrial Castors

with EL Series Black Loaded Elastc Rubber Wheel



Swivel Castors



Fixed Castors



Swivel Castors with Tail Brakes

Castor Options



Wheel with Non-marking Grey Tyre

260MM

Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	260X85	175X175	140X140	15X15	70	295	400	08P1S260C85JELDX7520
								Code Number
	260X85	230X130	190X75	14.5X14.5	—	295	400	08P1F260C85JELDX7520
								Code Number
	260X85	175X175	140X140	15X15	70	295	400	08P1FB260C85JELDX7520

07 Series Industrial Castors
with UP Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		80X34	105x80	80x60	11x9	36	100	120	07P1S80D34BUPRX4012 07P1S80D34BUPBA4208
		100X34	105x80	80x60	11x9	36	125	160	07P1S100D34BUPRX4012 07P1S100D34BUPBA4208
		125X36	105x80	80x60	11x9	40	155	200	07P1S125D36BUPRX5015 07P1S125D36BUPBA5210
		160X40	135x110	105x80	13.5x11	52	190	300	07P1S160D40BUPRX6020 07P1S160D40BUPDA6212
		200X50	135x110	105x80	13.5x11	54	235	300	07P1S200D50BUPRX6020 07P1S200D50BUPDA6212

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		80X34	105x80	80x60	11x9	36	100	120	07P1TB80D34BUPRX4012 07P1TB80D34BUPBA4208
		100X34	105x80	80x60	11x9	40	125	160	07P1TB100D34BUPRX4012 07P1TB100D34BUPBA4208
		125X36	105x80	80x60	11x9	40	155	200	07P1TB125D36BUPRX5015 07P1TB125D36BUPBA5210
		160X40	135x110	105x80	13.5x11	60	190	300	07P1TB160D40BUPRX6020 07P1TB160D40BUPDA6212
		200X50	135x110	105x80	13.5x11	60	235	300	07P1TB200D50BUPRX6020 07P1TB200D50BUPDA6212

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		80X34	102x87	80x60	11x9	—	100	120	07P1F80D34BUPRX4012 07P1F80D34BUPBA4208
		100X34	102x87	80x60	11x9	—	125	160	07P1F100D34BUPRX4012 07P1F100D34BUPBA4208
		125X36	102x87	80x60	11x9	—	155	200	07P1F125D36BUPRX5015 07P1F125D36BUPBA5210
		160X40	135x114	105x80	13.5x11	—	190	300	07P1F160D40BUPRX6020 07P1F160D40BUPDA6212
		200X50	135x114	105x80	13.5x11	—	235	300	07P1F200D50BUPRX6020 07P1F200D50BUPDA6212

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

07 Series Industrial Castors
with UP Series Grey Thermoplastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		80X34	36	Ø13	99	120	07H1S80D34BUPRX4012 07H1S80D34BUPBA4208
		100X34	36	Ø13	124	160	07H1S100D34BUPRX4012 07H1S100D34BUPBA4208
		125X36	36	Ø13	154	200	07H1S125D36BUPRX5015 07H1S125D36BUPBA5210
		160X40	52	Ø16.8	185	300	07H1S160D40BUPRX6020 07H1S160D40BUPDA6212
		200X50	54	Ø16.8	230	300	07H1S200D50BUPRX6020 07H1S200D50BUPDA6212

Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		80X34	36	Ø13	99	120	07H1TB80D34BUPRX4012 07H1TB80D34BUPBA4208
		100X34	40	Ø13	124	160	07H1TB100D34BUPRX4012 07H1TB100D34BUPBA4208
		125X36	40	Ø13	154	200	07H1TB125D36BUPRX5015 07H1TB125D36BUPBA5210
		160X40	60	Ø16.8	185	300	07H1TB160D40BUPRX6020 07H1TB160D40BUPDA6212
		200X50	60	Ø16.8	230	300	07H1TB200D50BUPRX6020 07H1TB200D50BUPDA6212

06 Series Industrial Castors
with UP Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X34	135x110	105x80	13.5x11	45	128	160	06P1S100D34BUPBA5208
	125X36	135x110	105x80	13.5x11	48	155	250	06P1S125D36BUPRX5015
	125X36	135x110	105x80	13.5x11	48	155	250	06P1S125D36BUPBA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X34	135x110	105x80	13.5x11	42	128	160	06P1TB100D34BUPBA5208
	125X36	135x110	105x80	13.5x11	48	155	250	06P1TB125D36BUPRX5015
	125X36	135x110	105x80	13.5x11	48	155	250	06P1TB125D36BUPBA5210

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X34	135x114	105x80	13.5x11	—	128	160	06P1F100D34BUPBA5208
	125X36	135x114	105x80	13.5x11	—	155	250	06P1F125D36BUPRX5015
	125X36	135x114	105x80	13.5x11	—	155	250	06P1F125D36BUPBA5210

Castor Options



Swivel Castors with Directional Lock(Retro Fit)1x360"

125MM



Swivel Castors with the Hole of Directional Lock

125MM

09 Series Industrial Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	180	09P1S80D38BUMRX4012
	100X40	105x80	80x60	11x9	40	132	300	09P1S100D40BUMRX4012
	125X40	105x80	80x60	11x9	40	155	350	09P1S125D40BUMRX5015
	160X45	135x110	105x80	13.5x11	52	200	500	09P1S160D45BUMRX6020
	200X50	135x110	105x80	13.5x11	52	245	500	09P1S200D45BUMRX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	180	09P1TB80D38BUMRX4012
	100X40	105x80	80x60	11x9	40	132	300	09P1TB100D40BUMRX4012
	125X40	105x80	80x60	11x9	40	155	350	09P1TB125D40BUMRX5015
	160X45	135x110	105x80	13.5x11	60	200	500	09P1TB160D45BUMRX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200D45BUMRX6020

Fixed Castors



Bearing	Wheel of width [mm]	Plate size[mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X38	103x90	80x60	11x9	—	108	180	09P1F80D38BUMRX4012
	100X40	103x90	80x60	11x9	—	132	300	09P1F100D40BUMRX4012
	125X40	103x90	80x60	11x9	—	155	350	09P1F125D40BUMRX5015
	160X45	135x114	105x80	13.5x11	—	200	500	09P1F160D45BUMRX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200D45BUMRX6020

Castor Options



Swivel Castors with Tail Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

160-200MM

09 Series Industrial Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	 						
	80X38	40	Ø13	107	180	09H1S80D38BUMRX4012	
	100X40	40	Ø13	131	300	09H1S100D40BUMRX4012	
	125X40	40	Ø13	154	350	09H1S125D40BUMRX5015	

Bolt Hole Castors with Total Brakes



							Code Number
	80X38	40	Ø13	107	180		09H1TB80D38BUMRX4012
	100X40	40	Ø13	131	300		09H1TB100D40BUMRX4012
	125X40	40	Ø13	154	350		09H1TB125D40BUMRX5015

06 Series Industrial Castors
with UM Series Grey Thermoplastic Polyurethane Wheel



Swivel Castors



06P1S100D40BUMRX5012									
Code Number									
Load Capacity [kg]									
300									
Overall Height [mm]									
128									
Offset [mm]									
45									
Plate hole [mm]									
13.5x11									
Plate hole center [mm]									
105x80									
Plate size [mm]									
135x110									
Wheel of width [mm]									
100X40									
Wheel diameter [mm]									
125X40									
Bearing									
									

Swivel Castors with Total Brakes



	 							Code Number
	100X40	135x110	105x80	13.5x11	42	128	300	06P1TB100D40BUMRX5012
	125X40	135x110	105x80	13.5x11	48	155	350	06P1TB125D40BUMRX5015

Fixed Castors



									Code Number
	100X40	135x114	105x80	13.5x11	—	128	300	06P1F100D40BUMRX5012	
	125X40	135x114	105x80	13.5x11	—	155	350	06P1F125D40BUMRX5015	

Swivel Castor with the hole of directional Lock



	 							Code Number
	125X40	135x110	105x80	13.5x11	48	155	350	06P1S125D40BUMRX5015-S

Swivel Castor with 180 Degree Directional Lock



	 							Code Number
	125X40	135x110	105x80	13.5x11	48	155	350	06P1DB125D40BUMRX5015-180D

07 Series Industrial Castors

with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	105x80	80x60	11x9	36	125	180	07P1S100H40JUHDX4015

		125X40	105x80	80x60	11x9	40	155	200	07P1S125H40JUHDX5015
--	--	--------	--------	-------	------	----	-----	-----	----------------------

Swivel Castors
with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	105x80	80x60	11x9	40	125	180	07P1TB100H40JUHDX4015

		125X40	105x80	80x60	11x9	40	155	200	07P1TB125H40JUHDX5015
--	--	--------	--------	-------	------	----	-----	-----	-----------------------

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	102x87	80x60	11x9	—	125	180	07P1F100H40JUHDX4015

		125X40	102x87	80x60	11x9	—	155	200	07P1F125H40JUHDX5015
--	--	--------	--------	-------	------	---	-----	-----	----------------------

Castor Options



Antistatic Version,
Non-marking Grey

100-125MM

07 Series Industrial Castors

with UH Series Green Elastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	36	Ø13	124	180	07H1S100H40JUHDX4015

		125X40	36	Ø13	154	200	07H1S125H40JUHDX5015
--	--	--------	----	-----	-----	-----	----------------------

Bolt Hole Castors
with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	40	Ø13	124	180	07H1TB100H40JUHDX4015

		125X40	40	Ø13	154	200	07H1TB125H40JUHDX5015
--	--	--------	----	-----	-----	-----	-----------------------

09 Series Industrial Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	200	09P1S80H38JUHDX4015
	100X40	105x80	80x60	11x9	40	132	250	09P1S100H40JUHDX4015
	125X40	105x80	80x60	11x9	40	155	300	09P1S125H40JUHDX5015
	125X50	135x110	105x80	13.5x11	48	155	320	09P1S125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	52	195	400	09P1S150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	52	200	440	09P1S160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	52	245	500	09P1S200H50JUHDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	200	09P1TB80H38JUHDX4015
	100X40	105x80	80x60	11x9	40	132	250	09P1TB100H40JUHDX4015
	125X40	105x80	80x60	11x9	40	155	300	09P1TB125H40JUHDX5015
	125X50	135x110	105x80	13.5x11	48	155	320	09P1TB125H50JUHDX6020
	150X50	135x110	105x80	13.5x11	60	195	400	09P1TB150H50JUHDX6020
	160X50	135x110	105x80	13.5x11	60	200	440	09P1TB160H50JUHDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200H50JUHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	103x90	80x60	11x9	—	108	200	09P1F80H38JUHDX4015
	100X40	103x90	80x60	11x9	—	132	250	09P1F100H40JUHDX4015
	125X40	103x90	80x60	11x9	—	155	300	09P1F125H40JUHDX5015
	125X50	135x114	105x80	13.5x11	—	155	320	09P1F125H50JUHDX6020
	150X50	135x114	105x80	13.5x11	—	195	400	09P1F150H50JUHDX6020
	160X50	135x114	105x80	13.5x11	—	200	440	09P1F160H50JUHDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200H50JUHDX6020

Castor Options



Swivel Castors with Tail Brakes
150-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"
150-200MM



Antistatic Version, Non-marking Grey
80-200MM

09 Series Industrial Castors
with UH Series Green Elastic Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	200	09H1S80H38JUHDX4015
	100x40	40	Ø13	131	250	09H1S100H40JUHDX4015
	125x40	40	Ø13	154	300	09H1S125H40JUHDX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	200	09H1TB80H38JUHDX4015
	100x40	40	Ø13	131	250	09H1TB100H40JUHDX4015
	125x40	40	Ø13	154	300	09H1TB125H40JUHDX5015

06 Series Industrial Castors
with UH Series Green Elastic Polyurethane Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	135x110	105x80	13.5x11	45	128	250	06P1S100H40JUHDX4515
		125X40	135x110	105x80	13.5x11	48	155	300	06P1S125H40JUHDX5015

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	135x110	105x80	13.5x11	42	128	250	06P1TB100H40JUHDX4515
		125X40	135x110	105x80	13.5x11	48	155	300	06P1TB125H40JUHDX5015

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X40	135x114	105x80	13.5x11	—	128	250	06P1F100H40JUHDX4515
		125X40	135x114	105x80	13.5x11	—	155	300	06P1F125H40JUHDX5015

Castor Options



Antistatic Version, Non-marking Grey

100-125MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

125MM



Swivel Castors with Directional Lock 4x90"

100MM



Swivel Castors with the Hole of Directional Lock

125MM

07 Series Industrial Castors
with UA Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X38	105x80	80x60	11x9	36	125	180	07P1S100E38JUADX4015
		125X38	105x80	80x60	11x9	40	155	200	07P1S125E38JUADX5015

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X38	105x80	80x60	11x9	40	125	180	07P1TB100E38JUADX4015
		125X38	105x80	80x60	11x9	40	155	200	07P1TB125E38JUADX5015

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		100X38	102x87	80x60	11x9	—	125	180	07P1F100E38JUADX4015
		125X38	102x87	80x60	11x9	—	155	200	07P1F125E38JUADX5015

Castor Options



Antistatic Version, Non-marking Grey

100-125MM

07 Series Industrial Castors
with UA Series Yellow Polyurethane Wheel



Bolt Hole Castors



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists two models: 07H1S100E38JUADX4015 and 07H1S125E38JUADX5015.

Bolt Hole Castors with Total Brakes



Table with 8 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Offset [mm], Centre hole [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists two models: 07H1TB100E38JUADX4015 and 07H1TB125E38JUADX5015.

09 Series Industrial Castors
with UA/UH Series Yellow Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists 8 models ranging from 80X38 to 200X50.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists 8 models ranging from 80X38 to 200X50.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], Code Number. It lists 8 models ranging from 80X38 to 200X50.

Castor Options



Swivel Castor with Tail Brake

150-200MM



Swivel Castor with Directional Lock(retro fit)1x360"

150-200MM



Antistatic version, Non-marking grey

80-200MM

09 Series Industrial Castors

with UA/UH Series Yellow Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	250	09H1S80E38JUHDX4015
	100x38	40	Ø13	131	300	09H1S100E38JUADX4015
	125x38	40	Ø13	154	350	09H1S125E38JUADX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	40	Ø13	107	250	09H1TB80E38JUHDX4015
	100x38	40	Ø13	131	300	09H1TB100E38JUADX4015
	125x38	40	Ø13	154	350	09H1TB125E38JUADX5015

06 Series Industrial Castors

with UA Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel diameter [mm] Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100x38	135x110	105x80	13.5x11	45	128	300	06P1S100E38JUADX4515
	125x38	135x110	105x80	13.5x11	48	155	350	06P1S125E38JUADX5015

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm] Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X38	135x110	105x80	13.5x11	42	128	300	06P1TB100E38JUADX4515
	125X38	135x110	105x80	13.5x11	48	155	350	06P1TB125E38JUADX5015

Fixed Castors



Bearing	Wheel diameter [mm] Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X38	135x114	105x80	13.5x11	—	128	300	06P1F100E38JUADX4515
	125X38	135x114	105x80	13.5x11	—	155	350	06P1F125E38JUADX5015

Castor Options



Antistatic Version,
Non-marking Grey
100-125MM

Swivel Castors with
Directional Lock(Retro Fit)1x360"
125MM

Swivel Castors with
Directional Lock 4x90"
100M

Swivel Castors with
the Hole of Directional Lock
125MM

09 Series Industrial Castors
with UI Series Yellow Polyurethane Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	105x80	80x60	11x9	40	108	250	09P1S80E32JUIDX4015
	100X32	105x80	80x60	11x9	40	132	350	09P1S100E32JUIDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1S125E38JUIDX4515
	125X50	135x110	105x80	13.5x11	48	155	500	09P1S125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	52	195	500	09P1S150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	52	200	500	09P1S160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	52	245	500	09P1S200E50JUIDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	105x80	80x60	11x9	40	108	250	09P1TB80E32JUIDX4015
	100X32	105x80	80x60	11x9	40	132	350	09P1TB100E32JUIDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1TB125E38JUIDX4515
	125X50	135x110	105x80	13.5x11	48	155	500	09P1TB125E50JUIDX6020
	150X50	135x110	105x80	13.5x11	60	195	500	09P1TB150E50JUIDX6020
	160X50	135x110	105x80	13.5x11	60	200	500	09P1TB160E50JUIDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200E50JUIDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	103x90	80x60	11x9	—	108	250	09P1F80E32JUIDX4015
	100X32	103x90	80x60	11x9	—	132	350	09P1F100E32JUIDX4015
	125X38	103x90	80x60	11x9	—	155	350	09P1F125E38JUIDX4515
	125X50	135x114	105x80	13.5x11	—	155	500	09P1F125E50JUIDX6020
	150X50	135x114	105x80	13.5x11	—	195	500	09P1F150E50JUIDX6020
	160X50	135x114	105x80	13.5x11	—	200	500	09P1F160E50JUIDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200E50JUIDX6020

Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360"

150-200MM



Antistatic Version, Non-marking Grey

80-200MM

09 Series Industrial Castors
with UI Series Yellow Polyurethane Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	40	Ø13	107	250	09H1S80E32JUIDX4015
	100X32	40	Ø13	131	350	09H1S100E32JUIDX4015
	125X38	40	Ø13	154	350	09H1S125E38JUIDX4515

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X32	40	Ø13	107	250	09H1TB80E32JUIDX4015
	100X32	40	Ø13	131	350	09H1TB100E32JUIDX4015
	125X38	40	Ø13	154	350	09H1TB125E38JUIDX4515

06 Series Industrial Castors
with UI Series Yellow Polyurethane Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models of swivel castors with their specifications.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models of swivel castors with total brakes.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists two models of fixed castors.

Castor Options



Antistatic Version, Non-marking Grey

100-125MM



Swivel Castors with Directional Lock(Retro Fit)1x360°

125MM



Swivel Castors with Directional Lock 4x90°

100MM



Swivel Castors with the Hole of Directional Lock

125MM

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Swivel Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists multiple models of swivel castors with their specifications.

Swivel Castors with Total Brakes



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists multiple models of swivel castors with total brakes.

Fixed Castors



Table with 9 columns: Bearing, Wheel diameter [mm], Wheel of width [mm], Plate size [mm], Plate hole center [mm], Plate hole [mm], Offset [mm], Overall Height [mm], Load Capacity [kg], and Code Number. It lists multiple models of fixed castors.

Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Central Brakes

160-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360°

160-200MM



Electrically Conductive Version, Black

80-200mm

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	36	Ø13	99	150	07H1S80B34BPAPX4012 07H1S80B34BPARX4012
	100x36	36	Ø13	124	180	07H1S100B36BPAPX4012 07H1S100B36BPARX4012
	125x40	36	Ø13	154	200	07H1S125B40BPAPX5015 07H1S125B40BPARX5015
	160x40	52	Ø16.8	185	300	07H1S160B40BPAPX6020 07H1S160B40BPARX6020
	200x46	54	Ø16.8	230	300	07H1S200B40BPAPX6020 07H1S200B46BPARX6020

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	36	Ø13	99	150	07H1TB80B34BPAPX4012 07H1TB80B34BPARX4012
	100x36	40	Ø13	124	180	07H1TB100B36BPAPX4012 07H1TB100B36BPARX4012
	125x40	40	Ø13	154	200	07H1TB125B40BPAPX5015 07H1TB125B40BPARX5015
	160x40	60	Ø16.8	185	300	07H1TB160B40BPAPX6020 07H1TB160B40BPARX6020
	200x46	60	Ø16.8	230	300	07H1TB200B40BPAPX6020 07H1TB200B46BPARX6020

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	150	07P1S80B34BPABA4208
	100X36	105x80	80x60	11x9	36	125	180	07P1S100B36BPABA4208
	125x40	105x80	80x60	11x9	40	155	200	07P1S125B40BPABA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	105x80	80x60	11x9	36	100	150	07P1TB80B34BPABA4208
	100X36	105x80	80x60	11x9	36	125	180	07P1TB100B36BPABA4208
	125x40	105x80	80x60	11x9	40	155	200	07P1TB125B40BPABA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80x34	102X87	80x60	11x9	—	100	150	07P1F80B34BPABA4208
	100X36	102X87	80x60	11x9	—	125	180	07P1F100B36BPABA4208
	125x40	102X87	80x60	11x9	—	155	200	07P1F125B40BPABA5210

07 Series Industrial Castors
with PA Series White Polyamide Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X34	36	Ø13	99	150	07H1S80B34BPABA4208
	100x36	36	Ø13	124	180	07H1S100B36BPABA4208
	125X40	36	Ø13	154	200	07H1S125B40BPABA5210

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	80X34	36	Ø13	99	150	07H1TB80B34BPABA4208
	100x36	40	Ø13	124	180	07H1TB100B36BPABA4208
	125X40	40	Ø13	154	200	07H1TB125B40BPABA5210

06 Series Industrial Castors
with PA Series White Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	135x110	105x80	13.5x11	45	128	200	06P1S100B36BPAPX5012
								06P1S100B36BPARX5012
								06P1S100B36BPABA5208

	125X40	135x110	105x80	13.5x11	48	155	300	06P1S125B40BPAPX5015
								06P1S125B40BPARX5015
								06P1S125B40BPABA5210

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	135x110	105x80	13.5x11	42	128	200	06P1TB100B36BPAPX5012
								06P1TB100B36BPARX5012
								06P1TB100B36BPABA5208

	125X40	135x110	105x80	13.5x11	48	155	300	06P1TB125B40BPAPX5015
								06P1TB125B40BPARX5015
								06P1TB125B40BPABA5210

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	135x114	105x80	13.5x11	—	128	200	06P1F100B36BPAPX5012
								06P1F100B36BPARX5012
								06P1F100B36BPABA5208

	125X40	135x114	105x80	13.5x11	—	155	300	06P1F125B40BPAPX5015
								06P1F125B40BPARX5015
								06P1F125B40BPABA5210

Castor Options



Swivel Castors with Directional Lock(Retro Fit)1x360"
125MM



Swivel Castors with the Hole of Directional Lock
125MM

09 Series Industrial Castors
with PH Series White Polyamide Wheel



Swivel Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	300	09P1S80B38BPHDX4015
	100X38	105x80	80x60	11x9	40	132	350	09P1S100B38BPHDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1S125B38BPHDX5015
	125X50	135x110	105x80	13.5x11	48	155	500	09P1S125B50BPHDX6020
	150X50	135x110	105x80	13.5x11	52	195	500	09P1S150B50BPHDX6020
	160X50	135x110	105x80	13.5x11	52	200	500	09P1S160B50BPHDX6020
	200X50	135x110	105x80	13.5x11	54	245	500	09P1S200B50BPHDX6020

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	105x80	80x60	11x9	40	108	300	09P1TB80B38BPHDX4015
	100X38	105x80	80x60	11x9	40	132	350	09P1TB100B38BPHDX4015
	125X38	105x80	80x60	11x9	40	155	350	09P1TB125B38BPHDX5015
	125X50	135x110	105x80	13.5x11	48	155	500	09P1TB125B50BPHDX6020
	150X50	135x110	105x80	13.5x11	60	195	500	09P1TB150B50BPHDX6020
	160X50	135x110	105x80	13.5x11	60	200	500	09P1TB160B50BPHDX6020
	200X50	135x110	105x80	13.5x11	60	245	500	09P1TB200B50BPHDX6020

Fixed Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	80X38	103x90	80x60	11x9	—	108	300	09P1F80B38BPHDX4015
	100X38	103x90	80x60	11x9	—	132	350	09P1F100B38BPHDX4015
	125X38	103x90	80x60	11x9	—	155	350	09P1F125B38BPHDX5015
	125X50	135x114	105x80	13.5x11	—	155	500	09P1F125B50BPHDX6020
	150X50	135x114	105x80	13.5x11	—	195	500	09P1F150B50BPHDX6020
	160X50	135x114	105x80	13.5x11	—	200	500	09P1F160B50BPHDX6020
	200X50	135x114	105x80	13.5x11	—	245	500	09P1F200B50BPHDX6020

Castor Options



Swivel Castors with Tail Brakes

150-200MM



Swivel Castors with Directional Lock(Retro Fit)1x360°

150-200MM

09 Series Industrial Castors
with PH Series White Polyamide Wheel



Bolt Hole Castors



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X38	40	Ø13	131	350	09H1S100B38BPHDX4015
	125X38	40	Ø13	154	350	09H1S125B38BPHDX5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel of width [mm] Wheel diameter [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
	100X38	40	Ø13	131	350	09H1TB100B38BPHDX4015
	125X38	40	Ø13	154	350	09H1TB125B38BPHDX5015

06 Series Industrial Castors
with PH Series White Polyamide Wheel



Swivel Castors



Code Number								
Load Capacity [kg]	Overall Height [mm]	Offset [mm]	Plate hole [mm]	Plate hole center [mm]	Plate size [mm]	Wheel of width [mm]	Wheel diameter [mm]	Bearing
								
350	128	45	13.5x11	105x80	135x110	100X38		

Swivel Castors with Total Brakes



	 							Code Number
	100X38	135x110	105x80	13.5x11	42	128	350	06P1TB100B38BPHDX5015

Fixed Castors



	 							Code Number
	100X38	135x114	105x80	13.5x11	—	128	350	06P1F100B38BPHDX5015

Swivel Castor with The hole of directional Lock



								Code Number
	125X38	135x110	105x80	13.5x11	48	155	350	06P1S125B38BPHDX5015-S

Swivel Castor with Directional Lock



	 							Code Number
	125X38	135x110	105x80	13.5x11	48	155	350	06P1DB125B38BPHDX5015-180D

07 Series Industrial Castors
with RA Series Grey Polyamide Sandwich Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
							
	100X36	105x80	80x60	11x9	36	125	07P1S100D36DRABA4208
							07P1S100D36DRARA4012

Swivel Castors with Total Brakes



	 								Code Number
	100X36	105x80	80x60	11x9	40	125	160		07P1TB100D36DRABA4208
									07P1TB100D36DRARA4012
	125X36	105x80	80x60	11x9	40	155	200		07P1TB125D36DRABA5210
									07P1TB125D36DRARA5015

Fixed Castors



	 							Code Number
	100X36	102X87	80x60	11x9	—	125	160	07P1F100D36DRABA4208
								07P1F100D36DRARA4012
	125X36	102X87	80x60	11x9	—	155	200	07P1F125D36DRABA5210
								07P1F125D36DRARA5015

07 Series Industrial Castors

with RA Series Grey Polyamide Sandwich Wheel



Bolt Hole Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	36	Ø13	124	150		07H1S100D36DRABA4208
							07H1S100D36DRARA4012

	125X36	36	Ø13	154	200		07H1S125D36DRABA5210
							07H1S125D36DRARA5015

Bolt Hole Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Offset [mm]	Centre hole [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	100X36	40	Ø13	124	150		07H1TB100D36DRABA4208
							07H1TB100D36DRARA4012

	125X36	40	Ø13	154	200		07H1TB125D36DRABA5210
							07H1TB125D36DRARA5015

06 Series Industrial Castors

with RA Series Grey Polyamide Sandwich Wheel



Swivel Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X36	135x110	105x80	13.5x11	48	155	200		06P1S125D36DRARA5015

	125X36	135x110	105x80	13.5x11	48	155	200		06P1S125D36DRABA5210
--	--------	---------	--------	---------	----	-----	-----	--	----------------------

Swivel Castors with Total Brakes



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X36	135x110	105x80	13.5x11	48	155	200		06P1TB125D36DRARA5015

	125X36	135x110	105x80	13.5x11	48	155	200		06P1TB125D36DRABA5210
--	--------	---------	--------	---------	----	-----	-----	--	-----------------------

Fixed Castors



Bearing	Wheel diameter [mm]	Wheel of width [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity[kg]	Code Number
	125X36	135x114	105x80	13.5x11	—	155	200		06P1F125D36DRARA5015

	125X36	135x114	105x80	13.5x11	—	155	200		06P1F125D36DRABA5210
--	--------	---------	--------	---------	---	-----	-----	--	----------------------

Castor Options



Swivel Castors with Directional Lock(Retro Fit)1x360°

125MM



Swivel Castors with the Hole of Directional Lock

125MM

07/08 Series Industrial Castors
with FP Series Black Pneumatic Rubber Wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		200X50	135x110	105x80	13.5x11	54	235	75	07P1S200C50FFPRX5820
		260X85	135x110	105x80	13.5x11	66	295	150	07P1S260C85FFPRX7520
		260X85	135x110	105x80	13.5x11	66	295	150	07P1S260C85FFPDX7520
		260X85	175X175	140X140	15X15	70	295	150	08P1S250C60FFPRX7520
		260X85	175X175	140X140	15X15	70	295	150	08P1S250C60FFPDX7520

Fixed Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		200X50	135x114	105x80	13.5X11	—	235	75	07P1F200C50FFPRX5820
		260x85	135x114	105x80	13.5x11	—	295	150	07P1F260C85FFPRX7520
		260x85	135x114	105x80	13.5x11	—	295	150	07P1F260C85FFPDX7520
		260X85	230X130	190X75	14.5X14.5	—	295	150	08P1F250C60FFPRX7520
		260X85	230X130	190X75	14.5X14.5	—	295	150	08P1F250C60FFPDX7520

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		200X50	135x110	105x80	13.5x11	54	235	75	07P1FB200C50FFPRX5820
		260x85	135x110	105x80	13.5x11	66	295	150	07P1FB260C85FFPRX7520
		260X85	135x110	105x80	13.5x11	66	295	150	07P1FB260C85FFPDX7520
		260X85	175X175	140X140	15X15	70	295	150	08P1FB250C60FFPRX7520
		260X85	175X175	140X140	15X15	70	295	150	08P1FB250C60FFPDX7520

Swivel Castors with Total Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		200X50	135x110	105x80	13.5x11	60	235	75	07P1TB200C50FFPRX5820

07/08 Series Industrial Castors
with FS series Black Pneumatic Rubber wheel



Swivel Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		260X85	135x110	105x80	13.5x11	66	295	150	07P1S260C85JFSRX7520
		260X85	135x110	105x80	13.5x11	66	295	150	07P1S260C85JFSDX7520
		260X85	175X175	140X140	15X15	70	295	150	08P1S260C85JFSRX7520
		260X85	175X175	140X140	15X15	70	295	150	08P1S260C85JFSDX7520

Fixed Castors



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		260X85	230X130	190X75	14.5X14.5	—	295	150	08P1F260C85JFSRX7520
		260X85	230X130	190X75	14.5X14.5	—	295	150	08P1F260C85JFSDX7520

Swivel Castors with Tail Brakes



Bearing	Wheel of width [mm]	Wheel diameter [mm]	Plate size [mm]	Plate hole center [mm]	Plate hole [mm]	Offset [mm]	Overall Height [mm]	Load Capacity [kg]	Code Number
		260X85	175X175	140X140	15X15	70	295	150	08P1FB260C85JFSRX7520
		260X85	175X175	140X140	15X15	70	295	150	08P1FB260C85JFSDX7520